

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

RECEIVED  
BLM

SUNDRY NOTICES AND REPORTS ON WELLS

5. LEASE DESIGNATION AND SERIAL NO.

NM-29169

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

1.

OILWELL ☒ GAS WELL ☐ OTHER

2. NAME OF OPERATOR The Gary-Williams Company

8. FARM OR LEASE NAME

Taylor

3. ADDRESS OF OPERATOR 1775 Sherman St., Ste 1925  
Denver, CO 80202 (303) 831-4673

9. WELL NUMBER

#28-4

4. LOCATION OF WELL

AT SURFACE

660 FNL, 660 FWL

10. FIELD AND POOL, OR WILDCAT

Rio Puerco - Mancos

11. SEC., T., R., OR BLK. AND SURVEY

SEC 28 T21N R3W

14. PERMIT NO.

15. ELEVATIONS

7020 GR

12. COUNTY OR PARISH

Sandoval

13. STATE

N. M.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐ PULL OR ALTER CASING ☐  
FRACTURE TREAT ☐ MULTIPLE COMPLETE ☐  
SHOOT OR ACIDIZE ☐ ABANDON ☐  
REPAIR WELL ☐ CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐ REPAIR WELL ☐  
FRACTURE TREATMENT ☐ ALTERING CASING ☐  
SHOOTING OR ACIDIZING ☐ ABANDONMENT ☐  
(OTHER) ☐

OTHER ☒ REMOVE RODS AND TUBING, TEMP ABND.

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS

We plan to remove the rods and tubing from this well for use in another recently drilled well in the field. The proposed procedure is:

- 1) Pull rods and tubing from wellbore.
- 2) Set retrievable bridge plug at 3000'.
- 3) Leave well head and one joint of tubing in well.
- 4) Remove unneeded production equipment.

We do not wish to permanently plug this well because it is very well suited mechanically for a horizontal redrill in the Mancos. The timing of this redrill will depend upon the positive results from other horizontal wells in the area.

Attachment: Well bore diagram.

RECEIVED  
DEC 17 1993  
OIL CON. DIV.  
DIST. 3

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

LANDMAN AREA

DATE

8/2/53

(This space for Federal or State office use)

Acting AREA MANAGER

APPROVED BY

SHIRLEY MONDY

TITLE

RIO PUERCO RESOURCE AREA

DATE

DEC 15 1993

CONDITIONS OF APPROVAL, IF ANY:

NMOCD

# Samuel Gary, Jr. & Associates


## Taylor 28-4 Wellbore Diagram NWNW Sec. 28 T2IN R3W Sandoval County, NM

### Sucker Rod Breakdown

1 1/4" x 16' polished rod  
151 3/4" Sucker Rods  
33 5/8" Sucker Rods  
1 2" x 1/4" x 12' RHBC pump

### Tubing Breakdown:

138 jts 2-3/8" EUE tbg  
1 2-3/8" X 7" AC  
10 jts 2-3/8" EUE tbg  
1 2-3/8" SN  
1 jts 2-3/8" EUE tbg  
1 4' Perforated Tubing Sub



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

RECEIVED  
BLM

5. LEASE DESIGNATION AND SERIAL NO.

NM-29169

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

1. OILWELL ☒ GAS WELL ☐ OTHER

2. NAME OF OPERATOR The Gary-Williams Company

8. FARM OR LEASE NAME

Taylor

3. ADDRESS OF OPERATOR 1775 Sherman St., Ste 1925  
Denver, CO 80202 (303) 831-4673

9. WELL NUMBER

#28-4

4. LOCATION OF WELL

AT SURFACE

660 FNL, 660 FWL

10. FIELD AND POOL, OR WILDCAT

Rio Puerco - Mancos

11. SEC., T., R., OR BLK. AND SURVEY

SEC 28 T21N R3W

14. PERMIT NO.

15. ELEVATIONS

7020 GR

12. COUNTY OR PARISH

Sandoval

13. STATE

N. M.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐ PULL OR ALTER CASING ☐  
FRACTURE TREAT ☐ MULTIPLE COMPLETE ☐  
SHOOT OR ACIDIZE ☐ ABANDON ☐  
REPAIR WELL ☐ CHANGE PLANS ☐

OTHER ☒ REMOVE RODS AND TUBING, TEMP ABND.

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐ REPAIR WELL ☐  
FRACTURE TREATMENT ☐ ALTERING CASING ☐  
SHOOTING OR ACIDIZING ☐ ABANDONMENT ☐  
(OTHER) ☐

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS

We plan to remove the rods and tubing from this well for use in another recently drilled well in the field. The proposed procedure is:

- 1) Pull rods and tubing from wellbore.
- 2) Set retrievable bridge plug at 3000'.
- 3) Leave well head and one joint of tubing in well.
- 4) Remove unneeded production equipment.

We do not wish to permanently plug this well because it is very well suited mechanically for a horizontal redrill in the Mancos. The timing of this redrill will depend upon the positive results from other horizontal wells in the area.

Attachment: Well bore diagram.

RECEIVED  
DEC 17 1993  
OIL & GAS DIV.  
R.T. 3

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

LANDMAN

DATE

8/2/93

(This space for Federal or State office use)

APPROVED BY

SHIRLEY MONDY Acting

TITLE

AREA MANAGER  
RIO PUERCO RESOURCE AREA

DATE

DEC 15 1993

CONDITIONS OF APPROVAL, IF ANY:

NMOCD

Samuel Gary, Jr. & Associates  
 Tayler 28-4 Wellbore Diagram  
 NWNW Sec. 28 T21N R3W  
 Sandoval County, NM

Sucker Rod Breakdown

1 1/4" x 16' polished rod  
 151 3/4" Sucker Rods  
 33 5/8" Sucker Rods  
 1 2" x 1/4" x 12' RHBC pump

Tubing Breakdown:

138 jts 2-3/8" EUE tbg  
 1 2-3/8" x 7" AC  
 10 jts 2-3/8" EUE tbg  
 1 2-3/8" SN  
 1 jts 2-3/8" EUE tbg  
 1 4' Perforated Tubing Sub

