DEPUTY OIL & GAS INSPECTOR

JICARILLA APACHE TRIBE

SUBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION

MAR 2 8 1997

P.O. BOX 507 DULCE, NEW MEXICO 87528


ENVIRONMENTAL PROTECTION OFFICE

PIT REMEDIATION AND CLOSURE REPORT

Operator:	PNM Gas Services (Bay I	ess Telephone:	324-3764
Address:	603 W. Elm Street Farmington, NM 874	01 ·	
Facility or V	Vell Name: Pxi P-5		
Location:	Unit: C Sec. 20	T. 23 N R. 4W	County SANdour
Pit Type:	Separator X Dehydrator	Other	
Land Type:	Jicarilla Apache		
Pit Location	n: Pit dimensions: length	<u> 19'</u> width <u>17</u> '	depth 6
(Attach diag	ram) Reference: wellhead	X other	
	Footage from reference:	54'	
	Direction from reference: 20	Degrees East West	North
Depth to Gr	round Water:	Less than 50 feet 50 feet to 99 feet	(20 points) (10 points)
(Less then 200 feet water source, or; les	Protection Area: From a private domestic se then 1,000 feet from as	Greater than 100 feet Yes No	(0 points) (20 points) (0 points)
Distance to (Horizontal distance lakes, ponds, rivers creeks, irrigation ca	Surface Water: • to perevise • to perevise	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) (0 points)
	D Ephemerai Stream (dry wash): e to all downgradient with of at least 10	Less than or equal to 100 feet Greater than 100 feet	(10 points) (0 points)
Distance to Pond:	D Nearest Lake, Playa, or Watering the to all downgradient investock or wildlife	Less than or equal to 100 feet Greater than 100 feet	(10 points) (0 points)
		RANKING SCORE (TOTAL	POINTS):

Date Remediation Started: $9/23/96$	Date Completed: 1/-5-96
Remediation Method: Excavation	Approx. Cubic Yards 72
(Check all Landfarmed X appropriate	Amount Landfarmed (cubic yds): 28
sections) Other	
Remediation Location: Onsite (i.e., landfarmed onsite, name and location of offsite facility)	Offsite
General Description of Remedial Action: Removed contaminated soil walls and botton of pit 100 ppm hand space read,	from All four side As to get A below
Ground Water Encountered: No X	Depth
Final Pit Closure Sample Location Nonth	Alls And bottom of pit.
(if multiple samples, attach sample result and diagram of sample locations and depths.) Sample depth Sample depth 9/23/96	Sample time /4/5
Sample Results	
Soil: Benzene (ppm)	Water: Benzene (ppb)
Total BTEX (ppm	Toluene (ppb)
Field headspace (ppm) 2.4	Ethylbenzene (ppb)
TPH ≤ 5 , C ppm Method \leq	30/5 Total Aylenes (pps)
Ground Water Sample: Yes No	(If yes, attach sample results)
12 000 A	TITLE Environmental Technician II
AFTER REVIEW OF THE PIT CLOSURE INFORMATION, PIT TO JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE	
APPROVED: YES X NO (REASON	l):
SIGNED: Lew Common DATE	E: 9-30-96

1x: r-s Sec. 20 T23N R4W Unite Bayless





OFF: (505) 325-5667

LAB: (505) 325-1556

Diesel Range Organics

Attn:

Denver Bearden

Date:

26-Sep-96

Company: PNM Gas Services

COC No.:

5299

Address:

603 W. Elm

Sample No.

12313

City, State: Farmington, NM 87401

Job No.

2-1000

Project Name:

PNM Gas Services - Axi P-5 Run 116

Project Location:

9609231415; 5pt. Composite

Date:

23-Sep-96 Time:

14:15

Sampled by: Analyzed by: Sample Matrix: EP DC/BV Soil

Date:

26-Sep-96

Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
Diesel Range Organics (C10 - C28)	<5.0	mg/kg	5.0	mg/kg

Quality Assurance Report

DRO QC No.:

0489-QC

Calibration Check

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	% Diff	Limit
Diesel Range (C10 - C28)	< 5.0	ppm	100	100	0.5	15%

Matrix Spike

	1- Percent	2 - Percent			
Parameter	Recovered	Recovered	Limit	%RSD	Limit
Diesel Range (C10-C28)	96	150	(70-130)	31	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

SUBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION

JICARILLA APACHE TRIBE ENVIRONMENTAL PROTECTION OFFICE P.O. BOX 507 DULCE, NEW MEXICO 87528

ON-SITE SOIL REMEDIATION REPORT

Operator: PNM Gas Services (BAyless) Telephone: 324-3764							
Address: 603 W. Elm Street Farmington, NM 87401								
Facility or Well Name: Px; P-5								
Location: Unit: C Sec. 20	T. 23 N R. 4 W County Sandoval							
Land Type: Jicarilla Apache								
Date Remediation Started: 9/93/96	Date Completed: 10/7/96							
Date Remediation Started: $\frac{9/93/96}{X}$	Approx. cubic yards Date Completed: /0/7/96 Approx. cubic yards							
Composted								
Other								
Depth to Ground Water: (pts.)	Final Closure Sampling:							
Distance to an Ephemeral Stream: (pts.)	Sampling Date: 10/7/96 Time 1512							
Distance to Nearest Lake, Playa, (pts.) Gr Watering Pond:	Sampling Results:							
Wellhead Protection Area: (pts.)								
Distance to Surface Water: (pts.)	Other							
Ranking Score (Total Points):								
I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE	AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF							
16.11.96	EDNAME Ray Burnham							
$\overline{\Omega}$								
SIGNATURE Ky Bunhan	AND TITLE Environmental Technician II							
AFTER REVIEW OF THE SOIL REMEDIATION INFORMATION, O JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE	ON-SITE REMEDIATION APPROVED IN ACCORDANCE TO THE							
APPROVED: YES NO (REASON)								
SIGNED: Habriel Julian	DATE: 10/15/96							

Sec. 20 T23N R4W Bayless

Land farm

535pp- 10.3pp- 1.7pp- 0.5pp- 0.0pp- 10'

OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn:

Denver Bearden

Date:

10-Oct-96

Company: PNM Gas Services

COC No .:

5356

Address:

Sample No.

12481

City, State: Farmington, NM 87401

603 W. Elm

Job No.

2-1000

Project Name:

PNM Gas Services - Axi P-5 Landfarm Run 116

Project Location:

9610071512; 5pt. Composite

Sampled by:

RD

Date: Date: 7-Oct-96 Time:

9-Oct-96

15:12

Analyzed by: Sample Matrix: DC/HR Soil

Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
Diesel Range Organics (C10 - C28)	6.5	mg/kg	5.0	mg/kg

Quality Assurance Report

DRO QC No.:

0489-QC

Calibration Check

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	% Diff	Limit
Diesel Range (C10 - C28)	<5.0	ppm	100	104	3.8	15%

Matrix Spike

madix opin					
	1- Percent	2 - Percent			
Parameter	Recovered	Recovered	Limit	%RSD	Limit
Diesel Range (C10-C28)	89	98	(70-130)	7	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by:

P.O. BOX 2606 • FARMINGTON, NM 87499