

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER Wildcat	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR Enexco Inc.	8. FARM OR LEASE NAME Shirl
3. ADDRESS OF OPERATOR 800 Bering Drive, St. 202, Houston, Texas	9. WELL NO. 2
4. LOCATION OF WELL (Report location clearly and in accordance with all State requirements. See also space 17 below.) At surface 660' FWL, 2,000' FNL	10. FIELD AND POOL, OR WILDCAT Wildcat Penn
14. PERMIT NO.	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 10, T16N, R2W
15. ELEVATIONS (Show whether DF, RT, or GR) 6,214 GR	12. COUNTY OR PARISH Sandavol
	13. STATE New Mexico

RECEIVED
JAN 13 1983
U. S. GEOLOGICAL SURVEY
WASHINGTON, D. C.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input checked="" type="checkbox"/>
(Other) <input type="checkbox"/>	

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Permission to plug granted verbally by Steve Mason on 1-8-83, 11:45 a.m.

1-9-83 the following plugs were set as recommended by USGS:

1. Pennsylvanian 5020-4920--36 sxs. Class "B"
2. Entrada 2690-2590--36 sxs. Class "B"
3. Morrison 1900-1800--36 sxs. Class "B"
4. Dakota 1520-1420--36 sxs. Class "B"
5. Gallup 990- 890--36 sxs. Class "B"
6. CSG Shoe 359- 259--36 sxs. Class "B"--50' inside, 50' outside 8-5/8 casing
7. Surface Plug 50-Surface--19 sxs. Class "B"

Set dry hole marker.

APPROVED AS TO PLUGGING OF THE WELL BORE.
LIABILITY UNDER BOND IS RETAINED UNTIL
SURFACE RESTORATION IS COMPLETED.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Agent

DATE 01-11-83

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

APPROVED
AS AMENDED
DATE

OCT 24 1984

M. MILLENBACH
AREA MANAGER

*See Instructions on Reverse Side

NMOCC