

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

SUBMIT IN TRIPLICATE*
(Other instructions on re-verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a dry hole reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Champlin Petroleum Company (Union Pacific Resource Area)

3. ADDRESS OF OPERATOR
420 Henry Ford Ave., Wilmington, California 90744

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

SE SW (660' FSL) & 1980' FWL)

14. PERMIT NO.
Approved 12/12/84

15. ELEVATIONS (Show whether DF, ST, CR, etc.)
6931' GL; 6946' KB

5. LEASE DESIGNATION AND SERIAL NO.
NM-39532

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Federal 24-2

9. WELL NO.
#2

10. FIELD AND POOL, OR WILDCAT
Rio Puerco Mancos-Gallup

11. SEC., T., R., N., OR B.L.K. AND SURVEY OR AREA
Sec. 2-T20N-R3W

12. COUNTY OR PARISH
Sandoval

13. STATE
NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	FULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input checked="" type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <input type="checkbox"/>			

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

REPORT OF SUBSEQUENT ABANDONMENT

- 10-19-87 thru 10-23-87 PLUG #1: Set CIPB @ 4399' (perf's @ 4450'). Spot a 68' lineal plug from 4399' to 4331' with 6 cf (5 sxs) of Class "B" cement. Reverse hole with 9.2 ppg claybase mud. Cut and retrieve 3360' of 4-1/2" casing.
- 10-26-87 PLUG #2: Spot a 133' lineal plug across 4-1/2" casing stub from 3367' to 3234' with 30 cf (25 sxs) of Class "B" cement.
- PLUG #3: Spot a 133' lineal plug across Mesaverde formation from 2679' to 2545' with 30 cf (25 sxs) of Class "B" cement.
- PLUG #4: Spot a 133' lineal plug across Chacra formation from 2055' to 1922' with 30 cf (25 sxs) of Class "B" cement.
- PLUG #5: Spot a 133' lineal plug across the Pictured Cliffs formation from 1193' to 1060' with 30 cf (25 sxs) of Class "B" cement.
- PLUG #6: Spot a 283' lineal plug across the Fruitland and Ojo Alamo formations from 929' to 646' with 62 cf (53 sxs) of Class "B" cement.

18. I hereby certify that the foregoing is true and correct

SIGNED P. M. McKinney TITLE Petroleum Engineer

APPROVED BY _____ TITLE _____

CONDITIONS OF APPROVAL, IF ANY:

(OVER)

DATE 11/4/87

DATE NOV 12 1987

DATE NOV 12 1987

Approved or Disapproved by _____
Liability under this Act is limited to surface restoration to comply with _____


** OVER **

*See Instructions on Reverse Side

10-27-87 PLUG #7: Spot a 133' lineal plug across 9-5/8" casing shoe from 566' to 433' with 30 cf (25 sxs) of Class "B" cement.

PLUG #8: Spot a 68' lineal surface plug with 12 cf (10 sxs) of Class "B" cement. Fill backside of 9-5/8" ^{from 50' (cemented) to surface.} Cut casing 5' below G.L. and install steel plate and dryhole marker.

NOV 12 1987
OIL CON. DIV.
DIST. 3



RECEIVED
BLM MAIL ROOM

87 NOV -6 AM 11:33

FARMINGTON RESOURCE AREA
FARMINGTON, NEW MEXICO

October 30, 1987

United States Department of the Interior
Bureau of Land Management
Caller Service 4104
Farmington, New Mexico 87499
Attention: Mr. Steve Mason

RE: Notice of Subsequent Abandonment
#2 Federal 24-2 (Sec. 2-T20N-R3W)
Rio Puerco Field
Sandoval County, New Mexico

Dear Mr. Mason:

Attached please find five copies of Form 3160-5, "Notice of Subsequent Abandonment" for the subject well.

Please return the excess copies to the undersigned and advise should you require any further details.

Respectfully,


Patrick M. McKinney
Petroleum Engineer

PMM:drp

bcc: S. Siegwein
cc : Well File

RECEIVED
NOV 12 1987
DW

RECEIVED
FEB 19 1985
OIL CON. DIV.
DIST. 3

*well
taken*

660/5 1980/W

WILSON
SERVICE COMPANY

FORM 422-2

TEMPERATURE SURVEY

COMPANY..... Champlin Petroleum

WELL..... 24-2 LEASE..... Federal 2

COUNTY..... Sandoval STATE..... New Mexico

SECM..... 2 TWP..... 20N RGE..... 3W

DEPTH TO TOP CEMENT..... 400'

Survey Begins at..... 100' Ft. Ends at..... 2015'

Approx. Fill-Up..... Max. Temp.

Log Interval From..... KB Run No. 1

Casing Size	Casing Depth	Diam of Hole	Depth
7" from	to	from 8 3/4" to	to
..... from	to	from	to

Date of Cementing..... 1/8/85 Time..... 11:00 PM

Date of Survey..... 1/9/85 Time..... 7:00 AM

Amount of Cement..... As Per Report

Spended by..... Ehort Witnessed by.....

REMARKS OR OTHER DATA

See Test 2011'

TEMPERATURE IN DEGREES FAHRENHEIT

100° 120° 140°

200'

300'

400'

Anomaly 400'

500'

600'

700'

800'

900'

1000'

1100'

1200'

1700'

1600'

1500'

1400'

1300'

1200'

1100'

1000'

ED Surveyed 2015'

