

SIGNED Elizabeth B. Keeshan TITLE Comptroller DATE 12-1-86

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radioactivity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

Southeastern New Mexico

Northwestern New Mexico

Ojo Alamo	810	T. Penn. "B"
Kirtland-Fruitland	924	T. Penn. "C"
Pictured Cliffs	1397	T. Penn. "D"
Chacra	1770	T. Leadville
Menefee		T. Madison
Point Lookout		T. Elbert
Mancos		T. McCracken
Gallup		T. Ignacio Qtzle
Base Greenhorn		T. Granite
Dakota		T.
Morrison		T.
Todilto		T.
Entrada		T.
Wingate		T.
Chinle		T.
Permian		T.
Penn. "A"		T.

No. 1, from _____ to _____ No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet. _____


No. 2, from _____ to _____ feet. _____

No. 3, from _____ to _____ feet. _____

No. 4, from _____ to _____ feet. _____

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation

TEFTELLER, INC.
RESERVOIR ENGINEERING DATA
MIDLAND, TEXAS



BCO. INC.

Well : ALAMITA UNIT NO. 1

Page 1 of 2

Field : CHACRA

File 2-18338-AOF

CHRONOLOGICAL PRESSURE AND PRODUCTION DATA

1986 Date	Status of Well	Time	Elapsed Time Hrs.Min.	Daily Rate Gas Mcfd	Wellhead Pressure	
					Tbg (DWT)	Csg (DWT)
11/21	Arrived on location	09:30			363	363
	Well shut-in 9 days					
	Installed 3/4" positive Choke					
	, Nipple - deadweight tubing and casing					
	Open well for 3 hour AOF test	10:00			363	363
		10:00	0 00			
	Light water mist to surface	10:15	0 15	1009	62	223
	Heavy mist	10:30	0 40	777	45	213
	Heavy mist	10:45	0 45	805	47	203
	Unloading water	11:00	1 00	655	36	194
		11:30	1 30	641	35	179
		12:00	2 00	587	31	174
		13:00	3 00	409	18	167
	Shut-in	13:00	0 00			