SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to differ to deeper or plug back to a different reservoir. SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to differ to deeper or plug back to a different reservoir. S. ADDRES ON TOWN OF THE PRODUCT OF THE	No. 1004–0135		
BUREAU OF LAND MANGEMENT SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or pile back to a different fenerative. """ """ """ """ """ """ """ """ """ "	31, 1985		
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plus back to a different reservoir. Committee			
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Only Continue			
ORL DRAW OF SHARM OF SHARW OF			
ONL DE WELL DOTTER 2. MANS OF PERANCO MODIL Producing Texas & New Mexico, Inc. C/O Mobil Exploration & Producing 0.5. Inc. 3. Address of offsators P.O. Box 633, Middland, Texas 79702 1 4. See also space 17 below.) 4. Docation of with (Report location clearly and in accordance with any State requirements.) 4. Docation of with (Report location clearly and in accordance with any State requirements.) 4. Docation of white (Report location clearly and in accordance with any State requirements.) 4. PERMIT NO. 30-043-20830 15. BLEVATIONS (Show whether DF, RT, GR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data **NOTICE OF INTENTION TO:* **TEST WATER SECT-OFF** **PRACTURE TREAT** **ABANDON'** **REPORT ASSOCIATION OF INTENTION TO:* **TEST WATER SECT-OFF** **PRACTURE TREAT** **ABANDON'** **ABANDON'** **REPORT REPORT WELL (NOTE: Report results of multiple completion or Recompletion or Recompletion Report and Log for Intent of his work). 17. DEN'STREET PROPUSED ON COMPETED OFFSATION (Clearly state all pritional details, and give pertinent dates, including switmated dates work). 25/89 10. WILL JON. **ABANDON'** **AB			
ADDITION OF PERANCE MODIL FROM THE PRODUCTION & PRODUCTION & STATE SECTION & P.O. BOX 633, Midland, Texas 79702 1. Decretion of Well (Report location clearly and in accordance with any State requirements.) 1. Decretion of Well (Report location clearly and in accordance with any State requirements.) 1. Decretion of Well (Report location clearly and in accordance with any State requirements.) 1. Decretion of Well (Report location clearly and in accordance with any State requirements.) 1. Decretion of Well (Report location clearly and in accordance with any State requirements.) 1. Decretion of Well (Report location clearly and in accordance with any State requirements.) 1. Decretion of Well (Report location clearly and in accordance with any State requirements.) 1. Decretion of Well (Report location clearly and in accordance with any State requirements.) 1. Decretion of Well (Report location clearly and in accordance with any State requirements.) 1. Decretion of Well (Report location clearly and in accordance with any State requirements.) 1. Decretion of Well (Report location clearly and in accordance with any State requirements.) 1. Decretion of Well (Report location clearly and in accordance with any State requirements.) 1. Decretion of Well (Report location clearly accordance with any State requirements.) 1. Decretion of Well (Report location clearly accordance with any State requirements.) 1. Decretion of Well (Report location clearly accordance with any State requirements.) 1. Decretion of Well (Report location clearly accordance with any State requirements.) 1. Decretion of Well (Report location clearly accordance with any State requirements.) 1. Decretion of Well (Report location clearly accordance with any State requirements.) 1. Decretion of Well (Report location clearly accordance with any State requirements.) 1. Decretion of Well (Report location clearly accordance with any State requirements.) 1. Decretion of Well (Report location clearly accordance with any State requirements.)	7X2		
S. ADDRESS OF OFFRATOR P.O. Box 633, Midland, Texas 79702 1 See also space 17 below.) At surface 1878' FSL, 854' FEL (NESE) 18. SLEVATIONS (Show whether Dr. M. GR. etc.) 10. FEED AND FOOL, O Will (RENDE) 11. SEC., T. B. M. CR. Tract 28, T1 14. FEERMIT NO. 30-043-20830 15. SLEVATIONS (Show whether Dr. M. GR. etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER BRUT-OFF PLACE TREAT ANDOT OR ACIDIES ARANDON' REPAIR WELL (Other) CHANCE PLANS (CHANCE PLANS CHANCE PLANS (CHOPPING OF REPORT RESULTS of multiple completion COMPLETED OF COMPLETED OFFRATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated data Seed this work.) 17. DESCRIBE TROUBED OF COMPLETED OFFRATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated data Seed this work.) 18. SEEVATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated data Seed this work.) 19. Describe this work.) 10. Will cat Tract 28, T1 11. SEC., T. B. M. CR. Sandoval 12. COUPT OR PARIES Tract 28, T1 13. SELEVATIONS (Show whether Dr. M. GR. etc.) Sandoval Tract 28, T1 12. COUPT OR PARIES Tract 28, T1 13. COUPT OR PARIES Tract 28, T1 14. PRESUMT OR PARIES Tract 28, T1 15. SELEVATIONS (Show whether Dr. M. GR. etc.) Sandoval 16. Check Appropriate Or Called Tract 28, T1 12. COUPT OR PARIES Tract 28, T1 13. COUPT OR PARIES Tract 28,	48		
P.O. BOX 633, Midland, Texas 79702 1. Location of while (Report location clearly and in accordance with any State requirements.* At surface 1878' FSL, 854' FEL (NESE) 18. LEVATIONS (Show whether OF, RT, GR, etc.) 30-043-20830 RF-6722' 19. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHOT-OFF PRACTURE TREAT ABANDON* SUPPLIES OF INTENTION TO: TEST WATER SHOT-OFF PRACTURE TREAT ABANDON* SUPPLIES OF INTENTION TO: TEST WATER SHOT-OFF PRACTURE TREAT ABANDON* SUPPLIES COMPLETE ABANDON* SUPPLIES OF INTENTION TO: TEST WATER SHOT-OFF PRACTURE TREAT ABANDON* SUPPLIES OF INTENTION TO: TEST WATER SHOT-OFF PRACTURE TREATMENT ABANDON* SUPPLIES OF INTENTION TO: SUPPLIES OF			
DOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also appear 17 below.) 18. FIEVATIONS (Show whether OF, ST, CR, etc.) 30-043-20830 RF-6722' Sandoval RF-6722' Sandoval Sandova	9. WBLL NO.		
18. SELVATIONS (Show whether DF, ET, GR, etc.) 19. PERMIT NO. 30-043-20830 10. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER BRIDT-OFF PRACTICE TREAT MILITIPES COMPLETE ABANDON'S REPAIR WELL (Other) Drilling Report TO Drilling Report TO DRIVING ON ACIDIZE REPORT OF CHANGE PLANS (Other) Drilling Report TO DRIVING ON ACIDIZE REPORT OF RECOMPLETE OF PRACTICE TREAT MILITIPES COMPLETE OF PRACTICE TREAT MILITIPES COMPLETE OF PRACTICE TREAT ABANDON'S REPORT RESULTS of COMPLETED OF REATIONS (Clearly state all pertinent details, and give subsurface data including estimated data Sention bits work.) 25/89 TOH W/Bit #6. Survey 1-3/4° @ 5625'. Work Pipe & Blind Rams TIH W/Bit #7. Ream 75' to Bottom. Drlg 5627-5750'. Survey 2° @ 5740'. Drlg 5838-5872'. Work Pipe Rams. Drlg 5838-5882'. Bit Torquing. TOH W/Bit #7. Work BOP. TIH W/Bit #8. Ream 65' to Bottom. Drlg 5892-5920'. Circ for OHL's.	& WILDCAT		
1878' FSL, 854' FEL (NESE) Tract 28, T1 19. COUPTT OF PARISE 30-043-20830 Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PRACTURE TREAT SHOOT OR ACIDIES REPAIRING (Other) PELL OR ALTER CASING REPAIR WELL (Other) TO BLEKKISE PROPENSED OR COMPLETED OFFRATIONS (Clearly state all pertinent details, and give and long for aciding and true vertical depths for all marker near to this work.) 15. SLEVATIONS (Show whether OP, RT, GR, etc.) 12. COUPTT OR PARISE SANDON' PRACTURE TREAT SUBSEQUENT REPORT OF: WATER SHUT-OFF PRACTURE TREAT ALTERING C. ABANDON' CHANCE PLANS (Other) (Note: Report results of multiple completion Completion of Recompletion Report and Log for proposed work, if well is directionally drilled, give subsurface locations and measured and true vertical depths for all marker near to this work.) 15/89 TOH W/Bit #6. Survey 1-3/4° @ 5625'. Work Pipe & Blind Rams TIH w/Bit #7. Ream 75' to Bottom. Drig 5627-5750'. Survey 2° @ 5740'. Drig 5872-5892'. Bit Torquing. TOH w/Bit #7. Work BOP. TIH w/Bit #8. Ream 65' to Bottom. Drig 5892-5920'. Circ for OHL's.	ntrada		
15. BLEVATIONS (Show whether DF, RT, GR, etc.) 10. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data **NOTICE OF INTENTION TO: **TEST WATER SHOT-OFF** **PRACTURE TREAT SHOOT OF ALTER CASING NULLTIFLE COMPLETE ABANDON'S SHOOTING OS ACIDIZING ABANDON'S SHOOTING OS ACIDIZING ABANDON'S CHANGE PLANS (Other) **OTHER DT111ing Report** **OTHER DT111ing Report** **T. DEEX HOT OF COMPLETE OF PEAT TORE (Clearly state all pertiponal details, and give pertinent dates, including estimated dat proposed work, if well is directionally drilled, give subsurface locations and measured and true vertical depths for all marker by the state of this work.)** **SESSOR OF THE NEW			
Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data **Notice of Intention to: TEST WATER SHUT-OFF PLL OR ALTER CASING NULTIFIE COMPLETE ABANDON* **REPORT OR ACIDIZE** **PRACTURE TREAT SHORT-OFF PLANS (Cherry state all pertinent details, and give pertinent details, and give pertinent details, and give pertinent details and true vertical depths for all markers **E5/89 TOH w/Bit #6. Survey 1-3/4° © 5625'. **Work Pipe & Blind Rams **TIH w/Bit #7. Ream 75' to Bottom. **Drig 5627-5750'. Survey 2° © 5740'. **Drig 5838-5872'. **Work Pipe Rams. **Drig 5838-5872'. **Work Pipe Rams. **Drig 5892-5920'. **Circ for OHL's. **E7/89 Circ-OHL's.	8N, R1W		
Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PRACTURE TREAT SHOOT OR ACIDIZE REPAIRING C. ABANDON'S REPAIR WELL (Other) Drilling Report CHANGE PLANS (Other) TORRESSED OR COMPLETE OFFRATIONS (Clearly state all perthent details, and give pertinent dates, including estimated date proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers 25/89 TOH W/Bit #6. Survey 1-3/4° @ 5625'. Work Pipe & Blind Rams TIH W/Bit #7. Ream 75' to Bottom. Drlg 5627-5750'. Survey 2° @ 5740'. Drlg 5838-5872'. Work Pipe Rams. Drlg 58372-5892'. Bit Torquing. TOH W/Bit #7. Work BOP. TIH W/Bit #8. Ream 65' to Bottom. Drlg 5892-5920'. Circ for OHL's.	1 13. STATE		
NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PRACTURE TREAT SHOOT OR ACIDIES REPAIR WELL SHOOT OR ACIDIES REPAIR WELL Ofther) Drilling Report CHANGE PLANS (Other) CHANGE PLANS (Other) OTHER SHOOT OF ACIDIES REPAIR WELL TO BESCHERE PROPUSED OR COMPLETE OPERATIONS (Clearly state all pertipent details, and give pertinent dates, including estimated dat proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all marker went to this work.) 25/89 TOH W/Bit #6. Survey 1-3/4° @ 5625'. Work Pipe & Blind Rams TIH w/Bit #7. Ream 75' to Bottom. Drlg 5627-5750'. Survey 2° @ 5740'. Drlg 5750-5838'. 26/89 Drlg 5838-5872'. Work Pipe Rams. Drlg 5872-5892'. Bit Torquing. TOH w/Bit #7. Work BOP. TIH w/Bit #8. Ream 65' to Bottom. Drlg 5892-5920'. Circ for OHL's.	New Mexi		
NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PRACTURE TREAT SHOOT OR ACIDIES REPAIR WELL CHANGE PLANS CHANGE PLANS CHANGE PLANS CORDET OUTSILE COMPLETE SHOOTING OF ACIDIEING REPAIR WELL OUTSILE COMPLETE SHOOTING OF ACIDIEING ABANDON* CHANGE PLANS (Other) (Other) (Note: Report results of multiple completion from the completion of Recompletion Report and Log to Completion work, if well is directionally drilled, give subsurface locations and measured and true vertical depths for all marker 25/89 TOH W/Bit #6. Survey 1-3/4° @ 5625'. Work Pipe & Blind Rams TIH w/Bit #7. Ream 75' to Bottom. Drig 5627-5750'. Survey 2° @ 5740'. Drig 5872-5838'. 26/89 Drig 5838-5872'. Work Pipe Rams. Drig 5872-5892'. Bit Torquing. TOH w/Bit #7. Work BOP. TIH w/Bit #8. Ream 65' to Bottom. Drig 5892-5920'. Circ for OHL's.			
PRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) Drilling Report CHANGE PLANS (Other) Original Report CHANGE PLANS (Other) Original Report CHANGE PLANS (Other) (Other) Original Report CHANGE PLANS (Other) (Other) (Note: Report results of multiple completion or Recompletion Report and Log for Completion or Recompletion Report and Log for Report and Log for Recompletion Report and Log for Recompletion or Recompletion Report and Log for Recompletio			
PRACTURE TREAT SHOOT OR ACIDIEB REPAIR WELL (Other) Drilling Report CHANGE PLANS (Other) Completion or Recompletion Report and Log to Change Plans (Other) Completion or Recompletion Report and Log to Change Plans (Other) Completion or Recompletion Report and Log to Change Plans (Other) Completion or Recompletion Report and Log to Change Plans (Other) Completion or Recompletion Report and Log to Change Plans (Other) Completion or Recompletion Report and Log to (Note: Report results of multiple completion (Other) Completion or Recompletion Report and Log to (Note: Report results of multiple completion (Other) Completion or Recompletion Report and Log to (Note: Report results of multiple completion (Other) Completion or Recompletion Report and Log to (Note: Report results of multiple completion recompletion	WELL		
REPAIR WELL (Other) Drilling Report Change Plans (Other) Drilling Report Change Plans (Other) Drilling Report Change Plans (Other) Completion or Recompletion Report and Log for Completion or Recompletion Report and Log for Proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all marker length to this work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all marker length to this work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all marker length to this work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all marker length to this work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all marker length to this work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all marker length to this work. If well is directionally drilled, give subsurface locations and give pertinent dates, including estimated date proposed work. If well is directionally drilled, give subsurface locations and give pertinent dates, including estimated dates. In	1		
(Other) Drilling Report Completion or Recompletion Report results of multiple completion Completion or Recompletion Report and Log for Reports of Completion Report and Log for Reports of Completion Report and Log for Reports of Completion Report and Log for Reports of Reports of Report and Log for Reports of Report and Log for Reports of	MI.		
7. DESCRIBE PROPUSED ON COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date proposed work. If well is directiocally drilled, give subsurface locations and measured and true vertical depths for all markers are to this work. If well is directiocally drilled, give subsurface locations and measured and true vertical depths for all markers are to this work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers are to this work. If well a subsurface locations and measured and true vertical depths for all markers are to this work. If well a subsurface locations and measured and true vertical depths for all markers are to this work. If well a subsurface locations and measured and true vertical depths for all markers are to this work. If well as a subsurface locations and measured and true vertical depths for all markers are to this work. If well as a subsurface locations and give pertinent dates, including estimated dates.			
proposed work. The well is directionally drilled. give subsurface locations and measured and true vertical depths for all markers are to this work. The well is directionally drilled. Give subsurface locations and measured and true vertical depths for all markers are to this work. The well is directionally drilled. Give subsurface locations and measured and true vertical depths for all markers. Work Pipe & Blind Rams. Till w/Bit #7. Ream 75' to Bottom. Drlg 5627-5750'. Survey 2° @ 5740'. 26/89 Drlg 5838-5872'. Work Pipe Rams. Drlg 5872-5892'. Bit Torquing. ToH w/Bit #7. Work BOP. TIH w/Bit #8. Ream 65' to Bottom. Drlg 5892-5920'. Circ for OHL's.	rm.)		
TIH w/Bit #7. Ream 75' to Bottom. Drlg 5627-5750'. Survey 2° @ 5740'. Drlg 5750-5838'. 26/89 Drlg 5838-5872'. Work Pipe Rams. Drlg 5872-5892'. Bit Torquing. TOH w/Bit #7. Work BOP. TIH w/Bit #8. Ream 65' to Bottom. Drlg 5892-5920'. Circ for OHL's.			
Drlg 5750-5838'. 26/89 Drlg 5838-5872'. Work Pipe Rams. Drlg 5872-5892'. Bit Torquing. TOH w/Bit #7. Work BOP. TIH w/Bit #8. Ream 65' to Bottom. Drlg 5892-5920'. Circ for OHL's.			
26/89 Drlg 5838-5872'. Work Pipe Rams. Drlg 5872-5892'. Bit Torquing. TOH w/Bit #7. Work BOP. TIH w/Bit #8. Ream 65' to Bottom. Drlg 5892-5920'. Circ for OHL's.			
Work Pipe Rams. Drlg 5872-5892'. Bit Torquing. TOH w/Bit #7. Work BOP. TIH w/Bit #8. Ream 65' to Bottom. Drlg 5892-5920'. Circ for OHL's.			
Work Pipe Rams. Drlg 5872-5892'. Bit Torquing. TOH w/Bit #7. Work BOP. TIH w/Bit #8. Ream 65' to Bottom. Drlg 5892-5920'. Circ for OHL's.			
Bit Torquing. TOH w/Bit #7. Work BOP. TIH w/Bit #8. Ream 65' to Bottom. Drlg 5892-5920'. Circ for OHL's.			
TOH w/Bit #7. Work BOP. TIH w/Bit #8. Ream 65' to Bottom. Drlg 5892-5920'. Circ for OHL's. 27/89 Circ-OHL's.			
TIH w/Bit #8. Ream 65' to Bottom. Drlg 5892-5920'. Circ for OHL's. 27/89 Circ-OHL's.	er product		
Drlg 5892-5920'. Circ for OHL's. 27/89 Circ-OHL's.	×		
27/89 Circ-OHL's.	*		
	:		
TOH for OHL's Work BOP's.			
Work BOP's.	₩ 5 ₩ 3 <u>_</u>		
Security.	,		
	,,		
·			
8. I bereby certify that the foregoing is true and correct M.E. Sweeney, Manager Environmental & Regulatory (91: Mobil Producing Texas & New Mexico, Inc. 7/5/8	5) 688-2452		
signed Tirite by and through its agent DATE 7/5/8	39		
(This space for Federal or State office use) AREA MANAGER			

	0 E			iginal + 4 copies	1 1	r om approved. Budget Bureau	No. 1004_0135		
Form 316 (November	e 1002\	UNITED STA MENT OF TH		SUBMIT IN TRIPLIC.	ATE	Expires August	31, 1985		
(Foilnerly		AU OF LAND MA				-018708999	AND SHEIZL NO.		
. ———						INDIAN, ALLOTTES	OR TRIBE MAME		
(I	SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)						Jemez Pueblo		
i.	[¬¶ GA® [¬				7. UM	IT AGREEMENT NA	XE		
WELL 2. NAME	OF OPERATOR				8. FAI	EM OR LEASE NAM			
Mobil	l Producing Texas Mobil Exploration	& New Mexico	Inc.		Jei	mez PUeblo			
3. ADDRES	SE OF OPERATOR	•				LL NO.			
	Box 633, Midland,		_	0	1				
4. LOCATI See als At sur	on or well (Report location so space 17 below.)	clearly and in accord	ance with any	State requirements."		Wildcat Entrada			
						Tract 28, T18N, R1W			
1878	' FSL, 854' FEL (N	IESE)			Tr				
14. PERMIT	30-043-20830	RF-6722	now whether Di	r, MT, GR, etc.)	1	ndova!	New Mexico		
							New Mexico		
16.	Check A	ppropriate Box To	Indicate N	Nature of Notice, Report,	or Other D)ata			
	NOTICE OF INTE	NTION TO:		■0	BABQUENT RE	PORT OF:			
TEST	WATER SHUT-OFF	PULL OR ALTER CASIN	· o	WATER SEUT-OFF		REPAIRING W	'BLL		
	CURE TREAT	MULTIPLE COMPLETE		FRACTURE TREATMENT		ALTERING CA			
	R WELL	ABANDON® CHANGE PLANS		SHOOTING OR ACIDIZING		ABANDONMEN	T -		
(Othe				(Norz: Report re Completion or Re	esults of mult	iple completion of	m.)		
17. DESCRIP	BE PROPOSED OR COMPLETED OF cosed work. If well is directi	ERATIONS (Clearly stationally drilled, give s	te all pertinen	it details, and give pertinent of	lates, includi	og estimated date	of starting any		
6/28/89	Fin Running OHL. TIH w/DC's + 24 S POH LDDP & DC's. TIH w/61 Stds DP Circ & W/O order Spot 135 Sxs Clas POH & LDDP- 40 Jt	to 3782'. & Western. ss B Plug 377							
6/29/89	Spot 120 Sxs Class Pull Pipe & Spot Pull Pipe & Spot Pull Pipe to 771	175 Sxs Clas 60 Sxs Class	s B Plug B Plug (
	Tag TOC @ 981'.	A 1 12 .				CEIV	EIM		
	WOC & Circ. Wait RIH w/tagged TOC		higher				ש		
	Spot add'l 30 Sxs				en en	JUL1 9 198	9		
	Circ & WOC.								
	Tag TOC @ 899' (6				Oll	CON.	JIV.		
	Pulled Pipe 879'. Fin POH w/DP & LD		" Csg w/i	rr Wtr.		V DIST. 3			
	ND BOP & Chokes.				• • •		•		
	Cut off head. Ins	stall Dry Hol	e Marker	•					
18. I bereb	y certify that the foregoing i	s true and correct	MODILP	eney, Manager Environme roducing Texas & New Me by and through its ager	exico, inc	gulatory (915 7/5/8			
	space for Federal or State off	ice use)	1	xploration & Producing	U.S.Inc.	\$ 4 = 6			
APPRO	DVED BORIG. SGD.) JOHN	M. ANDREWS, JR.		EA MANAGER O PUERCO RESOURCE AR	EA	JUL	1 2 1989		
CONDI	TIONS OF APPROVAL, IF A Approved as to plugging of	the Well Bore.							
	Liability under bond is retaine restoration is completed.	ed until surface	_						

*See Instructions on Reverse Side

·	UNITED STATES TMENT OF THE INTER		5. LEASE DESIGNATION AND SERIAL NO.		
BURE	AU OF LAND MANAGEMEN	NT	73-018708999		
SUNDRY NO (Do not use this form for prop Use "APPLIC	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Jemez Pueblo				
OIL OTHER OTHER			7. UNIT AGREEMENT NAME		
2. NAME OF OPERATOR Mobil Producing Texas	& New Mexico, Inc.		8. FARM OR LEASE NAME		
3. ADDRESS OF OPERATOR	& Producing U.S.Inc.		Jemez PUeblo		
P.O. Box 633, Midland,	1				
4. LOCATION OF WELL (Report location See also space 17 below.) At surface	Wildcat Entrack				
1878' FSL, 854' FEL (N	IESE)		Tract 28, T18N, R1W		
14. PERMIT NO. 30-043-20830	RF-6722	DF, RT, GR, etc.)	12. COUNTY OF PARISH 13. STATE Sandoval New Mexico		
16. Charl A		Nature of Notice, Report, or C			
NOTICE OF INTE		Other Data GUBHT ESPORT OF:			
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) Drilling Repo	PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON* CHANGE PLANS PT	WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other)	DEPAIRING WELL ALTERING CASING ABANDONMENT® of multiple completion on Well etion Report and Log form.)		
6/30/89 Capped & Tagg Released Azte Well bore wil	ged. ec No. 222 Rig @ 2:00 Il be released to Jem	AM. 6/30/89 nez Indians.			
			JULI 91989 OIL CON. DIV.,		
8. I hereby certify that the foregoing is	strue and correct M.E.Swe Mobil P Molitria Title Title Mobil F	eney, Manager Environmental Producing Texas & New Mexico by and through its agent Exploration & Producing U.S.	**Regulatory (915) 688-2452 **Inc.		
(This space for Federal or State off APPROVED BY CONDITIONS OF APPROVAL, IF A	M. ANDREWS, JR. TITLE RIC	D PUERCO RESOURCE AREA	DATE JUL 12 1989		

*See Instructions on Reverse Side NMOCD