Form 3160-3 (December 1990)

UNITED STATES (Other Instructi

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.

Budget Bureau No. 1004-0136

Expires: December 31, 1001

UNITED STATES
DEPARTMENT OF THE INTERIOR

Expires: December 31, 1991

5. LEASE DESIGNATION AND SERIAL NO.

DEEPEN DELICATION FOR PERMIT TO DRILL ON DEEPEN TYPE OF WELL	Sec 27,21 2. COUNTY OF PARISE Sandoval ACRES ASSIGNED S WELL OR CABLE TOOLS	27! 4 -20896 -20
DEEPEN DEEPEN DEEPEN DEEPEN DEATH DEEPEN DEATH DEEPEN DEEP	Ceja Pelor. FARMOR LEASE NAME, WE Ceja Pelor AN WELL NO. JO-143. O. FIELS AND FOOL UNGESIGNA II. SEC. T., B., M., OR AND SURVEY OR AN SEC 27, 21 2. COUNTY OR PARISE Sandoval ACRES ASSIGNED S WELL OR CABLE TOOLS ITY 22. APPROX. DATE W.	1. NO. 3450 1. 27!! 34 -20896 -20896 Eed Mancos MARIA D-27. 2/A 7. 25 T21N-R3W 13. STATE NM
NAME OF OPERATOR The Gary-Williams Company ACCESS AND TRESHICHBING. (303) 831-4673 1775 Sherman St., Suite 1925 Denver, CO 80203 LOCATION OF WALL (Report location clearly and in accordance with any State requirements.*) At proposed prod. Zone 1915' FSL, 935' FEL Sec 27-T21N-R3W At proposed prod. Zone 12 mi west of Cuba, NM DISTANCE FROM PROPOSED* LOCATION TO NEARSHITE, FT. (Alise to nearest drig. unit line, if any, 125'; 860' (Alise to nearest drig. unit line, if any, 125'; 860' (Alise to nearest drig. unit line, if any, 125'; 860') (Alise to nearest drig. unit line, if any, 125') TO NEARST WELL, DRILLING, COMPETED, OR APPLIED FOR, ON THIS LEASE, FT. TO NEARST WELL, DRILLING, COMPETED, OR APPLIED FOR, ON THIS LEASE, FT. TO NEARST WELL, DRILLING, COMPETED, OR APPLIED FOR, ON THIS LEASE, FT. TO ASS GR PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE ORACE, SIZEOFCASINO WEIGHT PER FOOT SETTING DEPTH 12 1/4 9 5/8" J-55 36 300' 150 S 8 3/4 7" J-55 26 3800' This is to be a horizontally drilled well in the A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal Sec 11993 MILL 11993	Ceja Pelol AH WELL NO. JO-143 O. FIELS AND FOOL Undesigna 11. SEC., T., E., M., OR AND SURVEY OR AL Sec 27,21 2. COUNTY OR FARISE Sandoval ACRES ASSIGNED S WELL OR CABLE TOOLS ITY 22. APPROX. DATE W	27! 4 -20896 -20896 Eed Mancos ELE D-27-21A 7.25 T21N-R3W
The Gary-Williams Company ACCRESS AND TRESHORMS NO. (303) 831-4673 1775 Sherman St., Suite 1925 Denver, CO 80203 10curino no well (Report location clearly and in accordance with any State requirements.*) At proposed prod. zone 1915' FSL, 935' FEL Sec 27-T21N-R3W At proposed prod. zone 1915' FSL, 935' FEL Sec 21-T21N-R3W 12 mi west of Cuba, NM D. DISTANCE FROM PROPOSED* LOCATION TO MARKET TOWN DEADER TOWN OR POST OFFICE* 12 mi west of Cuba, NM D. DISTANCE FROM PROPOSED* LOCATION TO MARKET WELL, PRILLING, COMPLETED, OR APPLIED FOR, NOT THIS LEASE, FT. ON RARKET WELL, PRILLING, COMPLETED, OR APPLIED FOR, NOT THIS LEASE, FT. 70 33 GR 3. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE ORACE, SIZEOFCASHO WEIGHT PER POOT SETTING DEPTH OF A SETTING DEPTH SETTING DEPTH OF A SETTING DEPTH SETTIN	Ceja Pelol AH WELL NO. JO-143 O. FIELS AND FOOL Undesigna 11. SEC., T., E., M., OR AND SURVEY OR AL Sec 27,21 2. COUNTY OR FARISE Sandoval ACRES ASSIGNED S WELL OR CABLE TOOLS ITY 22. APPROX. DATE W	27! 4 -20896 -20896 Eed Mancos ELE D-27-21A 7.25 T21N-R3W
The Gary-Williams Company The Gary-Williams Company Occasion of Well (Report location clearly and in accordance with any State requirements.*) Location of Well (Report location clearly and in accordance with any State requirements.*) At proposed prod. zone 1915' FSL, 935' FEL Sec 27-T21N-R3W At proposed prod. zone 1915' FSL, 935' FEL Sec 21-T21N-R3W 10 INTERNET IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE* 12 mi West of Cuba, NM 10 INTERNET IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE* 12 mi West of Cuba, NM 13 INTERNET IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE* 14 INTERNET IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE* 15 INTERNET IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE* 16 INTERNET IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE* 17 NO. 07 ACRES IN LEASE 18 INTERNET FROM PROPOSED LOCATION* 19 FOR FOST OFFICE* 10 PROPOSED DEPTH 11 PROPOSED DEPTH 12 NO. 07 ACRES IN LEASE 17 NO. 07 ACRES IN LEASE 17 NO. 07 ACRES IN LEASE 17 NO. 07 ACRES IN LEASE 18 N/A-Unit Well 19 PROPOSED DEPTH 19 PROPOSED DEPTH 10 PROPOSED DEPTH 10 PROPOSED DEPTH 10 PROPOSED DEPTH 10 PROPOSED DEPTH 11 PROPOSED DEPTH 12 1/4 9 5/8" J-55 36 300' 150 s 13 SET OF HOLE 14 PROPOSED CASING AND CEMENTING PROGRAM 15 SET OF HOLE 16 NO. 07 ACRES IN LEASE 17 NO. 07 ACRES IN LEASE 17 NO. 07 ACRES IN LEASE 18 N/A-Unit Well 19 PROPOSED DEPTH 19 PROPOSED DEPTH 10 PROPOSED DEPTH 11 NO. 07 ACRES IN LEASE 17 NO. 07 ACRES 18 NO. 07 ACRES 18	O. AHWELLNO. JO-143. O. FIELS AND FOOL. Undesigna 11. SEC., T., B., M., OR AND SURVEY OR A 2. 22., 2 2. COUNTY OR PARISE Sandoval ACRES ASSIGNED S WELL OR CABLE TOOLS ITY 22. APPROX. DATE W.	T21N-R3W
177 Sherman St., Suite 1925 Denver, CO 80203 100cation of Wall (Report location clearly and in accordance with any State requirements.*) 100cation of Wall (Report location clearly and in accordance with any State requirements.*) 11	O. AHWELLNO. JO-143. O. FIELS AND FOOL. Undesigna 11. SEC., T., B., M., OR AND SURVEY OR A 2. 22., 2 2. COUNTY OR PARISE Sandoval ACRES ASSIGNED S WELL OR CABLE TOOLS ITY 22. APPROX. DATE W.	T21N-R3W
177 Sherman St., Suite 1925 Denver, CO 80203 100CATION OF WELL (Report location clearly and in accordance with any State requirements.*) 100CATION OF WELL (Report location clearly and in accordance with any State requirements.*) 11 At proposed prod. zone 1915' FSL, 935' FEL Sec 27-T21N-R3W 12 mi west of Cuba, NM 12 mi west of Cuba, NM 13 DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE* 12 mi west of Cuba, NM 15 DISTANCE FROM PROPOSED* 16 NO. OF ACRES IN LEASE 17 NO. OF ACRES IN LEASE 18 DISTANCE FROM PROPOSED LOCATION* 19 DISTANCE FROM PROPOSED 10 DISTANCE FROM PROPOSED* 10 DISTANCE FROM PROPOSED* 10 DISTANCE FROM PROPOSED* 10 DISTANCE FROM PROPOSED* 11 NA-Unit well 20 ROTAN 12 DISTANCE FROM PROPOSED LOCATION* 10 DISTANCE FROM PROPOSED LOCATION* 10 DISTANCE FROM PROPOSED 10 DISTANCE FROM PROPOSED* 11 NA-Unit well 12 PROPOSED DEPTH 12 NA-Unit well 12 PROPOSED DEPTH 13 PROPOSED DEPTH 14 PROPOSED CASING AND CEMENTING PROGRAM 15 DISTANCE FROM PROPOSED 16 NO. OF ACRES IN LEASE 17 NO. OF ACRES IN LEASE 17 NO. OF ACRES IN LEASE 18 DISTANCE FROM PROPOSED 19 PROPOSED DEPTH 10 PROPOSED DEPTH	Unidesigna 11. SEC., T., E., M., OR AND SURVEY OR AND 21. 20., 2 SEC 27,21 2. COUNTY OR PARISE Sandoval ACRES ASSIGNED 8 WELL OR CABLE TOOLS ITY 22. APPROX. DATE W.	BLK. D-27. 2/A 7.26 T21N-R3W
1775 Sherman St., Suite 1925 Denver, CO 80203 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.') 460' FNL, 125' FWL Sec 27-T21N-R3W At proposed prod. some 1915' FSL, 935' FEL Sec 21-T21N-R3W 4. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 12 mi west of Cuba, NM D. DISTANCE FROM PROPOSED' LOCATION' TO NEAREST WELL, BUTLETED, CORATION TO NEAREST WELL, BUTLETED, OR APPLIED FOR ON THIS LEASE, TT. (Also to inearest drig. unit line, if any.) 125'; 860' N/A-Unit well 10. PROPOSED DEPTH 20. ROTAL OR NOT NEAREST WELL, BUTLETED, OR APPLIED FOR ON THIS LEASE, TT. 1. ELEVATIONS (Show whether DF, RT, GR, etc.) 7033 GR 3. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE ORADE, SIZE OF CASINO WEIGHT PER FOOT SETTING DEPTH 165 s 12 1/4 9 5/8" J-55 36 300' 165 s 8 3/4 7" J-55 26 3800' N/A This is to be a horizontally drilled well in the A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal Sec 11'1993 JUL 1'1993 M. OIL	Unidesigna 11. SEC., T., E., M., OR AND SURVEY OR AND 21. 20., 2 SEC 27,21 2. COUNTY OR PARISE Sandoval ACRES ASSIGNED 8 WELL OR CABLE TOOLS ITY 22. APPROX. DATE W.	BLK. D-27. 2/A 7.26 T21N-R3W
At surface 460' FNL, 125' FWL Sec 27-T21N-R3W At proposed prod. sone 1915' FSL, 935' FEL Sec 21-T21N-R3W 1. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 12 mi west of Cuba, NM 1. DISTANCE FROM PROPOSED* LOCATION TO NEAREST TOWN OR POST OFFICE* 12 mi west of Cuba, NM 16. NO. OF ACRES IN LEASE LINE, F7. 17. NO. OF ACRES IN LEASE LINE, F7. 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, BUILING, COMPLETED, OR APPLIED FOR, ON THIS LIANS, F7. 19. FROPOSED DEPTH 6900' MD ROT OR TO NEAREST WELL, BUILING, COMPLETED, OR APPLIED FOR, ON THIS LIANS, F7. 19. FROPOSED DEPTH 70. NOT THIS LIANS, F7. 19. FROPOSED DEPTH 70. NOT THIS LIANS, F7. 19. FROPOSED CASING AND CEMENTING PROGRAM 10. FROPOSED CASING AND CEMENTING PROGRAM 11. FLEVATIONS (Show whether DF, RT, GR, etc.) 12. 1/4 9 5/8" J-55 36 300' 165 s 13. PROPOSED CASING AND CEMENTING PROGRAM 12. 1/4 9 5/8" J-55 26 3800' 150 s 14. SIZE OF HOLE ORANG, SIZE OF CASINO N/A 6900' MD N/A This is to be a horizontally drilled well in the A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal Section of the section	AND SURVEY OR AL 2.2.2.2 Sec 27,21 2. COUNTY OR PARISE Sandoval ACRES ASSIGNED 8 WELL OR CABLE TOOLS ACY 22. APPROX. DATE W	BLK. D-27. 2/A 7.26 T21N-R3W
At proposed prod. zone 1915' FSL, 935' FEL Sec 21-T21N-R3W 1. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 12 mi West of Cuba, NM 1. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPOSED LOCATION* TO NEAREST WELL, BRILLING, CONFLETED, OR APPLED FOR, ON THIS LEASE, PT. TO NEAREST WELL, BRILLING, CONFLETED, OR APPLED FOR, ON THIS LEASE, PT. 1. ELEVATIONS (Show whether DF, RT, GR, etc.) 12 1/4 9 5/8" J-55 36 300' 165 s 8 3/4 7" J-55 26 3800' 150 s 6 1/4 open hole N/A 6900' MD N/A This is to be a horizontally drilled well in the A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal See 11993 M. OIL 11993 M. OIL OIL OIL OIL OIL OIL OIL OI	AND SURVEY OR AL 2.2.2.2 Sec 27,21 2. COUNTY OR PARISE Sandoval ACRES ASSIGNED 8 WELL OR CABLE TOOLS ACY 22. APPROX. DATE W	T21N-R3W
At proposed prod. zone 1915' FSL, 935' FEL Sec 21-T21N-R3W 1. DIRTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 12 mi West of Cuba, NM 15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST TOWN OR POST OFFICE* 16. NO. OF ACRES IN LEASE IN L	Sec 27,21 2. COUNTY OR PARISE Sandoval ACRES ASSIGNED 8 WELL OR CABLE TOOLS ITY 22. APPROX. DATE W	T21N-R3W 13. STATE NM
12 mi West of Cuba, NM D. DISTANCE FROM PROPOSED* LOCATION TO NEAREST TOWN OR POST OFFICE* 12 mi West of Cuba, NM D. DISTANCE FROM PROPOSED* LOCATION TO NEAREST THE LOCATION TO NEAREST THE PROPERTY OF LEASE LINE, FT. (Also to nearest drig, unit line, if any) 125'; 860' N/A-Unit Well 3.26 S. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, ORDHLING, COMPLETED, OR AFFLIED FOR, ON THIS LEASE, FT. 4745' 6900' MD ROT ROT 7033 GR SIZE OF HOLE ORACE, SIZE OF CASINO WEIGHT PER FOOT SETTING DEPTH 12 1/4 9 5/8" J-55 36 300' 165 s 8 3/4 7" J-55 26 3800' 150 s 6 1/4 open hole N/A 6900' MD N/A This is to be a horizontally drilled well in the A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontall See Interfective Column of the column of	2. COUNTY OR FARISE SANDOVAL ACRES ASSIGNED S WELL OR CABLE TOOLS LTY 22. APPROX. DATE W	13. STATE NM
12 mi west of Cuba, NM 5. DISTANCE FROM PROPUSED' LOCATION TO NEAREST TO LEASE TO THE LOCATION TO NEAREST TO THE ASSET TO THE LASSE, TO THE LASSE, TO NEAREST WELL, BRILLING, COMPLETED. TO NAME TO NEAREST WELL, BRILLING, COMPLETED. TO NAME TO NEAREST WELL, BRILLING, COMPLETED. TO NAME TO NEAREST WELL, BRILLING, COMPLETED. TO NAME TO NEAREST WELL, BRILLING, COMPLETED. TO NEAREST WELL, BROOM TO NEAREST WELL, BROOM TO NEAREST WELL, BROOM TO NEAREST WELL, BROOM	Sandoval ACRES ASSIGNED 8 WELL OR CABLE TOOLS LTY 22. APPROX. DATE W	NM
DISTANCE FROM PROPOSED' LOCATION TO NAMEST THE PROPERTY OR LEASE LINE, FT. REOPETT OR LEASE LINE, FT. S. DISTANCE FROM PROPOSED LOCATION' TO NEAREST WELL, DRILLING, COMPLETED. TO REARRST WELL, DRILLING, COMPLETED. TO REPUBLION, ON THIS LEASE, FT. 7033 GR SIZE OF HOLE ORADE, SIZEOFCASINO WEIGHT PER FOOT SETTING DEPTH 12 1/4 9 5/8" J-55 36 300' 155 s 150 s 170 TA This is to be a horizontally drilled well in the A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal SEE EXTENDED. 11993 MA OIL	OR CABLE TOOLS ITY 22. APPROX. DATE W	
LOCATION TO REAREST PROPERTY OR LEAREST LINE, FT. (Also to nearest drig. unit line, if any.) 125'; 860' N/A-Unit well 320 ROTAR TO NEAREST WELL, PRILLING, COMPLETED. 4745' 6900' MD ROTAR ROTAR OR APPLIED FOR, ON THIS LEASE, FT. 4745' 6900' MD ROTAR ROT	OR CABLE TOOLS ATY 22. APPROX. DATE W	
TO MEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 7033 GR 7033 GR SIZE OF HOLE ORADE, SIZEOF CASINO WEIGHT PER FOOT SETTING DEPTH 12 1/4 9 5/8" J-55 36 300' 150 s 8 3/4 7" J-55 26 3800' 150 s 6 1/4 Open hole N/A 6900' MD N/A This is to be a horizontally drilled well in the A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal See 111993 See 111993 M. OIL	22. APPROX. DATE W	
TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 7033 GR PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE ORADE, SIZEOF CASINO WEIGHT PER FOOT SETTING DEPTH 12 1/4 9 5/8" J-55 36 300' 150 s 8 3/4 7" J-55 26 3800' 150 s 6 1/4 open hole N/A 6900' MD N/A This is to be a horizontally drilled well in the A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal See Statistic Original Plan for details. See Statistic Original Plan for details. OIL	22. APPROX. DATE W	
This is to be a horizontally drilled well in the A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal MIL 11993 TO 33 GR PROPOSED CASING AND CEMENTING PROGRAM WEIGHT PER FOOT SETTING DEPTH 300' 165 s 300' 150 s 3800' 150 s 70 s 105 s 10	22. APPROX. DATE W	
PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE	May 25	
SIZE OF HOLE ORADA SIZEOF CASINO WEIGHT PER FOOT SETTING DEPTH 12 1/4 9 5/8" J-55 36 300' 165 s 8 3/4 7" J-55 26 3800' 150 s 6 1/4 Open hole N/A 6900' MD N/A This is to be a horizontally drilled well in the A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal See 1112 of 11993 See 1112 of HOLE ORADA SIZEOF CASINO WEIGHT PER FOOT SETTING DEPTH 165 s 150 s 150 s 170 s	nay 23,	1993
SIZE OF HOLE 12 1/4 9 5/8" J-55 36 300' 165 s 8 3/4 7" J-55 26 3800' N/A This is to be a horizontally drilled well in the A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal See 11/160 rilling Plan for details.		
12 1/4 9 5/8" J-55 36 3800' 150 s 8 3/4 7" J-55 26 3800' N/A This is to be a horizontally drilled well in the A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal See 11993 See 11993 M. OIL	QUANTITY OF CEME	NT
8 3/4 6 1/4 This is to be a horizontally drilled well in the A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal See Little Orilling Plan for details. See Little Orilling Plan for details. OIL	cks premiu	
This is to be a horizontally drilled well in the A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal See Little Orilling Plan for details.	cks 50/50	Pozmix + 1
This is to be a horizontally drilled well in the A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal See Little Drilling Plan for details. See Little Drilling Plan for details. OIL	<u>-</u>	sa
A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal See Little Orilling Plan for details. See Little Orilling Plan for details. OIL		prem
A vertical pilot hole will be drilled first to a total gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal See Little Wrilling Plan for details. See Little Wrilling Plan for details. OIL	Mancos form	ation.
gather geologic information. The vertical hole will to a kick off point of around 4090', and a horizontal See Ett Led Prilling Plan for details. OIL	debrii or a	203 60
See Ett Mad Prilling Plan for details. JUL 11993 M. OIL	ien be prug	ged back
See Ett Led Drilling Plan for details. JUL 1/1993 MI OIL	sidetrack i	nitiated.
DECETAL DIV		
JUL 1/1993 OIL	CEIVE	
OIL CON DIV	a mar or mar	
OIL CON DIV	V 0 0 1000	L .
OIL COST PART OF THE OIL	Y2 0 1993	
OIL CONTRACTOR OF THE PROPERTY		
BIST.	CON DIV	
	CON. DIV.	
	CON. DIV. DIST. 3	
N ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed benen directionally, and pertificit data on subsurface locations and measured and true vertical depths. Give blowout preventer program,	DIST. 3	proposal is to drill or
eepen directionally, and pertinent data on subsurface occations and measured and true vertical depitie. Give blowed proteins programmes	DIST. 3	proposal is to drill or
	DIST. 3	proposal is to drill or
SIGNED TITLE Attorney in fact	DIST. 3	proposal is to drill or
(This space for Federal or State office use)	DIST. 3	proposal is to drill or
APPROVAL DATE	DIST. 3	proposal is to drill or
Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which was	DIST. 3	proposal is to drill or

ee Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime ner any person knowingly and willfully to make to any department or agency of the

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-102 Revised 1-1-89

OIL CONSERVATION DIVISION

P.O. Box 2088 Santa Fe, New Mexico 87504-2088

DISTRICT I P.O. Bux 1980, Hobbs, NM 88240 DISTRICT II P.O. Diswer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aziec, NM 87410

WELL LOCATION AND ACREAGE DEDICATION PLAT

		All Distances musi	be from the outer bound	Jaries Of the Secu		
Operator THE GARY-	WILLIAMS CO.		CEJA PE	LON 27H	(Well No. 27-417
	tion Towns	hip 21 N	Range 3 W		NMPM	County Sandoval
Actual Footage Location		orth	. 125			West
460 feet Ground level Elev.	from the Producing Format	libe at	Pool 2	100	et from	Dedicated Acreage: 64 2
7034	Mancos		1916	PUERCO	C.	320 Acres
1. Outline the	acreage dedicated to the st	ubject well by colored	pencil or hachure marks of 5: 5eC 21, 22, 2	n the plat below.	. 7	ZIN. RZW
2 If more than	one lesse is dedicated to	the well outline each	and identify the ownership	thereof (both as to	o work	ing interest and royalty).
3. If more than	1MB4G79, $NM2$ none lease of different ow	7167, NM 840 mership is dedicated to	182: All Ga the well, have the interes	ry - Williams t of all owners been	n consc	olidated by communitization,
unitization,	force-pooling, etc.?		type of consolidation _	unitization		_
✓ Ye If answer is "n	s	t descriptions which l	have actually been consolid		side o	
this form if no	coessary.	li until all interests hav	ve been consolidated (by o	ommunitization, un	itizatio	on, forced-pooling, or otherwise)
or until a non-	standard unit, eliminating	such interest, has been	approved by the Division	•		
330 660 990 13	20 1650 1990 2310	2640 2000	1500 1000	500 0		OPERATOR CERTIFICATION
S,	89°58'W		80.00cH.		į	contained berein in 1 and complete to t
B.C.						best of no prowings yang belief
NM 86858			1	j	- }	Signature
7			1			Samuel Gary Jr.
s —	<u>.</u> .		NM 2916	9	F	Printed Name
	Proposed bottom he	le da l	i			Withorney - 2n - fact Position
	location: 1915 fol 9 Sec 21-21N-3W	35 PE 1			3	The Gary-Williams Co.
	11////	 	sec_122		80.000.	Company /
	1/2/3/2/95	5V//			8	7 June, 1993
			ECEIV	F M	ļ	Date
NM84679				الالاطا	•	SURVEYOR CERTIFICATION
	1915		MAY 2 0 1993	و ا		JOKAL FOR CERTE 10.11.01
*	Y///		WA 1 2 0 1333			I hereby certify that the well location sho on this plat was plotted from field notes
B.C.	1////		OIL CON. D	IV. !		actual surveys made by me or under
320 acre	! //		DIST. 3			supervison, and that the same is true of correct to the best of my knowledge
Spacing W	nit /	/ J*** X				belief. 5 Apr., 1993
7				, ,		Data Surveyed
	!	्र इ	reface location: 460	ini, 125 tul 1-21N-3W	Ų,	William E. Mahnke II
			1 500 21	1- 2IN-3W	60	Professional Surveyor MA
	DECF	IVED) _د ر	William R. Mahnke II Signature & Seal of Mahnke II Professional Shrveyor Mahnke ME + Comments ME + Comments
			ì		50	(3/3/6)=
	JUL 1	1998	İ		<	#8466
			ŧ			Cerdicale No. 8466
	OIL CON	. DIV	1			TO ARES
NM 2916	DIST	3	NM846	82		Cerdifique No. 8466
AM ETH	,		,			
	EST		80.04cm		•	

