COPY TO O.C.C.

# P. O. Box 965 Farmington, New Mexico

Benson-Montin-Greer Drilling Corp. 405} West Broadway Farmington, New Mexico

> Re: Navajo Tribal 14-20-603-533

## Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Drill" dated November 28, 1955 covering your well No. 1 Gulf Wavajo \*B\* in Hw! Bw! sec. 30, T. 23 N., R. 1h W., N. M. P. M., San Juan County, New Mexico, Wildest pool.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1942, a copy of which will be sent to you on request, and sub-

- 1. Drilling operations so authorized are subject to the attached sheet for general conditions of approval.
- 2. Furnish copies of all logs.

very truly yours,

P. T. McGrath District Engineer

Water Spile of the State of the

PTMcGrath:ao eds Navajo Agency

SOCOT YYOO

होर को जिल्लाहरू जिल्लाहरू

CONTROL COLD (11/2) The Color of the Silver sense. THE RESERVE TO MAKE STATE action কে ্নের্ক্ট জে



Jakon Merid Ind 

15 M

and the first term of the length of the many figure the engineer for the length of the THE REPORT OF THE PROPERTY OF There is the first of the first of the second secon

HOPER COMPLETE THE TEXT OF THE TEXT OF THE PROPERTY OF THE TEXT O CONTROL TO SERVICE SERVICE SERVICE SERVICES SERV 

- THE COURT IN STANCED AND STANCES OF SHORT COURT OF STANCES . In the course of the contraction of the contracti
  - COROL ITS TO INTERIOR DOLLAR COLLEGE OF

Property Carlot &

Detributation. मून्याका है की समझी । 100

### (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR Allottee TRIBAL GEOLOGICAL SURVEY

- 000 -		
Approval	expires	12-01-00.

Indian Agency	-Maint-Resh

Loase No. 14-30-405-533

Calf Haraje "F"

TICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
TICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
TICE OF INTENTION TO TEST WATER SHUT-OFF	
TICE OF INTENTION TO REDRILL OR REPAIR WELL.	
TICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
TICE OF INTENTION TO PULL OR ALTER CASING	
TICE OF INTENTION TO ABANDON WELL	
	8 (2.5)
(INDICATE ABOVE BY CHECK M	MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
904	Hovember 20th 19.02
Sulf Navajo "B"	
I No. 1 is located 990 ft	from N line and ft. from w line of sec.
1 140 is located sessing to	W Mis of Society
/4 10/4 Sec. 30 23N	).du H.M.P.M.
(14 Sec. and Sec. No.) (Twp.)	(Range) (Meridian)
Wildow	Sun June Rackson
(Field) (Co	unty or Subdivision) (State or Territory)
	1 1: <b>2545</b> C.
elevation of the derrick floor above sea	a icyci is in the interest it.
DE"	TAILS OF WODE
	TAILS OF WORK
	TAILS OF WORK ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemer i all other important proposed work)
e names of and expected depths to objective sands; sho ing points, and	ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)
	ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)
e names of and expected depths to objective sands; sho ing points, and	ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemer is all other important proposed work)
e names of and expected depths to objective sands; sho ing points, and	ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)
e names of and expected depths to objective sands; sho ing points, and	w sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)  depth 4300°.  7 200° of 9-5/7° © 36° comented with much, circulated to surface.
e names of and expected depths to objective sands; sho ing points, and	ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemer is all other important proposed work)
e names of and expected depths to objective sands; sho ing points, and	w sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)  depth 4300°.  7 200° of 9-5/7° © 36° comented with much, circulated to surface.
names of and expected depths to objective sands; sho ing points, and ing points are larger than the larger tha	we sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)  depth 4300°.  7 200° of 9-5/7° © 35° communed with much, circulated to surface.  7 4500° of 5-1/3° © 15.5° 3-65  1 159 sands commune.
names of and expected depths to objective sands; sho ing points, and ing points are larger than the larger tha	w sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)  depth 4300°.  7 200° of 9-5/7° © 36° comented with much, circulated to surface.
names of and expected depths to objective sands; sho ing points, and ing points are larger than the larger tha	we sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)  depth 4300°.  7 200° of 9-5/7° © 35° communed with much, circulated to surface.  7 4500° of 5-1/3° © 15.5° 3-65  1 159 sands commune.
names of and expected depths to objective sands; sho ing points, and ing points are larger than the larger tha	we sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)  depth 4300°.  7 200° of 9-5/7° © 35° communed with much, circulated to surface.  7 4500° of 5-1/3° © 15.5° 3-65  1 159 sands commune.
names of and expected depths to objective sands; sho ing points, and ing points are larger than the larger tha	we sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)  depth 4300°.  7 200° of 9-5/7° © 35° communed with much, circulated to surface.  7 4500° of 5-1/3° © 15.5° 3-65  1 159 sands commune.
Pahota Test. Estimated total  Surface Casing: Approximately 150 suchs on Production " : Approximately expended with  If commettal production is in	depth 4300°.  7 250° of 9-5/7° © 36° comented with much, eireviated to surface.  7 450° of 5-1/3° © 15.8° 3-86  1 159 sasks coment.
Pahota Test. Estimated total  Surface Casing: Approximately 150 suchs on Production " : Approximately expended with  If commettal production is in	we sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)  depth 4300°.  7 200° of 9-5/7° © 35° communed with much, circulated to surface.  7 4500° of 5-1/3° © 15.5° 3-65  1 159 sands commune.
Pahota Test. Estimated total  Surface Casing: Approximately 150 suchs on Production " : Approximately expended with  If commettal production is in	we sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)  depth 4300°.  7 200° of 9-5/7° © 35° comented with much, eiverlated to surface.  7 4900° of 5-1/3° © 15.5° 3-85  1 130 sands coment.  Miliented, the producting section will
Pahota Test. Estimated total  Surface Casing: Approximately 150 suchs on Production " : Approximately expended with  If commettal production is in	depth 4300°.  7 250° of 9-5/7° © 36° comented with much, eireviated to surface.  7 450° of 5-1/3° © 15.8° 3-86  1 159 sasks coment.
Predestion " : Apprenientel;  If commercial predestion is in sund-oil treated.  Description of work must receive appropriate that this plan of work must receive appropriate that the plan of work must receive appro	we sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)  depth 4300°.  7 200° of 9-5/7° © 35° comented with much, eiverlated to surface.  7 4900° of 5-1/3° © 15.5° 3-85  1 130 sands coment.  Miliented, the producting section will
names of and expected depths to objective sands; sho ing points, and points, and points, and points are consisted total.  Surface Casing: Approximately 150 socks on Predoction " : Approximately occurred with the sund-oil translat.  If commercial preduction is in the sund-oil translat.	we sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)  depth 4300°.  7 200° of 9-5/7° © 35° comented with much, eiverlated to surface.  7 4900° of 5-1/3° © 15.5° 3-85  1 130 sands coment.  Miliented, the producting section will
Predestion " : Apprenientel;  If commercial predestion is in sund-oil treated.  Description of work must receive appropriate that this plan of work must receive appropriate that the plan of work must receive appro	we sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)  depth 4300°.  7 200° of 9-5/7° © 35° comented with much, eiverlated to surface.  7 4900° of 5-1/3° © 15.5° 3-85  1 130 sands coment.  Miliented, the producting section will
Predestion " : Apprenientel;  If commercial predestion is in sund-oil treated.  Description of work must receive appropriate that this plan of work must receive appropriate that the plan of work must receive appro	we sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)  depth 4300°.  7 200° of 9-5/7° © 35° comented with much, eiverlated to surface.  7 4900° of 5-1/3° © 15.5° 3-85  1 130 sands coment.  Miliented, the producting section will
Predestion " : Apprenientel;  If commercial predestion is in sund-oil treated.  Description of work must receive appropriate that this plan of work must receive appropriate that the plan of work must receive appro	we sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work)  depth 4300°.  7 200° of 9-5/7° © 35° comented with much, eiverlated to surface.  7 4900° of 5-1/3° © 15.5° 3-85  1 130 sands coment.  Miliented, the producting section will

COMPANYC	lf Oil Corp	ortion					
Well Name & No						100	×
Location 22×1	from the N	orth lir	e and	99 ! from	the We	est line	ę, <u> </u>
Being in <u>NW II</u>	<u> </u>						RECO
Bec.30 , 7.23	N, R <u>U</u> . N., Y.	Marie Marie	on Sue	n Jounty,	Now He	exico.	NOV 58 T
Ground Elevation	on 5835, ung	graded.					U. S. GEOLOGICAL FARMINGTON, NEW
	0.66		30				N.
:		+ - +			<u>.</u> :	:	

Surveyed August 11

9.55

This is to certify that the above plat was prepared from field notes of actual slaveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Chief-Audiblich op in Sie

Ernest V. Echohawk

Ernest V. Echohawk Registered Land Surveyor N. M. Reg. #1545

