

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	1
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-55

5a. Indicate Type of Lease
State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.
045-20774

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT --" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-	7. Unit Agreement Name
2. Name of Operator Tenneco Oil Company	8. Farm or Lease Name Snake Eyes
3. Address of Operator 1860 Lincoln St., Suite 1200, Denver, Colorado 80203	9. Well No. #1
4. Location of Well UNIT LETTER C 660 FEET FROM THE North LINE AND 1980 FEET FROM West 20 TOWNSHIP 21N RANGE 8W NMPM.	10. Field and Pool, or Wildcat Wildcat (Snake Eyes)
15. Elevation (Show whether DF, RT, GR, etc.) 6561' KB	12. County San Juan

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:


PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- Set wireline bridge plug @ 4550' with 20' of cement on top.
 - Freepoint and shoot 5½" casing. Pump 100' column of cement on top of 5½" stub thru 5½" casing.
 - Pump 100' column of cement from 2450' to 2350' thru 5½" casing.
 - Run 3 JTS of tubing and pump 35 sxs back into 8 5/8" surface pipe.
 - Install dry hole marker; fill cellar; clean location and reseed as required by BLM.
- (Above approved on phone by Al Kendricks in February, 1976)



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED L. D. Myers TITLE Div. Production Manager DATE 3-5-76

APPROVED BY AR Kendrick TITLE SUPERVISOR DIST. #8 DATE MAR 10 1976

CONDITIONS OF APPROVAL, IF ANY: