

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well ☐ gas well ☐ other
2. NAME OF OPERATOR
Petro-Lewis Corporation
3. ADDRESS OF OPERATOR
P. O. Box 16200, Lubbock, TX 79490
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 790' FNL & 1080' FEL
AT TOP PROD. INTERVAL: same
AT TOTAL DEPTH: same
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐

(other) Temporary Abandonment

SUBSEQUENT REPORT OF:

- ☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA

RECEIVED

SEP 23 1983

5. LEASE
NM - 14442
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
None
7. UNIT AGREEMENT NAME
West Lybrook
8. FARM OR LEASE NAME
Dome Federal #13
9. WELL NO.
41
10. FIELD OR WILDCAT NAME
Lybrook Gallup
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 13, T23N, R8W
12. COUNTY OR PARISH
San Juan
13. STATE
New Mexico
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
7068' GR 7078' KB

NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This well is presently completed in the Gallup formation from 5218'-5542'. Completion data indicates top of cement at 5159', with good bonding across the entire completion interval. Propose to set RBP at \pm 5200' and temporarily abandon until this well can be fully evaluated.

Will set C.R.B.P. above perforations & Cap. w/ Cement per instructions
Approved for 1 year

Subsurface Safety Valve: Manu. and Type V. Set @ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Steven M. King TITLE Petroleum Engineer DATE September 20, 1983

(This space for Federal or State office use)

APPROVED BY TITLE DATE

CONDITIONS OF APPROVAL IF ANY:

APPROVED
AS AMENDED

SEP 30 1983
R. Buchanan
M. MILLENBACH
AREA MANAGER
Acting