Form approved. Form 3160-5 Budget Bureau No. 1004-0135 Expires August 31, 1985 (November 1983) UNITED STATES

SUBMIT IN TRIPLICATE®

Other instructions on re
Personnel of the interior of UNITED STATES (Formerly 9-331) 5. LEASE DESIGNATION AND SERIAL NO. BUREAU OF LAND MANAGEMENT 11/0**NM-8005** 6, IF INDIAN, ALLOTTEE OR TRIBE NAME SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME WELL X WELL OTHER 8. PARR OR LEASE NAME NAME OF OPERATOR ECO, Inc. Federal D 3. ADDRESS OF OPERATOR 9. WELL NO. 135 Grant, Santa Fe, NM 87501 LOCATION OF WELL (Report location clearly and in accordance wit See also space 17 below.) At surface 10. FIELD AND POOL, OR WILDCAT South Bisti Gallup Ext 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 960' FNL & 865' FEL Sec 10 T23N R9W NMPM 14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 12. COUNTY OR PARISH 13. STATE GL 6893' San Juan 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF BEPAIRING WELL FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT ALTERING CASING SHOOT OR ACIDIZE ABANDON* SHOOTING OR ACIDIZING ABANDONMENT* REPAIR WELL CHANGE PLANS (Other) (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.). 2/22/91 Received verbal permission from Steve Mason to change Approved Permit to drill. Have decided to run two stage cement job.

CEMENTING PROGRAM: All volumes are contingent upon Caliper logs. Approximate location of stage tool:

Cement with 50 sacks (69 cu.ft.) Class "G" cement with 8# salt + 6 1/4# Gilsonite + 1/2# flocele per sack followed by 200 sacks (277 cu.ft.) Class "G" cement with 2% CaCl₂ + 8# salt + 6 1/4# Gilsonite + 1/2# flocele per Total cement slurry for the first stage is 346 cu.ft. Will be designed to circulate above state tool.

Cement with 900 sacks (1629 cu.ft.) Class "G" 50/50 Poz Mix with 2% gel and 12# Gilsonite per sack, 2% KCL by weight of water. Will be designed to circulate to the surface.

Total cement slurry for both stages is 1975 cu.ft.

13. I hereby certify that the foregoing is true and co	rrect	
SIGNED Elizabeth B. Keosha	TITLE President	DATE 2/22/91
(This space for Federal or State office use)		
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITLE	PPRÖVED
	(COSO)	MAR 0 6 1991 Ken Townsend AREA MANAGER
	*See Instructions on Reverse Side	FOR