

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

P. O. Box 965 Farmington, New Mexico

May 7, 1956

Hemble Oil & hefining Company Bex 1600 Midland, Texas

Re: Jicarilla Contract 39

Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Drill" dated May 1, 1956 covering your well No. 4 Jicarilla Apache Tribe of Indiana "C" in SEA SEA sec. 33, T. 24 N., R. 5 W., N.M.P.M., Rie Arriba County, New Mexico, Otero Pic Cliffs pool.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1962, a copy of which will be sent to you on request, and subject to the following conditions:

- Prilling operations so authorized are subject to the attached sheet for general conditions of approval.
- 2. surmish copies of all legs.

Very truly yours,

1904 Jan

Jerry W. Long
Acting District Engineer

Jelong:ac cc - Jicarilla Agency





UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

And the second of the second of

1.3

Andrews (1995) Andrew

. .

· The second of the second · The second of the second of

to and the state of the state o

The second of th

n de la companya de l

Form 9-331 b (April 1952)				
			X	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR

Indian Agency	Jia	wille
Contract		
Allottee		
Lease No	16	m

SUBSEQUENT REPORT OF ALTERING CASING. CE OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF REDRILLING OR REPAIR WELL. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. CE OF INTENTION TO SHOOT OR ACIDIZE. CE OF INTENTION TO PULL OR ALTER CASING. CE OF INTENTION TO PULL OR ALTER CASING. SUBSEQUENT REPORT OF ABANDONMENT. SUPPLEMENTARY WELL HISTORY. (REDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) NO. IS located SUBSEQUENT REPORT OF ALPHANDONMENT. SUPPLEMENTARY WELL HISTORY. (REALLY WELL HISTORY) (REPORT OF ALTERNACY WELL HISTORY) (REALLY WELL HISTORY) (REALLY WELL HISTORY) (REPORT OF ALTERNACY WELL HISTORY) (REPORT OF ALTERNACY WELL HISTORY) (REPORT OF ALTERNACY WELL HISTORY) (REALLY WELL HISTORY)	ENTION TO CHANGE PLANS. SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. ENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF REPORT OF REPORT. SUBSEQUENT REPORT OF REPORT OF REPORT. SUBSEQUENT REPORT OF SALTERING CASING. SUBSEQUENT REPORT OF REPORT OF REPORT. SUBSEQUENT REPORT OF SALTERING CASING. SUBSEQUENT REPO		AND REPORTS ON WELLS
CE OF INTENTION TO CHANGE PLANS CE OF INTENTION TO TEST WATER SHUT-OFF. CE OF INTENTION TO REPAIR SHUT-OFF. CE OF INTENTION TO REPAIR WELL CE OF INTENTION TO SHOOT OR ACIDIZE. CE OF INTENTION TO SHOOT OR ACIDIZE. CE OF INTENTION TO PULL OR ALTER CASING. CHANGE INTENTION TO DULL OR ALTER CASING. CHANGE INTENTION TO DULL OR ALTER CASING. CHANGE INTENTION TO ABANDON WELL CHANGE INTENTION TO BULL OR ALTER CASING. CHANGE INTENTION TO ABANDON WELL CHANGE INTENTION TO BULL OR ALTER CASING. CHANGE INTENTION TO BULL OR ALTER CASING	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING. SUBSEQUENT REPORT OF ALABAMA. SUBSEQUENT REPORT OF ALABA	CE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
SUBSCUENT REPORT OF ALTERING CASING. SUBSCUENT REPORT OF ALTERING CASING. SUBSCUENT REPORT OF ADAIDONMENT. SUPPLEMENTARY WELL HISTORY. (NEDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) NO is located	ENTION TO TEST WATER SHUT-OFF. ENTION TO REPRILL OR REPAIR WELL. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF ADARDONMENT. SUPPLEMENTARY WELL HISTORY. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) WALLES AND THE CONTROL OF THE PROPERTY OF ADARDONMENT. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) WALLES AND THE CONTROL OF THE PROPERTY OF ADARDONMENT. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) WALLES AND THE CONTROL OF THE PROPERTY OF ADARDONMENT. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) WALLES AND THE CONTROL OF THE PROPERTY OF ADARDONMENT. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) WALLES AND THE CONTROL OF THE PROPERTY OF ADARDONMENT. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) WALLES AND THE CONTROL OF THE PROPERTY OF ADARDONMENT. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) WALLES AND THE CONTROL OF THE PROPERTY OF ADARDONMENT. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) WALLES AND THE CONTROL OF THE PROPERTY OF ADARDONMENT. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) WALLES AND THE CONTROL OF THE PROPERTY OF ADARDONMENT. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NA		
SUBSEQUENT REPORT OF REDRILLING OR REPAIR ICE OF INTENTION TO SHOOT OR ACIDIZE SUBSEQUENT REPORT OF REDRILLING OR REPAIR SUBSEQUENT REPORT OF REDRILLING OR REPAIR SUBSEQUENT REPORT OF REDRILLING OR REPAIR SUBSEQUENT REPORT OF REBAINDONMENT SUPPLEMENTARY WELL HISTORY (REPORT OF INTENTION TO BANDON WELL (REPORT OF INTENTION TO BANDON WE	SUBSEQUENT REPORT OF REDRILLING OR REPAIR ENTION TO SHOOT OR ACIDIZE SUBSEQUENT REPORT OF ABANDONMENT SUBSEQUENT REPORT OF REPORT, NOTICE, OR OTHER DATA WALLES SUBSEQUENT REPORT OF REPORT OF ABANDONMENT SUBSEQUENT REPORT OF REPORT OF ABANDON SUBSEQUENT SUBSEQUENT REP		1 1
SUBSEQUENT REPORT OF ABANDOMENT. SUBSEQUENT REPORT OF ABANDOMENT. SUPPLEMENTARY WELL HISTORY. SUPPLE	SUPPLEMENTARY WELL HISTORY (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT) (INDICATE ABOVE BY		
(NEW ARCHE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) WHATER AND IS located SO ft. from S line and SO ft. from E line of sec. So (See and See No.) (Two) (County or Subdivision) (County or Subdivision) (State or Territory) ce elevation of the derrick floor above sea level is Subdivision (State or Territory) to names of and expected depths to objective sands; show sizes, weights, and slengths of proposed casings; indicate mudding jobs, came ing points, and all other important proposed work) For many subdivision of the derrick floor above sea level is Subdivision (State or Territory) To understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced impany. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced impany. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced impany.	(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) MALLAND, TERMS IS located IS line and Malland, Terms Is located IS line of sec. IS line of the derick floor above sea level isMalland, One of the derick floor above sea level isMalland, one of the derick floor above sea level isMalland, one of the derick floor above sea level isMallandft. DETAILS OF WORK and expected depths to objective analysis and all other important proposed casings; indicate mudding jobs, camenting points, and all other important proposed work) Section 10 of the derick floor above sea level isMallandft. DETAILS OF WORK And expected depths to objective analysis and lengths of proposed casings; indicate mudding jobs, camenting points, and all other important proposed work) And the section 10 of the section are section as a section of the section are section. But 100 of the section of the sectio	TICE OF INTENTION TO SHOOT OR ACIDIZE	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) MALORA, TOURS MALORA, T	(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) MALENA, TESTAS MALENA, MALENA (State or Territory) On of the derrick floor above sea level is	FICE OF INTENTION TO PULL OR ALTER CASING	
HALCON, Seems 1, 19 50 Ill No is located	is located SO ft. from S line and SO ft. from E line of sec. The second SO ft. from S line and SO ft. from E line of sec. The second SO ft. from S line and SO ft. from E line of sec. The second SO ft. from S line and SO ft. from E line of sec. The second SO ft. from S line and SO ft. from E line of sec. The second SO ft. from S line and SO ft. from E line of sec. SO ft. from E line of	FICE OF INTENTION TO ABANDON WELL	
No is located	is located SO ft. from S line and SO ft. from E line of sec. The second SO ft. from S line and SO ft. from E line of sec. The second SO ft. from S line and SO ft. from E line of sec. The second SO ft. from S line and SO ft. from E line of sec. The second SO ft. from S line and SO ft. from E line of sec. The second SO ft. from S line and SO ft. from E line of sec. SO ft. from E line of	AND A DATE BY CUECK	MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
No is located	is located SO ft. from S line and SO ft. from E line of sec. So line and SO ft. from S line of sec. So line and so line in the solution of the derrick floor above sea level is line of the derrick floor above sea level is lines of proposed casings; indicate mudding jobs, cament ling points, and all other important proposed work) So lines to the solution of the derrick floor above sea level is lines of proposed casings; indicate mudding jobs, cament ling points, and all other important proposed work) So lines to the solution of the derrick floor above sea level is lines to	UNDICATE ABOVE BY CHECK	MARIA RATURE OF THE ONLY HOLLES
No is located	is located SO ft. from S line and SO ft. from E line of sec. Country Change C	MARAMA SOS	Midland, Texas May 1 19 86
(8 see, and see No.) (Twp.) (Range) (Redidan) (Pield) (County or Subdivision) (State or Territory) (State or Territory) elevation of the derrick floor above sea level is	and See No.) (Twp.) (Range)		
(Rec. and Sec. No.) (Twp.) (Range) (Red.) (County or Subdivision) (State or Territory) (State or Territory) (State or Territory) (Pield) (County or Subdivision) (State or Territory) (State or Territory) (State or Territory) (Pield) (DETAILS OF WORK (Pield) (DETAILS OF WORK (Pield) (Pield) (Pield) (County or Subdivision) (State or Territory)	and See No.) (Twp.) (Range)	A . 1 . 1 . 900 £	the from E line of sec.
County or Subdivision) (State or Territory) c elevation of the derrick floor above sea level islaterft. DETAILS OF WORK Is names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work)	(Plaid) (County or Subdivision) (State or Territory) on of the derrick floor above sea level isinims*it. DETAILS OF WORK and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) County to surface	No is located	t. from (S) the andt. from (A)
County or Subdivision) (State or Territory) c elevation of the derrick floor above sea level islatinusft. DETAILS OF WORK to names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) County to proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work)	(Plaid) (County or Subdivision) (State or Territory) on of the derrick floor above sea level isinims*it. DETAILS OF WORK and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) County to surface	and section 35 Tulled	PARM - NMPM
(Field) (County or Subdivision) (State or Territory) c elevation of the derrick floor above sea level islatinuft. DETAILS OF WORK to names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, come ing points, and all other important proposed work) County to be serviced (Life and Lorent Loren	(Priod) (County or Subdivision) (State or Territory) on of the derrick floor above sea level isinterfit. DETAILS OF WORK and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) County to current proposed work. County to current to current proposed work. Returned tilid County to current to current the current curren	The state of the s	(Range) (Meridian)
clevation of the derrick floor above sea level islatinuft. DETAILS OF WORK Is names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) Committee of an expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) Committee of a casings; indicate mudding jobs, ceme ing points, and all other important proposed work) Committee of a casings; indicate mudding jobs, ceme ing points, and all other important proposed work) Committee of a casings; indicate mudding jobs, ceme ing points, and all other important proposed work) Committee of a casings; indicate mudding jobs, ceme ing points, and all other important proposed work) Committee of a casings; indicate mudding jobs, ceme ing points, and all other important proposed work) Committee of a casings; indicate mudding jobs, ceme ing points, and all other important proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) Committee of a casings; indicate mudding jobs, ceme ing points, and all other important proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) Committee of a casings; indicate mudding jobs, ceme ing points, and all other important proposed work) Committee of a casings; indicate mudding jobs, ceme ing points, and all other important proposed work) Committee of a casings; indicate mudding jobs, ceme ing points, and all other important proposed work) Committee of a casings; indicate of a casings; indicate mudding jobs, ceme ing points, and all other important proposed work) Committee of a casing indicate of a casing indicate of a casing indicate of a casing indicate of a	(County or Subdivision) (State or Territory) on of the derrick floor above sea level is	Brannet Steen Bel. No.	
DETAILS OF WORK In names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) Consent to currence Consent to currence Consent to currence Consent to the control of	DETAILS OF WORK and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) Commit to carriers Commit to the committee of the		County or Subdivision) (State or Territory)
County to surface Chiffs, Religherton method of setting to be und. Low under lose and with dispel cil, additive. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany. But 1000	County to surface County to surface County to the state of the surface County to the state of the surface of		
ompany But 1900	Bus 1000 By ABCook, Summer By ABCook	te names of and expected depths to objective sands; a	how sizes, weights, and lengths of proposed work)
ompany But 1800	Bus 1000 By ABCook, Summer By ABCook	ing points, at	an action trabes and Separation
Description of the service of the se	Bus 1000 By ABCook, Summer By ABCook	ing points, a	an sense amportant graphs and v
ompany Best 1800	Bus 1000 By ABCook, Summer By ABCook	ang points, a	
ompany But 1000	Bus 1000 By ABCook, Summer By ABCook	CASSES AND	COUNTY NOTE CONTROL MAN
Impany But 1000	Bus 1000 By ABCook, Summer By ABCook	CASTIN PRODUCTION OF THE POINTS, ALL THE POINT	commerciae modes China Control Chin
mpany But 2000	Bus 1000 By ABCook, Summer By ABCook	CASE PARTY IN THE PARTY OF THE	countries more Countries Mark to currence Chicago Chic
mpany But 2000	Bus 1000 By ABCook, Summer By ABCook	CASTRA PARAMETER SASS' COM	CONTROL MODEL ROSE to Surface Returns Cliffe. Helliburton method of
mpany But 2000	Bus 1000 By ABCook, Summer By ABCook	CASTRE PROPERTY SHOOT SHORT TO	construct Market Chiffs, Halliburton method of less and with dispose oil additive.
Idress	Bus 1000 By ABCook, Summer By ABCook	count total depth 3400 fact to	construction models must be derived this must back to 8-6/6" ong. took Pictured Cliffs, Halliburton method of less and with dissel oil additive.
ompany Best 1000	Bus 1000 By ABCook, Summer By ABCook	pood total depth 3400 feet to insting to be used. Low water	construction process most to curince Pictured Clis most back to 8-5/8" eag. toot Pictured Cliffs, Halliburton method of loop and with discol oil additive.
ompany Best 1800	Bus 1000 By ABCook, Summer By ABCook	CASCING PROCESSION OF THE PARTY	construct motion Children Pletured Clif most to desired Childs, Helliburton method of loss and with dissel oil additive.
ompany Best 1000	Bus 1000 By ABCook, Summer By ABCook	CASTRE PRODUCTION OF THE POINTS, AND SHORT TO SHORT THE POINTS, AND SHORT TO SHORT THE POINTS AND SHORT TO SHORT THE POINTS AND SHORT T	commercia makes most to corrisor most to corrisor most back to 6-6/6" cag. toot Pictured Cliffs, Halliburton method of loop and with disord oil additive.
ompany Best 1000	Bus 1000 By ABCook, Summer By ABCook	CASTIN FROM CASTIN FROM (8" 144 2400" On posed total depth 3400 Sust to potting to be quad. Low water	control motor Cities Pictured Cities to derince Cities of the Pictured Cities, Halliburton method of less and with dissel oil additive.
ldress	By A Bullion	CASES AND SOUTH SAND SHOT TO MAKE THE SAND S	construct model Cliffs, Halliburton method of less and with dispol oil additive.
	By Bulfar	CASES AND SOUTH SAND SHOT TO MAKE THE SAND S	construct model Cliffs, Halliburton method of less and with dispol oil additive.
	By Bulfar	CASSEL SHOWN AND SHORT TO WORK MUST receive app	construct model Cliffs, Halliburton method of less and with dispol oil additive.
By 11 State		CASE SACRATION OF THE S	construct model Cliffs, Halliburton method of less and with dispol oil additive.
		cases total depth 3400 fact to setting to be made. Low water in the many many many many many many many many	Company
		CASSEL SHOWN AND SHORT TO WORK MUST receive app	countries mades must be derived of the control of
		derstand that this plan of work must receive app	construct model Cliffs, Halliburton method of less and with dispol oil additive.

35.7 Carlan Walter and the second of the second o In the state of th With the said the said of the said the and the second second - Land Committee Com

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-128

Well Location and/or Gas Proration Plat

				Date	4 - 27 - 56
Operator HUMBLE	OIL & REFINING CO.	Lease	JICARILLA		
Well No. 4	Section 33	_Township	2 4-NORTH	_Range5-	WEST NMPM
Located 990	Feet From SOUTH	Line,_	990	_Feet From_	EAST Line,
RIO ARRIB	A County,	New Mexico.	G. L. E	levation	
	Formation PICTURED		0+	• •	d Acreage 160
(Not	te: All distances mus	the from	Ext.		1101cuge_100
7	//////////////////////////////////////	/ / / /	er boundar	ies of Section	n)
/ /		//X//			
		//X//			
		//X//			
		//X//	[//X]	///~	EIVED
		//////	///X/	// KES	7 1055
	· <i>///////////</i>	-//	/ <i>-/-/</i> -/		7 195E
		/////	/////	N S GEO	COGICAL SULVEY
Y/			///X/	FARMING	ON, HEI
Y/			/////		
$V_{/}$			/////	/////	
\/ /			/////		
			////		
	Ì		ĺ		
)		1		
	1				
	:				
			!		
_		+			-
			1	990'-	
	1			990	
			ŀ	-, 0(
	,		İ	9: 6	
	E:1"=1000'				
1. Is this Well a Dua	al Comp. ? Yes No_		s is to cert	tify that the a	ibove plat was
2. If the answer to	Question l is yes, are	pre	pared from	field notes	of actual surveys
any other dually c	ompleted wells within		de by me of	r under my s	upervision and correct to the
dedicated acreage				wledge and b	
** **	1		,		
Name NY He		Dat	e Surveyed	4-25-5	6
Position ASSISTANT DIVISION SUPERINTENDENT				S.T. SI	raham
Representing HUMBLE OIL & REFINING CO Address BOX 1600 MIDLAND, TEXAS			gistered Pi nd Surveyor	roiessional E	ingineer and/or
BUA16	SOO MIDLAND, TEXAS	<u> </u>	LEASE 1	63112	WA 212
_					

	-	÷