Form 9-331 a (Feb. 1951)

16

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4. Form Approved.

Land Office Sata FE

Lease No. NM 0101694

Unit ....

SUNDRY NOTICES	SUBSEQUENT REPORT OF WATER SHUT-OFF
TICE OF INTENTION TO DRILL	A CHOOTING OP ACIDIZING
TICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIALIST
TICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
TICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SOURCE
TICE OF INTENTION TO SHOOT OR ACIDIZE	JOBSE STATE OF THE PARTY OF THE
OTICE OF INTENTION TO SHOULD OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
OTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK I	MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
	August 23 , 19.62
o thanca in terms of the standard cilffs	(Range) (Meridian) (State or Territory)
e blanca lifetured Cilits (0	Omnty or purceive sour
averend .	1 ic 7202 ft.
ne elevation of the device noor above so	ea level 18 - 1333 100
D)	ETAILS OF WORK
ν.	EIAILS OF WORLD
	EIAILS OF World and lengths of proposed casings; indicate mudding jobs, cement-
	how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- nd all other important proposed work)
Sulfact well spudded A	how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- nd all other important proposed work)  mgust 9, 1962. Set 101° of 8 5/811 surface iks. Total depth of 3250° reached August 13, 1962 and cemented with 75 sacks. Perforated from 11. Sand fraced August 16, 1962 with 30,000°
Suffect well spudded A casing and comented with 60 sac 4 1/2" casing set at 329 3249' 3121' to 3139' with 2 shots per send and 35,650 gallens of water Well presently await!  I understand that this plan of work must receive appropriate the company of the case	how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- nd all other important proposed work)  ugust 9, 1962. Set 101° of 8 5/811 surface iks. Total depth of 3250° reached August 13, 1962 and comented with 75 sacks. Perforated from 11. Send fraced August 16, 1962 with 30,000°  If.  Set 101° of 8 5/811 surface iks. Total depth of 3250° reached August 13, 1962 and comented with 75 sacks. Perforated from 15. Send fraced August 16, 1962 with 30,000°  SEP 1 962  SEP 1
Sulject well spudded A casing and comented with 60 sac 4 1/2" casing set at 323 32491 3121' to 3139' with 2 shots per sand and 35,650 gallons of wats Well presently smalt!  I understand that this plan of work must receive ap Company Shar@Alan 011 Company	how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- and all other important proposed work)  seguet 9, 1962. Set 191' of 8 5/8" surface  its. Total depth of 3250' reached August 13, 1962 and comented with 75 sacks. Perforated from  ft. Send fraced August 16, 1962 with 30,000'  its.  Ing testing.
Sulject well spudded A casing and comented with 60 sec 4 1/2" casing set at 329 32491 3121' to 3139' with 2 shots per send and 35,650 gallons of water wall presently small!  I understand that this plan of work must receive ap Company Shar@Alan 011 Company	how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- and all other important proposed work)  seguet 9, 1962. Set 191' of 8 5/8" surface  its. Total depth of 3250' reached August 13, 1962 and comented with 75 sacks. Perforated from  ft. Send fraced August 16, 1962 with 30,000'  its.  Ing testing.
Suffect well spudded A casing and comented with 60 sec 4 1/2" casing set at 323 32491 3121' to 3139' with 2 shots per send and 35,650 gallons of water well presently small!  I understand that this plan of work must receive ap Company  Address 1402 Penver U. S. Mati	how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- and all other important proposed work)  seguet 9, 1962. Set 191' of 8 5/8" surface  its. Total depth of 3250' reached August 13, 1962 and comented with 75 sacks. Perforated from  ft. Send fraced August 16, 1962 with 30,000'  its.  Ing testing.
Suffect well spudded A casing and comented with 60 sac a 1/2" casing set at 329 32491 3121' to 3139' with 2 shots per sand and 35,650 gallons of wats Well presently smalt!  I understand that this plan of work must receive ap Company Shar@Alan 011 Company	how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- and all other important proposed work)  seguet 9, 1962. Set 191' of 8 5/8" surface  its. Total depth of 3250' reached August 13, 1962 and comented with 75 sacks. Perforated from  ft. Send fraced August 16, 1962 with 30,000'  its.  Ing testing.