

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

OF THE BUREAU OF LAND MANAGEMENT
WASHINGTON, D. C. 20240

NOTICE OF INTENTION AND REPORTS ON WELLS

to be filed with the Bureau of Land Management, Department of the Interior, for a well to be drilled or to deepen or plug back to a different reservoir.
(See "NOTICE OF INTENTION FOR PERMIT" for such proposals.)

1. ☐ NEW ☐ RE-DRILL ☐ DEEPEN ☐ PLUG BACK ☐ OTHER Dry Hole

2. NAME OF OPERATOR

Continental Petroleum Corporation

3. ADDRESS OF OPERATOR Continental Petroleum Corporation, Denver, Colorado 80202

4. LOCATION OF WELL (Show location clearly and in accordance with any State requirements.)

700 FNL and 1575 FWL

5. NAME OF APPLICANT Sierra Apache No. 38

6. IF APPLICANT, NAME OF TRUST NAME

7. UNIT ASSIGNMENT NAME Sierra Apache Indians

8. TERM OR LEASE NAME

Sierra Apache No. 38 Lease

10. FIELD AND POOL OR WILDCAT

Sierra Apache

11. SEC. T. R. S. OR BLM. AND SURVEY OR AREA

NE/4, N/4 Section 31

T-24-N, R-5-W

12. COUNTY OR PAR. IF 13. STATE

Rio Arriba New Mexico

15. ELEVATIONS (Show whether DF, RT, CR, etc.)

6644 (377)

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

☐ WATER SHUT-OFF

☐ PULL OR ALTER CASING

☐ FRACTURE TREATMENT

☐ MULTIPLE COMPLETE

☐ SHOOTING OR ACIDIZING

☐ ABANDON*

☐ REPAIRING WELL

☐ CHANGE PLANS

SUBSEQUENT REPORT OF:

☐ WATER SHUT-OFF

☐ REPAIRING WELL

☐ FRACTURE TREATMENT

☐ ALTERING CASING

☐ SHOOTING OR ACIDIZING

☒ ABANDONMENT*

(Other) _____

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. If well is plugged or abandoned, state all pertinent details, and give pertinent dates, including estimated date of starting any operations. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.*

18. In the event of failure to find oil or gas in commercial quantities, we plugged and abandoned this well on 7-27-65 as follows:

1. Set 100 sack cement plug from 6640 to 6640.
2. Set 50 sack cement plug from 3763 to 3663.
3. Set 100 sack cement plug from 2307 to 2107.
4. Set 50 sack cement plug from 1036 to 936.
5. Set 50 sack cement plug from 394 to 294.
6. Set 15 sack cement surface plug from 0 to 60.
7. Hole filled with heavy fluid between plugs.
8. Set surface abandonment marker and cleaned up location.



19. I hereby certify that the foregoing is true and correct

SIGNED R. H. Beer TITLE Administrative Assistant

DATE 8-26-65

(This space for Federal or State office use)

APPROVED BY [Signature] TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

[illegible][illegible]

5. FILE NO. 100-1000
 6. FILE NO. 100-1000
 7. FILE NO. 100-1000

IN FIELD AND POOL, OR WILDLY

Basin Dakota
11. SECTION, TOWNSHIP, RANGE, BLOCK AND SURVEY
OR AREA

22/4 22/4 Section 31
T-24-N, R-5-W

T-2-A, A-5-B	
100 STAGE	
New Mexico	

ST. LOUIS, MO., JULY 19, 1914. CASINO HEAD

POURRY TOOLS	CABLE TOOLS
6-8640	22. WAS DIRECTIONAL SURVEY MADE
	None

27. WAS WELL COMED

RECEIVED

RECEIVED
SEP 3 1965
OIL CON. COM.
DIST. 3

DEPT SET (MD)	BACKER SET (MD)
---------------	-----------------

RECEIVED

U. S. GEOLOGICAL SURVEY
FISH AND WILDLIFE DIVISION

WILL STANIS (Producing or
shut-in) 7 07 5

WELL NO. 7-27-65	
WATER-BBL.	GAS-OIL RATIO
BR-BBL.	OIL GRAVITY-API (CORR.)

TEST WITNESSED BY

from all available records

DATE 8-26-65

*(See Instructions and Spaces for Additional Data on Reverse Side)

[illegible]

1. *Phragmites australis* (Cav.) Trin. ex Steud.

[illegible]

Top	Bottom	Section	Notes	Remarks
955		Ojo Alamo		
2212		Pictured Cliffs		
3692		Mesaverde		
6436		Dakota		