


(SUBMIT IN TRIPLICATE)

Indian Agency San Juan Apache

Contract #13 Tract #89

Allottee _____

Lease No. San Juan Apache #1



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____
NOTICE OF INTENTION TO ABANDON WELL _____	
Notice of Intent to Work Over <input checked="" type="checkbox"/>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

RECEIVED
JUL 8 1957
U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

July 1,

19 57

Well No. 1 is located 1420 ft. from [S] line and 970 ft. from [W] line of sec. 30

24 1/2 Sec. 30
(1/4 Sec. and Sec. No.)

2-24-3
(Twp.)

2-4-4
(Range)

109°E
(Meridian)

Undesignated
(Field)

San Arriba
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 672 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Plan to pull 2-7/8" OD SUE Tg., drill out cement & bridge plug from 9827' to 9830'
Set Bridge Plug at 9830' & dump cement on plug to 9830'. Perforate casing from
9840' to 9872'. Run 3-1/2" Cg. w/ 3" full opening packer & hold down on bottom
and set packer in top of 3-1/2" Cg. liner at 9813' and fracture through perforations
from 9722' - 9736' and 9746' - 9766' and Casing Perforations from 9840' - 9872'
w/ 25,000 gallons of a mixture of Farnetics 24 gly. refined oil and crude oil from
Amerada's J. Apache "A" #3 & "A" #3 and 25,000' sand, using ball sealers.
Pull packer & 3/4" OD Cg. & run 2-7/8" Tg. & production packer & test.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations can be commenced.

Company Amerada Petroleum Corporation

Address Box 2

Blomfield, New Mexico

By R. F. Furse

Title Forams

