



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 000202
Unit _____

Sec. 26

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 7, 1958

Federal 4-26 No. 1

Well No. _____ is located 1350 ft. from N line and 1700 ft. from E line of sec. 26

SW 1/4 of NE 1/4 Sec. 26
(1/4 Sec. and Sec. No.)

24
(Twp.)

7
(Range)

10
(Meridian)

Wildcat
(Field)

Elizabethton County
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 5762 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Water Model A bridge plug was set at 5618 on wireline. Plug was then tested with 2000 psi with no pressure loss in 30 minutes. The following zones were then perforated in the Gallup Sand: 5488-94, 5474-78, 5462-69, 5440-46, and 5417-34 with 4-jets per foot. Perforations were then treated with 1000 gallons of mud acid, 56000 gallons crude oil, and 53000 pounds of sand.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Standard Oil Company of Texas
Box 1249

Address _____

Houston 1, Texas

By C. E. Lentrup

Title Field Foreman