

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form approved.  
Budget Bureau No. 42-R359.4.

Indian Agency Dale, New Mexico

Jicarilla Apache

Allottee Cont./11-fract #19

Lease No. J. Apache "B"

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		<b>Subsequent Report for Perforating and Sand-Wat. Fracturing well</b>	<b>X</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 22, 1963

Well No. 12 is located 1175' ft. from [N] line and 1175' ft. from [E] line of sec. 30

NE/NE-Sec-30

(1/4 Sec. and Sec. No.)

T24N

(Twp.)

R29E

(Range)

NMPM

(Meridian)

Basin Dakota

(Field)

Rio Arriba

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is 6626' ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**3-21-63 - 6725' TD:**

Perforated by Lane-Wells (6472'-6483')(6584'-6594')(6610'-6626') w/1-Shot/ft. Halliburton Sand-Water treated down 3 1/2" Casing thru above perforations with 70,000# Sand and 70,490 Gals. water, Breakdown press. 2150#, Max. Press. 4400#, Alg. Inj. Rate 18.8 Bbls./Min. Treatment finished at 11:09 AM, Opened well to pip at 11:45 AM, start flowing immediately. Recovered est. 500 bbls. frac water. At end of flow test, Gas Vol. reading was 1,235 MCF/Daily and estimated 1 bbl. of condensate in last 12 hrs. of test. Csg. P. 150#, 3/4" Pos. choke.

Well completed 11:45 AM, 3/21/63.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Amerada Petroleum Corporation


Address Box 1469

Durango, Colorado

PH-247-5353

By A. F. Furse D.F. Furse

Title Production Foreman





March 26, 1963

Mr. A. L. Porter, Jr.,  
Secretary-Director  
New Mexico Oil Conservation Commission  
P. O. Box 871  
Santa Fe, New Mexico

Dear Sir:

Amerada Petroleum Corporation has completed its J. Apache "B" Well No. 12, located 1175' from North Line and 1175' from East line of section 30, T24N, R5W, Rio Arriba County, New Mexico.

The subject well was drilled to a total depth of 6725' and completed in the Basin Dakota Zone. A string of 3-1/2" (2.992 ID) casing was set at 6721' with D. V. Staging tool in string at 2365' to protect the Pictured Cliffs Zone.

Gas Volume reading on this well at end of 10 hour test was 1,446 MCF daily and made one (1) bbl. of distillate in 10 hour test.

No tubing has been run, therefore, we respectfully request an exception to Statewide Rule 107 (D)-(2) be granted.

Very truly yours,

AMERADA PETROLEUM CORPORATION

By D. F. Furse  
D. F. Furse

DFF/p

cc: Mr. Emery Arnold, New Mexico Oil Conservation Commission,  
1000 Rio Brazos Road, Aztec, New Mexico

Mr. P. T. McGrath, U. S. Geological Survey,  
P. O. Box 959, Farmington, New Mexico

Mr. C. T. King, Amerada Petroleum Corporation  
P. O. Box 2040  
Tulsa, Oklahoma

