

TOPS		NITD	X	Well Log	TEST DATA						
Kirtland		C-102		Plat ✓✓	Schd.	PC	Q	PW	PD	D	All.
Fruitland		C-103		Electric Log							#1690
Pictured Cliffs	2270	C-104	✓	C-110 ✓	57- Wt 10 2 1/8	420	8			8	
Cliff House					X M						
Menefee		DTR	Remark:	DFA	1/3/60	424	8	210	212	8	
Point Lookout		DATR		DAC	(4) 477	5	230	210		5	V.D.
Mancos											
Tocito											
Dakota											
Morrison											
Entrada											

Re-tracked card

32160

Jan. | Feb. | Mar. | Apr. | May | Jun. | July | Aug. | Sept. | Oct. | Nov. | Dec.

Billard PC Co RA S 21 T 24N R 5W UO Oper. J. J. Harris L.e. Jicarilla No. 5

(SUBMIT IN TRIPLICATE)

Indian Agency Dist. Land Office

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Jicarilla Apache

Allottee Contract No. 12

Lease No. Tract No. 20

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 18, 1955

Well No. 5 is located 790 ft. from S line and 1850 ft. from E line of sec. 21

38E Sec. 21 24N 5W NMPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6733 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drill to casing point with Rotary Rig

Set 100' of 9 5/8" casing with 100 sx regular cement

Drill to 2350' and set 5 1/2" casing with 100 sx. cement

Drill plug with cable tools and complete

Using the Sandoil frac method



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Jay J. Harris

Address 801 Ridgcrest Drive SE

Albuquerque, New Mexico

By Jay J. Harris

Title Geologist