Form 9-831a (Feb. 1951)								

### (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land Office	sauts Fe	<u></u>
Lease No	(1691)	
Unit	Lindrith	Unit

# SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO DIVIDE	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO CHARGE I DISC	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO TEST WATER SILE.	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO RESERVED ON THE	SUBSEQUENT REPORT OF ABANDONMENT.
NOTICE OF INTENTION TO SHOOT ON ACIDIZE	
NOTICE OF INTENTION TO FOLL ON ALTER STORMS	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK MARK NATU	RE OF REPORT, NOTICE, OR OTHER DATA)
	<u> </u>
,,	line and ft. from E line of sec.
52/4 Sec. 25	
(14 Sec. and Sec. No.) (Twp.) (Rang	الصوريثين بسماق فالم
South Elanco rictured Cliffs Rio Arri	
(Field) (County or Sub	division) (State of Territory)
	eights, and lengths of proposed casings; indicate mudding jobs, cement- important proposed work)
and the state of the	e Pictured Cliffs formation using rothry are possible producing scales. Est. T. D.
It is intended to drill a well thru the tools and to perforate and water fracting program:    5 7/0 at 120' with 125 sacks   5 1/2 at 3260' with 75 sacks	regular cement, 75 sacks Possix.
It is intended to drill a well thru the tools and to perforate and water fracts 3260'.  Casing program:  5 5/0 at 120' with 125 sacks  5 1/2 at 3260' with 75 sacks  The SE/A of Section 23 is dedicated to	regular cement, 75 sacks Possix.
It is intended to drill a well thru the tools and to perforate and water fracting program:  6 5/6 at 120' with 125 sacks  5 1/2 at 3260' with 75 sacks  The SE/4 of Section 23 is dedicated to SE/4: SF 0/6915	regular cement circulated to surface. regular cement, 75 sacks Possilk.  This well.  RECEIVA
It is intended to drill a well thru the tools and to perforate and water fracts 3260'.  Casing program:  5 7/5 at 120' with 125 sacks  5 1/2 at 3260' with 75 sacks  The 3E/4 of Section 23 is dedicated to SE/4: SF 0/0915	regular cement circulated to surface. regular cement, 75 sacks Possila.  this well.  RIFF  UN1 3 1950  Iting by the Geological Survey before operation may be commenced.
It is intended to drill a well thru the tools and to perforate and water fracts 3260'.  Casing program:  6 5/6 at 120' with 125 sacks  5 1/2 at 3260' with 75 sacks  The SE/4 of Section 23 is dedicated to SE/4: SF 0/0915	regular cement circulated to surface.  regular cement, 75 sacks Possix.  this well.  RECEIV.
It is intended to drill a well thru the tools and to perforate and water fracting and to perforate and water fracting and program:    0 5/0 at 120' with 125 sacks   5 1/2 at 3260' with 75 sacks     The SE/4 of Section 23 is dedicated to     SE/4: SF 070915     Lunderstand that this plan of work must receive approval in writing     Company   21 Page Setural Gas Company	regular cement circulated to surface. regular cement, 75 sacks Possix.  this well.  RICELLA  LINE 3 1960  Ling by the Geological Survey before opening may be commenced.  DIST.
It is intended to drill a well thru the tools and to perforate and water fracting and records:  Casing program:  6 5/6 at 120' with 125 sacks  5 1/2 at 3260' with 75 sacks  The SE/4 of Section 23 is dedicated to SE/4: SF 0/0915	regular cement circulated to surface. regular cement, 75 sacks Possix.  this well.  RICHV  JUNI 3 1960  ting by the Geological Survey before operation may be commenced.  DIST.
It is intended to drill a well thru the tools and to perforate and water fracts 3260'.  Casing Program:  6 5/6 at 120' with 125 sacks  5 1/2 at 3260' with 75 sacks  The SE/4 of Section 23 is dedicated to SE/4: SF 070915  Lunderstand that this plan of work must receive approval in write Company  21 Page Setural Gas Company	regular cement circulated to surface. regular cement, 75 sacks Possaix.  this well.  RIFF  Uniques Signed F. H. WOOD  By
It is intended to drill a well thru the tools and to perforate and water fractions.  Casing program:  5 7/5 at 120' with 125 sacks  5 1/2 at 3260' with 75 sacks  The 3E/h of Section 23 is dedicated to  SE/h: SF 0/6-15  I understand that this plan of work must receive approval in write Company  Address Box 9/h	regular cement circulated to surface. regular cement, 75 sacks Possala.  this well.  RICELLAND  JUNI 3 1960  DIST.  Original Signed F. H. WOOD



#### NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Defination Plat

Section A.

Date **June 1, 1960** 

Operator	EL PASO NATURAL	GAS COMPANY		LINDRITH UNIT		
Well No.	36 Unit Lett	er I Section 23		Pownskii 24N		
		From South Line,	690	Foot From	_	l m
County	RIO ARRIBA	G. L. Elevarion <b>7163</b>		Dodligate (Acres.		$\sum_{i \in \mathcal{C}_{i}} c_{i}$
Name of I	Producing Formation	PICTURED CLIFFS		Post SO. BLA	NCO P.C.	

- 1. Is the Operator the only owner in the dedicated acreage outlined on the plan today?
- 2. If the answer to question one is "no", have the interests of all the owners been con or lated by concumulation agreement or otherwise? Yes . No . If answer is "yes", Type of Consolliation.
- 3. If the answer to question two is "no", list all the owners and their respective interests below:

Owner

Lant Description

Section B.

This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

### El Puso Matural Gas Company


Original Signed F. H. WOOD

Representative

Box yyu

Address)

Parmington, New Mexico



Scale 1 in a support to make

This is to certify that the above plat was irretared from the foldown of a foldowing make in the or under the supervision and that the outer of the order of the control of the knowledge and belief.

Seal.

MARCH 31, 1960

Land D. Tiener

Register 1 Trade of the American American