

WO

F. Loc. 1650/S; 990/E Elev. 7191 Spd. 9/29/52 Comp. 11/16/52 D 3190* PB
 Casing 10-3/4 287 W 150 Sx. Int. @ W Sx. Fr. 7" @ 3060 W 135 Sx. T. @
 Csg. Perf. * Temporarily Abandoned Shot 620 qts 3076-3190
 I.P. 60 MCF MCF/D After 3 Hrs. Sic. P. 400 PSI After 3 Days GOR Grav. 1st Del.

TOPS		NITD	X	Well Log	X	TEST			DATA			
Kirtland		C-102		Plat	✓	Schd.	PC	Q	PW	PD	D	All.
Fruitland		C-103		Electric Log								
Pictured Cliffs	3105	C-104	✓	C-110								
Cliff House		Remarks										
Menefee		*Old TD 3190; IP 60 MCF; SICP 400#. Final TD 3190, PB 1250.. Perf. 1250 & sq w/150 sx. Perf. 1090-1100 w/40 shots. Perf 2972-8 w/ 80 shots										
Point Lookout												
Mancos												
Tocito												
Dakota												
Morrison												
Entrada												
		PA-6-6-69										

P
o
o
Jan. Feb. Mar. Apr. May June July Aug. Sept. Oct. Nov. Dec.
 PC. co. Rio Arriba s 21 T24N R 2W U I Open Magnolia Lse. Ingwerson No. B-2 3