
Form 9-331a (Feb. 1951)



(SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4. Approval expires 12-31-60.

Land Office Santa Fe

Lease No. 32 VIGGO.

## SUNDRY NOTICES AND REPORTS ON WELLS

| NOTICE OF INTENTION TO DRILL                   | SUBSEQUENT REPORT OF WATER SHUT-OFF        |
|--|--|
| NOTICE OF INTENTION TO CHANGE PLANS            | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF     | SUBSEQUENT REPORT OF ALTERING CASING       |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR |
|  | SUBSEQUENT REPORT OF ABANDONMENT           |
| NOTICE OF INTENTION TO PULL OR ALTER CASING    | SUPPLEMENTARY WELL HISTORY                 |
| NOTICE OF INTENTION TO ABANDON WELL            |  |
|  |  |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

|         |                                 |                            |               |                           | May 24                   |   |                               |    |
|---------|---------------------------------|----------------------------|---------------|---------------------------|--------------------------|---|-------------------------------|----|
| Well No |                                 | Lybrook<br>6-22 is located |               | om_ $ {N \over S}$ line a | and <b>1570</b> ft. from | om $\left\{ egin{array}{c} \mathbf{E} \\ \mathbf{w} \end{array} \right\}$ | $\left.\right\}$ line of sec. | 22 |
| SW      | NE Sec.                         | 23                         | 24N           | 7W                        | NMPM                     |   |                               |    |
| Escr    | (½ Sec. and Sec. N<br>lto-Gallu | To.)                       | (Twp.)<br>Rio | (Range)<br>Artiba         | (Meridian)               | ew  | Mexico                        |    |
|         | (Field)                         |                            | (Cour         | ity or Subdivision)       | (St                      | ate or  | Territory)                    |    |

The elevation of the derrick floor above sea level is 6816 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 12-1/2" hole at 11:30 P. M., 5-11-61. Drilled to 205". Ran 6 joints of 8-5/8", 24#, J casing. T. E. 189' set at 200". Cemented with 125 sx of cement w/2% CaCl... P. O. B. at 5:00 A. M., 5-12-61. Tested w/875 pei for 30 min., no pressure drop. Drilling 7-7/8" hole to 5750". Ran 182 joints of 4-1/2", Joseph TE 5737' set at 5747'. Cemented with 150 sx of cement. F. D. M. 12:45 P. M., 5-20-61. Tested w/2700 psi. R. R. 5-21-61.

MAY 29 1961

Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company

Val R. Reese & Associates, Inc.

Lobby of Simms Bldg.

Albuquerque, New Mexico

Original Signed by

By MORRIS B. JONES MorrisB Jones

Title Engineer