

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office _____
Lease No. _____
Unit 2

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	X
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)


Well No. 1 is located 1712 ft. from [S] line and 865 ft. from [E] line of sec. 17
Sec. 17 (1/4 Sec. and Sec. No.) 24N (Twp.) 3E (Range) 10W (Meridian)
South Blanco (Field) Rio Arriba (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 7145 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Set 3 5/8" casing to 28' with 125 sk. Tested with 200 psi for 15 min. After shut-off ok. Drilled to 3360' with mud. Ran 5 1/2" casing to 3360' & cemented with 150 sk. Perforated with 4 shots per ft. from 3217-24, 3240-43, 3276-82, & 3311-17. Sand-water fractured with 25,000 psi sand and 40,000 psi water. Shut-in for surge.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company W. P. Marshall & Co., Inc.
Address 4001 Alameda
El Paso, Texas
By [Signature]
Title Geologist

