 	 .

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	udget Bureau No. 42-R358.4. pproval expires 12-31-60.	
Land Offic	·	
	060994	
Lease No.		
	Rolack	
11_14		

SUNDRY NOTICES AND REPORTS ON WELLS

<u> </u>	<u> </u>			
OTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT			1 1
OTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT			
OTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT			
OTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT			
OTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT SUPPLEMENTARY WEI	* .	1 J	
OTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WEI	LL MISTORY	1042	
OTICE OF INTENTION TO ABANDON WELL				1/2
(INDICATE ABOVE BY CHECK MARK NATU	URE OF REPORT, NOTIC	E, OR OTHER DATA)	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
•			1977	57
	JW.			, 19
		H-		
ll No. 1-8 is located 1650 ft. from.	line and	ft. from	line of sec	13
ll No. is located tt. from.	S J mile und	Ţ. I	7 }	
SE Sec. 13 24 6	N	H.M.P.M.		
(½ Sec. and Sec. No.) (Twp.) (Ran	ge) (Meridian)		TAI
Otero F.C. Rio Arriba		(State	OF THE COURS	417
(Field) (County or Sub	bdivision)	(State	or regressy)	
1 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: 6881 . ft		JUN	11 195
e elevation of the derrick floor above sea level i	IS It.		- 1 Au .	
			148 ~	
			laca	AL CO
DETAILS	OF WORK		100	M. CO
	OF WORK	proposed casings; i	ndicate udding	M. CO
DETAILS ate names of and expected depths to objective sands; show sizes, we ing points, and all other	OF WORK reights, and lengths of important proposed v	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		M. CO ST3
DETAILS te names of and expected depths to objective sands; show sizes, w ing points, and all other	OF WORK reights, and lengths of important proposed v	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		M. CO ST3
DETAILS te names of and expected depths to objective sands; show sizes, wing points, and all other	OF WORK reights, and lengths of important proposed w	e Cliffs fo	ormation w	M. CO ST3 sing somes.
DETAILS ate names of and expected depths to objective sands; show sizes, we ing points, and all other It is intended to drill a well that rotary tools and to perforate and t	OF WORK reights, and lengths of important proposed w	e Cliffs fo	ormation w	ST, 3
DETAILS to names of and expected depths to objective sands; show sizes, we impoints, and all other. It is intended to drill a well three rotary tools and to perforate and the Estimated Estal Depth 2225.	OF WORK reights, and lengths of important proposed w	e Cliffs fo	ormation w	M. CO
DETAILS to names of and expected depths to objective sands; show sizes, we ing points, and all other. It is intended to drill a well three rotary tools and to perforate and the Estimated Sotal Depth 2225.	OF WORK reights, and lengths of important proposed v	ed Cliffs for possible	producing	Steway.
DETAILS to names of and expected depths to objective sands; show sizes, we ing points, and all other It is intended to drill a well three rotary tools and to perforate and the rotary tools are tools and the rotary tools are the rotary and the rotary and the rotary are the rotary and the rotary and the rotary are the rotary and the rotary are the rotary and the rotary are the	OF WORK reights, and lengths of important proposed w	ed Cliffs for possible	producing	rface.
DETAILS to names of and expected depths to objective sands; show sizes, wing points, and all other. It is intended to drill a well three rotary tools and to perforate and the rotary tools are to perforate and the rotary tools and the rotary tools are to perforate and the rotary tools are tools are tools are to perforate and the rotary to perforate and the rotary tools are tools	OF WORK reights, and lengths of important proposed we the Picture state fracture regular can be	ed Cliffs for possible ment circula ment, 75 se	producing	rface.
DETAILS to names of and expected depths to objective sands; show sizes, wing points, and all other. It is intended to drill a well three rotary tools and to perforate and the rotary tools are to perforate and the rotary tools and the rotary tools are to perforate and the rotary tools are tools are tools are to perforate and the rotary to perforate and the rotary tools are tools	OF WORK reights, and lengths of important proposed we the Picture state fracture regular can be	ed Cliffs for possible ment circula ment, 75 se	producing	rface.
DETAILS to names of and expected depths to objective sands; show sizes, wing points, and all other. It is intended to drill a well three rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools are rotary tools and to perforate and the rotary tools are rotary to rotary tools are rotary to rotary tools are rotary to rotary to rotary tools are rotary to rotary	OF WORK reights, and lengths of important proposed we the Picture state fracture regular can be	ed Cliffs for possible ment circula ment, 75 se	producing	rface.
DETAILS to names of and expected depths to objective sands; show sizes, wing points, and all other It is intended to drill a well three rotary tools and to perforate and the rotary tools are rotary tools and the rotary tools and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary to rotary to rotary tools are rotary to rotar	OF WORK reights, and lengths of important proposed we the Picture state fracture regular can be	ed Cliffs for possible ment circula ment, 75 se	producing	rface.
DETAILS to names of and expected depths to objective sands; show sizes, wing points, and all other It is intended to drill a well three rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools are rotary tools are rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary to rotary tools are rotary to rotary tools are rotary to rotary tools are rotary to rotary	OF WORK reights, and lengths of important proposed we the Picture state fracture regular can be	ed Cliffs for possible ment circula ment, 75 se	producing	rface.
DETAILS to names of and expected depths to objective sands; show sizes, wing points, and all other It is intended to drill a well three rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools are rotary tools are rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary to rotary tools are rotary to rotary tools are rotary to rotary tools are rotary to rotary	OF WORK reights, and lengths of important proposed we the Picture state fracture regular can be	ed Cliffs for possible ment circula ment, 75 se	producing	rface.
DETAILS to names of and expected depths to objective sands; show sizes, wing points, and all other It is intended to drill a well three rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools are rotary tools are rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary to rotary tools are rotary to rotary tools are rotary to rotary tools are rotary to rotary	OF WORK reights, and lengths of important proposed we the Picture state fracture regular can be	ed Cliffs for possible ment circula ment, 75 se	producing	rface.
DETAILS to names of and expected depths to objective sands; show sizes, wing points, and all other It is intended to drill a well three rotary tools and to perforate and the rotary tools are to perforate and the rotary tools and to perforate and the rotary tools are	of Work reights, and lengths of important proposed v the Picture reter fracture regular cur to this vel	od Gliffs for possible ment circula ment, 75 se	producing sted to su seks Posmi	rface.
DETAILS to names of and expected depths to objective sands; show sizes, wing points, and all other It is intended to drill a well three rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary tools and to perforate and the rotary tools are rotary to rotary to rotary tools are rotary to rot	of Work reights, and lengths of important proposed v the Picture reter fracture regular cur to this vel	od Gliffs for possible ment circula ment, 75 se	producing sted to su seks Posmi	rface.
DETAILS to names of and expected depths to objective sands; show sizes, wing points, and all other It is intended to drill a well three rotary tools and to perforate and the rotary and rotary tools are rotary and rotary tools are rotary and rotary tools are rotary and rot	of Work reights, and lengths of important proposed v the Picture reter fracture regular cur to this vel	od Gliffs for possible ment circula ment, 75 se	producing sted to su seks Posmi	rface.
DETAILS to names of and expected depths to objective sands; show sizes, wing points, and all other It is intended to drill a well three rotary tools and to perforate and the rotary at 120° with 125 sacks 5-1/2" at 2225' with 75 and the SE/4 of Section 13 is dedicated as 080594 (SE/4). I understand that this plan of work must receive approval in write the rotary tools are received approval in write the rotary at 120° with 125° and 125	of Work reights, and lengths of important proposed v the Picture reter fracture regular cur to this vel	od Gliffs for possible ment circula ment, 75 se	producing sted to su seks Posmi	rface.
DETAILS It is intended to drill a well that rotary tools and to perforate and i Estimated Botal Depth 2225'. Cacing Program: 9-5/8" at 120' with 125 sacks 5-1/2" at 2225' with 75 sacks 5-1/2" at 2225' with 75 sacks 5-1/2" at 2225' with 75 sacks SP 080594 (SE/4). I understand that this plan of work must receive approval in write plan of work must receive approval i	of Work reights, and lengths of important proposed v the Picture reter fracture regular con to this vol	od Cliffs for possible sent circula sent, 75 sell.	producing sted to surecks Posmi:	mmenced.
DETAILS to names of and expected depths to objective sands; show sizes, wing points, and all other It is intended to drill a well three rotary tools and to perforate and the rotary at 120° with 125 sacks 5-1/2" at 2225' with 75 and the SE/4 of Section 13 is dedicated as 080594 (SE/4). I understand that this plan of work must receive approval in write the rotary tools are received approval in write the rotary at 120° with 125° and 125	of Work reights, and lengths of important proposed v the Picture reter fracture regular con to this vol	od Cliffs for possible sent circula sent, 75 sell.	producing sted to surecks Posmi:	menced.
DETAILS to names of and expected depths to objective sands; show sizes, wing points, and all other It is intended to drill a well three rotary tools and to perforate and the stimuted fotal Depth 2225. Casing Program: 9-5/8" at 120' with 125 sacks 5-1/2" at 2225' with 75 sack	of Work reights, and lengths of important proposed v the Picture reter fracture regular con to this vol	od Cliffs for possible sent circula sent, 75 sell.	producing sted to surecks Posmi:	menced.
DETAILS to names of and expected depths to objective sands; show sizes, wing points, and all other It is intended to drill a well that rotary tools and to perforate and a Estimated Total Depth 2225'. Casing Program: 9-5/8" at 120' with 125 sacks 5-1/2" at 2225' with 75 sac	of Work reights, and lengths of important proposed v the Picture reter fracture regular con to this vol	od Gliffs for possible ment circula ment, 75 se	producing sted to surecks Posmi:	menced.
DETAILS to names of and expected depths to objective sands; show sizes, wing points, and all other It is intended to drill a well three rotary tools and to perforate and the Estimated Sotal Depth 2225. Casing Program: 9-5/8" at 120' with 125 sacks 5-1/2" at 2225' with 75 s	of Work reights, and lengths of important proposed v the Picture ster fracture s regular cer ts	od Cliffs for possible sent circula sent, 75 sell.	producing sted to sure rooms. Red D. C. J.	menced.



NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.			Dote	MAY 31,	1957
Operator EL PASO NATURAL GAS COMPA	NTV lacea	ROT.ACK		- প্রদ	080594
Well No. 1-D Unit Letter 17 Se	ection 13	Township	2)1-N		
Located 1650 Feet From SCI	UTH Line,	990 Feet	From	EAST	Line
Located <u>1650</u> Feet From <u>SC</u> County <u>RTO ARRTBA</u> G. L. Elevat	ion 647081	Dedicated	Acreage	160	Acres
Name of Producing Formation PTCT	URED CLIFF	Pool	OTER	0	
I. Is the Operator the only owner in the					
YesNo		•	•		
2. If the answer to question one is $^{\prime\prime}$					
ifization agreement or otherwise? Ye	's No	If a	nswer is	"yes," Typ	e of Consol
idation 3 If the answer to question two is "ni	a ^H Cak all Aba as				
3 If the answer to question two is "n	o, list all the ov	vners and their res	pective in	terests belo	, w
Owner		Land Desc	ription		
			·		1/4
	Alaka Nil Alakaa			galanda araban Kabupatèn Baban	
Section B	Note: All distor	ices must be from ou	iter boundar	ies of section	on
			ĺ	POPUL	
This is to certify that the information	1			ati til	
in Section A above is true and com-		++		WILL!	
plete to the best of my knowledge				JUN 1 1 1	957
,			110	W 0000	337
and belief				- CUM, (20M. /
El Paso Hatural Gas Co.				DIST. S	3 /
Original Signed D. C. Johnsion					
(Representative)	•	CEOMITON 32			
Box 997 Address		SECTION 13		<u> </u>	
Farmington, How Hexico				1	E
	1				
			SF 0	80594 99	N E N
	1		ł	Q-T	
		 		-	
				0 1	
				1 60	
•	<u> </u>	-			
1					
	0 330 660 990	1320 1650 1980 2310 2640		00 1000 50	x 0
		Scale 4 inches e	qual I mile		

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and beltef.

(Seal)

Formington, New Mexico

Date Surveyed MAY 2, 1957

Date Surveyed MAY 2, 1957