(1	(Feb. 1951)			

Phem 9-881 a

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

rom Approved.							
Land Of	fice 8e	nte	Pe				
078874							
	Camera	T.aw		The fit			

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	_	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL.	_	
	_	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

				October 9	, 19 <u>63</u>
Well No. <b>120</b> is lo	ocated 1100 ft.	from S line	and 1650 ft. fro	om W line of	sec5
SW/4 Sec. 5	241	6W	N.M.P.M.		
(1/4 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)		
So. Blanco Pictured	Cliffs	Rio Arrib	<b>L</b>	New Mexico	
(Field)	(C	County or Subdivision)		(State or Territory)	

The elevation of the derrick floor above sea level is 6624 ft.

## **DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 10-2-63 total depth 2404'. Ran 76 joints 2 7/8", 6.4#, J-55 casing (2394') set at 2404' v/210 sacks 50/50 Poznix & Class "C" cement, 2% gel. Spotted 30 gallons 7.5% acetic acid with displacement.



Lunder	proof that this plan of work must receive approval in writing	by the Geological Survey before operations may be commenced.
	El Paso Natural Gas Company	
_	Box 990	
	Farmington, New Mexico	By OR GINAL SIGNED E.S. OBERLY
		Title Petroleum Engineer