


Form 8-311a  
(Feb. 1951)



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **Santa Fe**  
Lease No. **N.M. 03740**  
Unit **33 C Federal**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 6, 1956, 19

Well No. **33 C** is located **1000** ft. from **N** line and **900** ft. from **E** line of sec. **33**

**N. 1/4 Sec. and Sec. No.** **33 N. 1/4 Sec. 33** **Rio Arriba** **New Mexico**  
**Cevalin** (Field) **Rio Arriba** (County or Subdivision) **New Mexico** (State or Territory)

The elevation of the derrick floor above sea level is **7419** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded @ 4:30 p.m. March, 30 th, 1956. Ran 88 ft. 24 lb. - 8 5/8 Surface Casing. Cemented with 50 sacks regular mt cement, 2% C.C. Circulated cement. Job complete @ 12:30 a.m. Tested Casing with 300 lbs. for 1 hr. through Haliburton Casing Sledge.

Ran 3407'01 Feet of 5 1/2 -14 lb. - J55 Casing. Top of sand @ 3343' Cemented with 50 sacks Reg. Portland Cement @ 50 sacks of Pozmix with 4% Gel. Plug down @ 6:00 A.M. April, 6th, 1956. Tested Casing with 1000# one hour with Haliburton.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **San Juan Gas Corporation**

Address **1716 First Nat'l. Bldg.**

**Tulsa, Oklahoma**

By **E. W. Bennett**

Title **Drilling Supt.**

The first part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that proper record-keeping is essential for the integrity of the financial system and for the ability to detect and prevent fraud. The document then goes on to describe the various methods used to collect and analyze data, including the use of statistical techniques and computerized databases. It also discusses the challenges of dealing with large amounts of data and the need for effective data management systems. The final part of the document provides a summary of the findings and conclusions of the study, highlighting the key points and recommendations for future research.

It is concluded that the use of statistical methods and computerized databases is essential for the analysis of large amounts of data. The document also highlights the need for effective data management systems and the importance of maintaining accurate records of all transactions. The findings of the study suggest that the use of these methods can help to detect and prevent fraud and improve the integrity of the financial system. The document concludes with a list of references and a table of contents.