

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Jicarilla
Tribal
Allottee Jicarilla
Loc. No. Contract #66
Tract #127

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<u>Production</u>	<u>X</u>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING		
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING		
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR		
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT		
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY		
NOTICE OF INTENTION TO ABANDON WELL	<u>Report of Perforation</u>		<u>X</u>
	<u>Report of Sand-Fracing</u>		<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 22, 1957

Well No. 4 is located 660 ft. from S line and 660 ft. from W line of sec. 32

SW/4 Section 32
(1/4 Sec. and Sec. No.)

29N
(Twp.)

5W
(Range)

N.M.P.M.
(Meridian)

Dakota (Undesignated)
(Field)

Rio Arriba
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Run & set 5 1/2" casing at 7140' with 2 stage set 3745-47'. Cemented first stage with 300 sacks reg. & 300 sacks pozmix 2 1/2 Gel. Cemented second stage through DV tool at 3745-47' with 250 sacks regular and 250 sacks pozmix 2 1/2 Gel.

Perforated 5 1/2" casing, Dakota sand, 6932-39' & 6946-86' with 4 Schlumberger bullets per foot. Total of 47', 168 holes.

Frased Dakota formation, down 5 1/2" casing & 2" tubing, thru 5 1/2" casing perforations 6932-39' & 6946-86' with 20,000# sand & 25,800 gal. lease oil. Flushed & over-flushed with 8,000 gal. oil. BDP 2600#, Max. TP 3800#, Min. TP 3200#. Final pressure 3000 #.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be carried out.

Company SKELLY OIL COMPANY

Box 426
Address Farmington, New Mexico

By (Signed) P. S. Dwyer

Title District Superintendent



