

OIL CONSERVATION COMMISSION
Albuquerque DISTRICT

✓

OIL CONSERVATION COMMISSION
BOX 2088
SANTA FE, NEW MEXICO

DATE 12-14-78

RE: Proposed MC _____
Proposed DHC ✓ _____
Proposed NSL _____
Proposed SWD _____
Proposed WFX _____
Proposed PMX _____

Gentlemen:

I have examined the application dated 12-4-78
for the Getty Oil Company, Jicarilla B #19 N-31-25N-5W
Operator Lease and Well No. Unit, S-T-R

and my recommendations are as follows:

Approve R-5388-A

Yours very truly,

Al Kendrick



Box 3360
Casper, Wyoming 82602
December 4, 1978

General Exploration and Production Division

Energy and Minerals Department
Oil Conservation Division
P. O. Box 2088
Santa Fe, New Mexico 87501

Attention: Mr. Joe D. Ramey,
Division Director

Subject: Administrative Approval
For Commingling

Re: Order No. R 5388-A
Dated: 11-14-78

Gentlemen:

We request administrative approval for a Pictured Cliffs and Chacra formations commingled completion of the Jicarilla "B" Well No. 19 located in Unit N of Section 31, T25N, R5W. Rio Arriba County, New Mexico.

We expect a production rate of approximately 60 MCF/D from the Pictured Cliffs and 40 MCF/D from the Chacra. Static reservoir pressures are expected to be of about equal magnitude at approximately 300 pounds per square inch. Allocation of production will be 60% credited to the Pictured Cliffs and 40% credited to the Chacra.

A schematic of the proposed completion is attached.


Very truly yours,

Harold E. Aab
Area Superintendent


GEB/sh

Enclosure

cc: Mr. Al Kendrick, Supervisor ✓
1000 Rio Brazos Road
Aztec, New Mexico 87410



Getty Oil Company
 Jicarilla "B" Well No. 19
 660' FSL, 1980' FWL, Sec. 31-25N-5W
 Rio Arriba County, New Mexico
 Elev. 6754 KB



314 10-3/4" 32.75" w/300 sx cement

2094 TOP OF CEMENT

2610- PROPOSED PICTURED CLIFFS PERFORATIONS
2630 (20')

2660 (1')
2675 (1')
2703 (1')
2722 (1')

3470- PROPOSED CHACRA PERFORATIONS
3475 (5')

3538-
3542 (4')

3550-
3580 (30')

3731 DV TOOL w/500 sx cement

5900 PROPOSED CEMENT RETAINER

GALLUP TO BE ABANDONED

5982- PRESENT GALLUP PERFORATIONS (GROSS)
6080 (50')

6100 PSTD

6149 5-1/2 15.5# w/250 sx cement

6150 TD

