

OIL CONSERVATION COMMISSION  
Capitan DISTRICT

OIL CONSERVATION COMMISSION  
BOX 2088  
SANTA FE, NEW MEXICO

DATE 12-14-78

RE: Proposed MC \_\_\_\_\_  
Proposed DHC ☒ \_\_\_\_\_  
Proposed NSL \_\_\_\_\_  
Proposed SWD \_\_\_\_\_  
Proposed WFX \_\_\_\_\_  
Proposed PMX \_\_\_\_\_

Gentlemen:

I have examined the application dated 12-4-78  
for the Getty Oil Co. Jicarilla B #5 L-32-25N-5W  
Operator Lease and Well No. Unit, S-T-R

and my recommendations are as follows:

Approve R-5388-A  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Yours very truly,

AR Kendrick



Getty Oil Company

Box 3360  
Casper, Wyoming 82602  
December 4, 1978

General Exploration and Production Division

Energy and Minerals Department  
Oil Conservation Division  
P. O. Box 2088  
Santa Fe, New Mexico 87501

Attention: Mr. Joe D. Raney,  
Division Director

Subject: Administrative Approval  
For Commingling

Re: Order No. R 5388-A  
Dated: 11-14-78

Gentlemen:

We request administrative approval for a Pictured Cliffs and Chacra formations commingled completion of the Jicarilla "B" Well No. 5 located in Unit L of Section 32, T25N, R5W, Rio Arriba County, New Mexico.

We expect a production rate of approximately 60 MCF/D from the Pictured Cliffs and 40 MCF/D from the Chacra. Static reservoir pressures are expected to be of about equal magnitude at approximately 300 pounds per square inch. Allocation of production will be 60% credited to the Pictured Cliffs and 40% credited to the Chacra.

A schematic of the proposed completion is attached.


Very truly yours,

Harold E. Aab  
Area Superintendent


GEB/sh

Enclosure

cc: Mr. Al Kendrick, Supervisor ✓  
1000 Rio Brazos Road  
Aztec, New Mexico 87410



Jicarilla "B" Well No. 5  
 1650' FSL, 600' FWL, Sec. 32-25N-5W  
 Rio Arriba County, New Mexico  
 Elev. 6700' KB



326	10-3/4" 32.75#
2425	TOP OF CEMENT
2655-65 (10)	PROPOSED PICTURED CLIFFS PERFORATIONS
3460 (1)	PROPOSED CHACRA PERFORATIONS
3525-30 (5)	
3545-50 (5)	
3561-65 (4)	
3674	DV TOOL w/400 sx cement
4165-75	POSSIBLE CLIFF HOUSE INTERVAL
4580-90	POSSIBLE MENELEE INTERVAL
4845-55	POSSIBLE POINT LOOKOUT INTERVAL
5600	TOP OF CEMENT
5900	PROPOSED CEMENT RETAINER
	<u>GALLUP TO BE ABANDONED</u>
5948	} GALLUP ZONE PERFS
6064	
6277	PBTD
6314	5-1/2 15-1/2# w/200 sx cement