


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency _____
Jicarilla Tribal
Allottee **Jicarilla "B"**
Lease No. **Contract #68**
Tract #127



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF Production	I
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	REPORT OF PLUG BACK	I

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 13, 1957

Jicarilla "B"

Well No. **2** is located **1590** ft. from **[S]** line and **990** ft. from **[E]** line of sec. **31**

SE 1/4 Section 31 (1/4 Sec. and Sec. No.) **29N** (Twp.) **34** (Range) **T.M.P.M.** (Meridian)

Wildcat (Field) **Rio Arriba** (County or Subdivision) **New Mexico** (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate points, and all other important proposed work)

Set cement plugs as follows:

7150-6990" - 75 sacks
6800-6700" - 60 sacks
6520-6420" - 50 sacks

Set 5-1/2" casing (200 into 6367' 15.5") at 6365'. Set Halliburton "DV" cementing tool at 2750'. Cemented first stage with 390 sacks cement. Cemented second stage with 200 sacks cement.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **SEELLY OIL COMPANY**

Address **Permian Basin, New Mexico**

By **(Signed) P. E. Cosper**
Title **District Superintendent**

