	(A)	pril 19	52) 52)	
-				
1				

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency	Agency			
Jicarilla Pribal	Cont			
Allottee				
Lease No. 67	*			
B 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4				

	ICES AND REPORTS	
NOTICE OF INTENTION TO DRILL		ON WELLS
		DECELV
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF	
NOTICE OF INTENTION TO TEST WATER SHUT-O	SUBSEQUENT REPORT OF	
NOTICE OF INTENTION TO REDRILL OR REPAIR	TODOLGOLMI KEFORI OF	ALTERING CASING JAN 0 10
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	ODDE COLI INC. OF	REDRILLING OR REPAIR
NOTICE OF INTENTION TO PULL OR ALTER CASI	SUBSEQUENT REPORT OF	II S. GEOLOGIA
NOTICE OF INTENTION TO ABANDON WELL	SUPPLEMENTARY WELL HIS	STORY. U. S. GEOLOGY VEW N
	611	
(INDICATE ABOVE BY	Y CHECK MARK NATURE OF REPORT, NOTICE, OR	OTHER DATA)
		James 5 , 19 60
7-11 NT COMMON A STATE OF THE S	and a self-like	**************************************
ell No. 67-10 is located 90	ft. from S line and	ft. from Wiline of sec.
M/4 Sec. 30 25		i.F.K.
		idian)
/ildeut Dakota	Rio Arribo	Now Most GIT TIVER
(Field)	(County or Subdivision)	(State or Perritory)
ne elevation of the derrick floor ab	are and level! Albert	IANIA
to district of the deffice floor abo	ove sea level isff.	JAN I 1 1960
	DETAILS OF WORK	OIL CON. COM
ate names of and expected depths to abjective		
ate names of and expected depths to objective s ing po	ands; snow sizes, weights, and lengths of propos sints, and all other important proposed work)	ed casings; indicate hudding jobs, cement
	8-86; 6996-7004 (2 DJ/ft.) #, mmx. pr. 3800#, avg. tr	v/38,851 gallons oil
Flush 7500 gallons. Spo SC Total dapth 7181'. To Marco perf. int. 686-56; 66 30,000f send. BB pr. 3800 th 7320 gellons. Spotted 56	mporary bridge plug at 690 662-70; 6876-86 w/2 DJ/ft. #, max. pr. 4000g, avg. tr. 00 gal. 7 1/25 NCA before i	v/20,755 gallons oil v/20,755 gallons oil pr. 3050#. I.R. 27 BPM perforating.
Flush 7500 gallons. Sgo Sc Total dapth 7181. To serve perf. int. 666-66; 6: 30,000f send. Be pr. 3600 h 7320 gellons. Spotted 5: understand that this plan of work must receive	porary bridge place at 690 (62-70) 6076-66 w/2 DJ/ft. f. max. pr. 4000f, avg. tr. 00 gal. 7 1/25 MCA before 1	v/20,755 gallons oil v/20,755 gallons oil pr. 3050#. I.R. 27 BPM perforating.
Flush 7500 gallons. Spo 50 Total dapth 7181'. To Bros perf. int. 686-56; 66 30,000f sand. BS pr. 3800	porary bridge place at 690 (62-70) 6076-66 w/2 DJ/ft. f. max. pr. 4000f, avg. tr. 00 gal. 7 1/25 MCA before 1	v/20,755 gallons oil v/20,755 gallons oil pr. 3050#. I.R. 27 BPM perforating.
Flush 7500 gollons. Spo 50 Total dapth 7161. To serve perf. int. 666-56; 66 30,000 send. Be pr. 3600 to 7320 gellons. Spotted 56 understand that this plan of work must receive mpany El Ituso Matural 6 s	porary bridge place at 690 (62-70) 6676-66 w/2 DJ/ft. f., max. pr. 4000g, avg. tr. CO gal. 7 1/25 MCA before y	v/20,755 gallons oil v/20,755 gallons oil pr. 3050#. I.R. 27 BPM perforating.