

JACK A. COLE
PETROLEUM GEOLOGIST
P. O. BOX 191
FARMINGTON, NEW MEXICO 87401

325 3616

JACK A. COLE
BURRO CANYON #7
SE $\frac{1}{4}$ Sec. 15-T24N-R4W
Rio Arriba County, N. M.

Jim 3-6-76

Seven Point Well Control Program

1. Surface Casing.
See Application for Permit to Drill.
2. Spools and Flanges.
 - A. Surface Casing - 10", Series 600, 1500 psi W.P.
 - B. Production, 10", Series 600, 1500 psi W.P.
 - C. Tubing Head - Series 600, 1500 psi W.P.
3. Intermediate Casing.
None
4. Blowout Preventers
Production Hole - 10", 3000 psi
Fill, kill and choke manifold - 5000 psi W.P.
5. Additional Equipment (If necessary)
 - A. Kelly Cock
 - B. Bit Float
 - C. Degasser
 - D. Pit Level Indicator
 - E. Sub with Valve for drill pipe
6. Anticipated Bottom Hole Pressure.
1000 psi. Current mud program is for 9.2 lb./gal mud with hydrostatic head of 1500 psi at 3000 feet. Mud weight will be increased if necessary for higher pressures.
7. Drilling Fluid.
Low solids. Low water loss.



SK