

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

5. LEASE DESIGNATION AND SERIAL NO.

Jic. Contract 9

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Jicarilla Apache

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

J. Apache "A"

9. WELL NO.

9

10. FIELD AND POOL, OR WILDCAT

Basin Dakota/Otero Gallup

11. SEC., T., S., M., OR BLK. AND
SURVEY OR AREA

Sec. 36, T25N, R5W

12. COUNTY OR PARISH 13. STATE

Rio Arriba

N.M.

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Amerada Hess Corporation

3. ADDRESS OF OPERATOR

Drawer D, Monument, New Mexico 88265

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

820' 820'
1320' FNL & 1320' FWL

RECEIVED

SEP 27 1985

14. PERMIT NO.

15. ELEVATIONS (Show whether

6877' GL

BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRAC TREATMENT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Progress report

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE DRILLING OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

September 1985 - Pulled 1-1/2" tbg., ran gauge ring & junk basket in 5-1/2" csg. to 6555', set Baker retrievable bridge plug in 5-1/2" csg. at 6518' & dumped sand on top of bridge plug. Perf. 5-1/2" csg. opposite Gallup zone fr. 6380' to 6400' w/2 SPF, ran 2-3/8" tbg. & frac treated Gallup zone down tbg. & csg. thru 5-1/2" csg. perf. fr. 6380' to 6400' w/313 bbls. treated water, 55,000# sand & 900 SCF nitrogen. Flowed back load. Swabbed water. Swab tested & oil percentage increased. Pulled rental tbg., re-ran tbg., pump & rods, moved in & set pump unit & gas engine & started pumping Gallup zone at 10:00 AM 9-26-85. No report of production as of date of this report.

Completion reports will be filed as soon as production figures become known.

RECEIVED

OCT 02 1985

OIL CON. DIV.
DIST. 3

I hereby certify that the foregoing is true and correct

SIGNED

E. B. Baker

TITLE

Supv. Adm. Ser.

DATE

9-26-85

(This space for Federal or State office use)

ACCEPTED FOR RECORD

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

OCT 01 1985

FARMINGTON RESOURCE AREA

BY *Smm*

*See Instructions on Reverse Side

NMOCC