

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☐ other ☐ Compressor

2. NAME OF OPERATOR

Getty Oil Company

3. ADDRESS OF OPERATOR

P.O. Box 3360, Casper, WY 82602

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: SE/SE of Sec 18-T25N-R3W

AT TOP PROD. INTERVAL: ---

AT TOTAL DEPTH: ---

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON\* ☐

(other) ☐ Install compressor on leased

SUBSEQUENT REPORT OF

RECEIVED  
JUL 11 1983  
U.S. GEOLOGICAL SURVEY  
FARMINGTON, N. M.

5. LEASE

SF-079600

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

C. W. Roberts

9. WELL NO.

See Below 115

10. FIELD OR WILDCAT NAME

See Below

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

See Below

12. COUNTY OR PARISH 13. STATE

Rio Arriba

New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

See Below

(NOTE) Report results of multiple completion or zone change on Form 9-330.

RECEIVED  
JUL 18 1983

OIL CON. DIV.  
DIST. 3

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Getty Oil Company proposes to install an Ajax 360 HP low speed compressor on this lease at the central tank battery. The following wells will be tied in to the compressor when it is installed: (Please see attachments for a schematic of the installation and vicinity map of the lease)

Well #1; Pictured Cliffs; NW/NW of Section 18-T25N-R3W; 7114' DF

Well #2; Pictured Cliffs; NW/SW of Section 18-T25N-R3W; 7100' DF

Well #3; Mesa Verde; SW/SE of Section 18-T25N-R3W; 7151' DF

Well #3A; Mesa Verde & Gallup/Dakota; NW/SW of Section 18-T25N-R3W; 7090' GR

Well #4; Gallup; SW/SW of Section 17-T25N-R3W; 7142' GR

Well #5; Gallup/Dakota; SE/NW Section 17-T25N-R3W; 7172' GR

Well #6; Gallup/Dakota; SW/NE Section 18-T25N-R3W; 7103' GR

Well #6A; Mesa Verde & Gallup/Dakota; SW/NW Section 18-T25N-R3W; 7085' GR

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

Acting

SIGNED

TITLE Area Superintendent DATE

July 7, 1983

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

NMOCC

RECEIVED  
JUL 14 1983  
DISTRICT ENGINEER