

Semmy E. Faust
DEPUTY OIL & GAS INSPECTOR

DEC 29 1987

Approved

Meter Number: 93423
Location Name: Jic Contract 148 #18
Location: TN-25 RG-05
SC-23 UL-F
6 - Jicarilla
NMOCD Zone: OUTSIDE
Hazard Ranking Score: 00

RECEIVED
APR 14 1987

OIL CON. DIV
DIST. 3

**RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS
LOCATED OUTSIDE OF THE VULNERABLE ZONE
IN THE SAN JUAN BASIN**

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone	10^{-9} to 10^{-13} cm/sec
Shale	10^{-12} to 10^{-16} cm/sec
Clay	10^{-12} to 10^{-15} cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

FIELD PIT SITE ASSESSMENT FORM

Meter: 93423 Location: JIC CONTRACT 148TH 18
Operator #: 0203 Operator Name: AMOCO P/L District: QTTO
Coordinates: Letter: E Section 23 Township: 25 Range: 5
Or Latitude _____ Longitude _____
Pit Type: Dehydrator _____ Location Drip: X Line Drip: _____ Other: _____
Site Assessment Date: 8-17-95 Area: 06 Run: 103

NMOCD Zone: (From NMOCD Maps) Inside ☐ (1) Outside ☒ (2)
Land Type: BLM ☐ (1) State ☐ (2) Fee ☐ (3) Indian JICARILLA

Depth to Groundwater
Less Than 50 Feet (20 points) ☐ (1)
50 Ft to 99 Ft (10 points) ☐ (2)
Greater Than 100 Ft (0 points) ☒ (3)

Wellhead Protection Area :

Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction? , or ; Is it less than 200 ft from a private domestic water source? ☐ (1) YES (20 points) ☒ (2) NO (0 points)

Horizontal Distance to Surface Water Body

Less Than 200 Ft (20 points) ☐ (1)
200 Ft to 1000 Ft (10 points) ☐ (2)
Greater Than 1000 Ft (0 points) ☒ (3)

Name of Surface Water Body _____

(Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)


Distance to Nearest Ephemeral Stream ☐ (1) < 100' (Navajo Pits Only)
☒ (2) > 100'

TOTAL HAZARD RANKING SCORE: 0 **POINTS**

Remarks : _____

ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 290° Footage from Wellhead 70'
b) Length : 17' Width : 17' Depth : 24"



Remarks :

Completed By:

Ruby Corby
Signature

8-17-95
Date

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	<p>Meter: <u>93423</u> Location: <u>JUL CONTRACT 148 #18</u></p> <p>Coordinates: Letter: <u>F</u> Section <u>23</u> Township: <u>25</u> Range: <u>5</u></p> <p>Or Latitude _____ Longitude _____</p> <p>Date Started : <u>8-31-95</u> Run: <u>06</u> <u>63</u></p>
FIELD OBSERVATIONS	<p>Sample Number(s): <u>NS84</u> <u>NS85</u> <u>NS86</u></p> <p>Sample Depth: <u>12</u> Feet</p> <p>Final PID Reading <u>0.4</u> PID Reading Depth <u>12</u> Feet</p> <p>Yes No</p> <p>Groundwater Encountered <input type="checkbox"/> <input checked="" type="checkbox"/> Approximate Depth _____ Feet</p>
CLOSURE	<p>Remediation Method :</p> <p>Excavation <input checked="" type="checkbox"/> Approx. Cubic Yards <u>128</u> <u>28</u> <u>9/12/95</u></p> <p>Onsite Bioremediation <input type="checkbox"/> <u>Gravel From Jicarilla E.P.O.</u></p> <p>Backfill Pit Without Excavation <input type="checkbox"/> <u>Approved closure 9-6-95</u></p> <p>Soil Disposition:</p> <p>Envirotech <input checked="" type="checkbox"/> Tierra <input type="checkbox"/></p> <p>Other Facility <input type="checkbox"/> Name: _____</p> <p>Pit Closure Date: <u>9-7-95</u> Pit Closed By: <u>Philip</u></p>
REMARKS	<p>Remarks : <u>PID WALL READINGS: (N-1.0)(S-0.2)(E-0.5)(W-0.1)</u></p> <p><u>PH SIZE: 14X18X12 EPNG ONSITE</u></p> <p><u>MORE THAN 100' FROM EPHEMERAL STREAM (PH LISTED OUTSIDE)</u></p> <p><u>FENCE SIZE 28X28X3 NO NET</u></p> <p>Signature of Specialist: <u>Andrew Schmalitz</u></p>



FIELD SERVICES LABORATORY
ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Inside the GWV Zone

SAMPLE IDENTIFICATION

	Field ID	Lab ID
SAMPLE NUMBER:	NS 84	947378
MTR CODE SITE NAME:	93423	Jic Contract 148 #18
SAMPLE DATE TIME (Hrs):	08-31-95	1500
PROJECT:	Jic Pits	
DATE OF TPH EXT. ANAL.:	9-5-95	
DATE OF BTEX EXT. ANAL.:	9/1/95	9/5/95
TYPE DESCRIPTION:	VG R09/1/95 VG	DARK BROWN SANDY CLAY

Field Remarks: (N-1.0)(S-0.2)(E-0.5)(W-0.1)

RESULTS

PARAMETER	RESULT	UNITS	QUALIFIERS			
			DF	Q	M(g)	V(ml)
BENZENE	< .5	MG/KG				
TOLUENE	< .5	MG/KG				
ETHYL BENZENE	< .5	MG/KG				
TOTAL XYLENES	< 1.5	MG/KG				
TOTAL BTEX	< 3	MG/KG				
TPH (418.1)	312	MG/KG			228	28
HEADSPACE PID	0.4	PPM				
PERCENT SOLIDS	92.5	%				

-- TPH is by EPA Method 418.1 and BTEX is by EPA Method 8020 --

The Surrogate Recovery was at 92% for this sample All QA/QC was acceptable.
Narrative:

DF = Dilution Factor Used

Approved By: 

Date: 9-7-95

Test Method for
Oil and Grease and Petroleum Hydrocarbons
in Water and Soil
Perkin-Elmer Model 1600 FT-IR
Analysis Report

95/09/05 13:26


Sample identification
947378

Initial mass of sample, g
2.280

Volume of sample after extraction, ml
28.000

Petroleum hydrocarbons, ppm
312.480

Net absorbance of hydrocarbons (2930 cm⁻¹)
0.053



BTEX SOIL SAMPLE WORKSHEET

File	:	947378	Date Printed	:	9/6/95
Soil Mass (g)	:	5.13	Multiplier (L/g)	:	0.00097
Extraction vol. (mL)	:	20	DF (Analytical)	:	200
Shot Volume (uL)	:	100	DF (Report)	:	0.19493

				Det. Limit
Benzene (ug/L)	:	0.00	Benzene (mg/Kg):	0.000 0.487
Toluene (ug/L)	:	0.00	Toluene (mg/Kg):	0.000 0.487
Ethylbenzene (ug/L)	:	0.00	Ethylbenzene (mg/Kg):	0.000 0.487
p & m-xylene (ug/L)	:	0.00	p & m-xylene (mg/Kg):	0.000 0.975
o-xylene (ug/L)	:	0.00	o-xylene (mg/Kg):	0.000 0.487
			Total xylenes (mg/Kg):	0.000 1.462
			Total BTEX (mg/Kg):	0.000

