

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)

Budget Bureau No. 1004-0135  
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

SE 078915

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR	Lindrith Unit
3. ADDRESS OF OPERATOR	8. FARM OR LEASE NAME
El Paso Natural Gas Company	Lindrith Unit
Post Office Box 4289, Farmington, NM 87499	9. WELL NO.
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 810'N, 1760'W	10. FIELD AND POOL, OR WILDCAT
	So Blanco PC Ext.
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
	Sec. 36, T-24-N, R-3 -W
	N. M. P. M.
14. PERMIT NO.	12. COUNTY OR PARISH
	13. STATE
15. ELEVATIONS (Show whether OP, RT, GR, etc.)	
7237'GL	Rio Arriba NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PLUG OR ALTER CASING

MULTIPLE COMPLETION

ABANDON\*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

(Note: Report results of multiple completion on Well Completion or Recupulation Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

It is intended to plug and abandon this location in the following manner:

Move on location and rig up.

Release packer and RT tbg. Lay down packer.

Circulate hole w/9% mud (1 sx gel/4 bbls. water).

Spot 25 cu.ft. plug w/2% CaCl across perfs to cover from 3320-2650' inside 2 7/8" tbg. across Fruitland & Ojo Alamo @ 2748'.

Tag bottom plug w/strapped work string to verify depth down tbg. TOOH & lay down tbg.

Fill 2650' to 120' w/approximately 13 bbls. 9# mud.

Wireline. Perforate 2 7/8" csg @ 170'. Circ. cement back to surface in 8 5/8" - 2 7/8" annulus, using 75 cu.ft. cmt. Cut off wellhead & set dry hole marker.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Drilling Clerk

DATE 09-18-87

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side