

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☒ well other ☐
2. NAME OF OPERATOR ARCO Oil and Gas Company  
Division of Atlantic Richfield Company
3. ADDRESS OF OPERATOR  
P. O. Box 5540, Denver, Colorado 80217
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 750' FNL & 2100' FWL  
AT TOP PROD. INTERVAL: NE NW Unit C  
AT TOTAL DEPTH: Approx the same
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐

CORRECTION OF DAKOTA TOP

RECEIVED

JAN 27 1982

U. S. GEOLOGICAL SURVEY  
FARMINGTON, N. M.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

This is to correct FORM 9-330 WELL COMPLETION OR RECOMPLETION REPORT AND LOG filed 4-14-80.

The top of the Dakota formation is corrected to 7094' from 7238'.

Graneros perms 7094'-7109' corrected to read Dakota perms. This makes the Dakota perms 7094'-7311' (Overall).

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_

Set @ \_\_\_\_\_ ft.

18. I hereby certify that the foregoing is true and correct

SIGNED W. A. Walther, Jr. TITLE District Manager of Production DATE 1-21-82

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

FEB 01 1982

FARMINGTON DISTRICT

BY RB

\*See Instructions on Reverse Side

NMOCC