5. LEASE Jic. Apache Tribal Cont. #67

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WE	
(Do not use this form for proposals to drill or to deepen or plug back to	
reservoir. Use Form 9-331-C for such proposals.)	8. FARM OR LEASE NAME
	Jicarilla 67
1. oil gas 😾 other	
	9. WELL NO.
2. NAME OF OPERATOR	19
El Paso Natural Gas Company	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Undes Pictured Cliffs
Box 289, Farmington, New Mexico 87401	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See s	
below.)	N.M.P.M.
AT SURFACE: 1540'S, 790'W	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL:	Rio Arriba New Mexico
AT TOTAL DEPTH:	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF	
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
	6635' GL
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT	T OF:
TEST WATER SHUT-OFF	
FRACTURE TREAT	
SHOOT OR ACIDIZE	
REPAIR WELL	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING	change on Form 9-330.)
MULTIPLE COMPLETE	
ABANDON*	
(other)	
(other)	
 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clincluding estimated date of starting any proposed work. If measured and true vertical depths for all markers and zone 	early state all pertinent details, and give pertinent dates, f well is directionally drilled, give subsurface locations and espertinent to this work.)*
5-79: PBTD 2633'. Tested casing to 4000#, C	
	OK. Perfed 2582,2586, 2590,2594,2604, 000# 10/20 sand, 32,840 gal. wtr. Flus
2608,2612,2616' W/1 SPZ. Fraced w/32,0	OK. Perfed 2582,2586, 2590,2594,2604,
2608,2612,2616' W/1 SPZ. Fraced w/32,0	OK. Perfed 2582,2586, 2590,2594,2604,
2608,2612,2616' W/1 SPZ. Fraced w/32,0	OK. Perfed 2582,2586, 2590,2594,2604,
2608,2612,2616' W/1 SPZ. Fraced w/32,0	OK. Perfed 2582,2586, 2590,2594,2604,
2608,2612,2616' W/1 SPZ. Fraced w/32,0	OK. Perfed 2582,2586, 2590,2594,2604,
2608,2612,2616' W/1 SPZ. Fraced w/32,0	OK. Perfed 2582,2586, 2590,2594,2604,
2608,2612,2616' W/1 SPZ. Fraced w/32,0 w/630 gal wtr. Subsurface Safety Valve: Manu. and Type 18. I hereby gertify that the foregoing is true and correct	OK. Perfed 2582,2586, 2590,2594,2604, 000# 10/20 sand, 32,840 gal. wtr. Flus
2608,2612,2616' W/1 SPZ. Fraced w/32,0 w/630 gal wtr. Subsurface Safety Valve: Manu. and Type	OK. Perfed 2582,2586, 2590,2594,2604, 2000# 10/20 sand, 32,840 gal. wtr. Flus Set @ Ft Ling Clerk DATE October 8, 1979
Subsurface Safety Valve: Manu. and Type 18. I hereby certify that the foregoing is true and correct	OK. Perfed 2582,2586, 2590,2594,2604, 2000# 10/20 sand, 32,840 gal. wtr. Flus Set @ Ft Ling Clerk DATE October 8, 1979
Subsurface Safety Valve: Manu. and Type 18. I hereby certify that the foregoing is true and correct SIGNED TITLE Drill	OK. Perfed 2582,2586, 2590,2594,2604, 2000# 10/20 sand, 32,840 gal. wtr. Flus Set @ Ft Ling Clerk DATE October 8, 1979