SUBMIT IN TRIPLICATE*

(Other instructions on

Form approved. Budget Bureau No. 42-R1425.

UNITED STATES reverse side) 30-039-32145 DEPARTMENT OF THE INTERIOR 5. LEASE DESIGNATION AND SERIAL NO. **GEOLOGICAL SURVEY** 6. IF INDIAN, ALLOTTEE OR TRIBE NAME APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK 1a. TYPE OF WORK 7. UNIT AGREEMENT NAME DRILL XX DEEPEN [PLUG BACK b. TYPE OF WELL MULTIPLE ZONE WELL Y 8. FARM OR LEASE NAME WELL TO OTHER 2. NAME OF OPERATOR Jicarilla Contract 146 3. ADDRESS OF OPERATOR 26 10. FIELD AND POOL, OR WILDCAT 501 Airport Drive, Farsington, New Mexico 87491
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) Gonzales-Mesaverde -SEC., T., R., M., OR BLK. AND SURVEY OR AREA 1170' FWL and 1170' FSL, Section 9, T25N, R5W At proposed prod. zone SW/4 SW/4, Section 9 SAME.

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* T25N R5W 12. COUNTY OR PARISH 13. STATE 18 miles northeast of Counselors, New Merico 17. NO. OF ACRES ASSIGNED TO THIS WELL New Maxico 16. NO. OF ACRES IN LEASE LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT 1170' 2557.2 (Also to nearest drig, unit line, if any) 160 DISTANCE FROM PROPOSED LOCATION* 19. PROPOSED DEPTH 20. ROTARY OR CABLE TOOLS TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 10001 5986 Rotary 22. APPROX. DATE WORK WILL START* 21. ELEVATIONS (Show whether DF, RT, GR, etc.) As soon as permitted PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 12-1/4 8-5/8 (AKW) 300 1 300 ax. Class "B" Nest 4-1/2" (NEW) 7-1/8 10.5 # 59861 750 ex. Class "B" 50:50 Por 320 sx. Class "B" Neat The above well is being drilled to further develop the Gonzales-Meseverde Field.

gas from this careege is dedicated to Northwest Pipeline Corporation.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed m w productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. SIGNED TITLE District Engineer DATE August 7, 1979 (This space for Federal or State office use) PERMIT NO. APPROVAL DATE APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

of French

Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Consult local Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. State or Federal office for specific instructions. Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consuit applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

U.S. GOVERNMENT PRINTING OFFICE: 1963—O-711-396

OIL CONSERVATION DIVISION

STATE OF NEW MEXICO VERGY AND MINERALS DEPARTMENT

660

1320 1650

1980

2310

2000

1500

1000

500

P. O. BOX 2088

Form C-102

Revised 10-1-78 SANTA FE, NEW MEXICO 87501 All distances must be from the cuter boundaries of the Section. Well No. Operator 28 JICARILLA CONTRACT 146 AMOCO PRODUCTION COMPANY Range Township Unit Letter Section 25N 5W Rio Arriba Actual Footage Location of Well: 1170 feet from the West feet from the South 1170 line line and Dedicated Acreage: Ground Level Elev. Producing Formation 6727 Gonzales Mesaverde Mesaverde Acres 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? If answer is "yes," type of consolidation _ Yes ☐ No If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. B. E. FACKRELL DISTRICT ENGINEER AMOCO PRODUCTION COMPANY JULY 30, 1979 Sec. 9 I hereby certify that the well-location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. 1170T

SUPPLEMENTAL INFORMATION TO FORM 9-331C

JICARILLA CONTRACT 146 NO. 28 1170' FWL & 1170' FSL, SECTION 9, T25N, R5W RIO ARRIBA COUNTY, NEW MEXICO

The geologic name of the surface formation is the Tertiary San Jose. Estimated tops of important potential hydrocarbon bearing formations:

FORMATION	DEPTH	ELEVATION
Pictured Cliffs	2890'	+3837
Cliff House	4542†	+2185'
Menefee	4661'	+2066'
Point Lookout	5129'	+1598 '
TD	5986	

Estimated KB elevation: 6740.

Drilling fluid to TD will be a low solids non-dispersed mud system. Open hole logging program will include logs from TD to below surface casing:


Induction Electric - Spontaneous Potential - Gamma Ray

Compensated Neutron - Formation Density - Gamma Ray

Completion design will be based on these logs. No cores or drill stem tests will be taken.

Operations will commence when permitted and last approximately three weeks.

Amoco's standard blowout prevention will be employed (see attached drawing).



BLOWOUT PREVENTER HOCKUP

EXHIBIT D-4
OCTOBER 16,1989

MULTI-POINT SURFACE USE PLAN

JICARILLA CONTRACT 146 NO. 28 1170' FSL & 1170' FWL, SECTION 9, T25N, R5W RIO ARRIBA COUNTY, NEW MEXICO

- 1. The attached topographic map shows the proposed route to the location.
- 2. It will be necessary to build approximately 400 feet of new road 20 feet wide.
- 3. Existing oil and gas wells have been spotted on the vicinity map.
- 4. There are 380-barrel tanks and facilities located at nearby wells indicated on the topo map.
- 5. Water will be hauled from Tapacito water holes a distance of 2-3 miles.
- 6. No construction materials will be hauled in for this location.
- 7. A 100' by 100' pit will be built on location to hold all drilling waste.

 Upon completion of the well, all waste and liquids will be pumped out and fluids bladed into roads.
- 8. There are neither airstrips nor camps in the vicinity.
- 9. The well site layout, reserve, burn and trash pits are shown on the attached Drill Site Specification Sheet. A 12-foot cut will be made on west side.
- 10. Restoration of the surface will be accomplished by cleaning up and leveling upon completion of the well. Drilling mud will be hauled away and the reserve pit back filled. Reseeding of the site will be carried out as instructed by the Bureau of Indian Affairs.
- II. The general topography is a sandy loam-type soil with sagebrush.

Representatives of the U. S. Geological Survey's Durango Office and the Jicarilla Tribe's Dulce Office will inspect the site with Amoco personnel. Cultural resources inspection will be conducted by an archaeologist from San Juan College.

12. Operator's Representative: R. W. Schroeder

Phone - Office: 505-325-8841; Home: 505-325-6164 Address: 501 Airport DRive, Farmington, NM 87401

Certification: I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route, that I am familiar with the conditions which presently exist that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by AMOCO PRODUCTION COMPANY and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

Date _		XIII Schooldings	
		R. W. Schroeder, District Superintendent	

