

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐
2. NAME OF OPERATOR
Amoco Production Company
3. ADDRESS OF OPERATOR
501 Airport Dr., Farmington, NM 87401
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1520' FSL x 1520' FEL
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH: Same
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

5. LEASE SW-1-4247
Jicarilla Contract 35A
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Jicarilla Apache
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
Jicarilla Gas Com 35-C
9. WELL NO.
1E
10. FIELD OR WILDCAT NAME
Otero Gallup
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA NW/SE, Section 2, T24N, R5W
12. COUNTY OR PARISH Rio Arriba 13. STATE NM
14. API NO.
30-039-22170
15. ELEVATIONS (SHOW DF, KDB, AND WD)
6707' GL

REQUEST FOR APPROVAL TO:

- TEST WELL SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON ☐

(other) Recompletion

SUBSEQUENT REPORT OF:

RECEIVED

MAR 16 1983

U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. BLOCK OF PROPOSED OR COMPLETED OPERATIONS (Report results of all work done and give pertinent data including estimates, date of starting any proposed work. If well is directionally drilled, give subsurface location and measured and true vertical depths for all markers and zones pertinent to this work.)

Recompletion operations began on 11-24-82. Total depth of the well is 7184' and plugback depth is 7151'. Perforated intervals 6188-6118', 6066-6013', and 5985-5968' with one jspf for a total of 140 holes. Fraced entire Gallup interval with 135,000 gals. 70% quality foam containing 20% gelled water, 2% KCL water, 2570 scf nitrogen per bbl. of frac fluid and 220,500# of 20-40 mesh sand. Landed 2-3/8" tubing at 6940' and released rig on 12-7-82. Gallup is producing through a sliding sleeve.

18. SIGNATURE, TITLE, and Type

I hereby certify that the foregoing is true and correct

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

RECEIVED FOR RECORD

MAR 18 1983

ENCLOSURE

*See Instructions on Reverse Side

NMOCC