

N. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form O-101
Revised 1-1-80

SUNDRY NOTICES AND REPORTS ON WELLS <small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</small>		1. Indicate Type of Lease Lease <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
		2. State Oil & Gas Lease No.
1. <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-		7. Unit Agreement Name
2. Name of Operator ODESSA NATURAL CORPORATION Attn: John Strojek		8. Name of Lease Name Shipley
3. Address of Operator P. O. Box 3908 Odessa, Texas 79760		9. Well No. 3
4. Location of Well UNIT LETTER <u>A</u> <u>790</u> FEET FROM THE <u>North</u> LINE AND <u>790</u> FEET FROM THE <u>East</u> LINE, SECTION <u>33</u> TOWNSHIP <u>24N</u> RANGE <u>3W</u> N.M.P.M.		10. Field and Pool, or Wildcat Undesignated Chacra
15. Elevation (Show whether DF, RT, GR, etc.) 7004' GL		12. County Rio Arriba


16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

6/4/80 Spud Well
 6/4/80 T.D. 351'. Ran 8 joints 8-5/8", 24.0 lb., K-55 casing (319.29) set at 334.29' with 350 sacks Class "B" cement with 3% Calcium Chloride and 1/4 lb. Flocele per sack. Cement circulated approximately 3 barrels. Pressure test with 500 psig. Test ok.

6/10/80 T.D. 4040'. Ran 100 joints 4-1/2", 10.50 & 11.60, K-55 casing (4020.21') set at 4034.76' with:

580 sacks 50-50 Pozmix (2% Gel) with 6-1/4 lbs. Gilsonite and 6 lbs. salt per sack. Calculated top of cement 2400'



FOR: ODESSA NATURAL CORPORATION

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

ORIGINAL SIGNED BY
EWELL N. WALSH

President, Walsh Engr.
& Production Corp.

SIGNED Ewell N. Walsh, P.E.

TITLE

DATE 6/17/80

Original Signed by FRANK T. CHAVEZ

APPROVED BY

TITLE

DATE

6/18/1980

CONDITIONS OF APPROVAL, IF ANY: