

CORE ANALYSIS RESULTS FOR

GETTY OIL COMPANY

JICARILLA B 20-E

BASIN DAKOTA FILED

RIO ARriba COUNTY, NEW MEXICO



CORE LABORATORIES, INC.
Petroleum Reservoir Engineering
 DALLAS, TEXAS

PAGE NO. 1

GETTY OIL COMPANY
 WICARILLIA B 20-E
 BASTH DAKOTA FIELD
 RIO ARriba COUNTY

FORMATION : GALLUP
 DRILL. FLUID: GEL
 LOCATION : NW SW SEC 31-25N-5W
 STATE : NEW MEXICO

DATE : 11-7-80
 FILE NO. : RD-3-5054
 ANALYST : GETZ
 WELL NO.: 6777 KB

CONVENTIONAL CORE ANALYSIS

SAMP. NO.	DEPTH	PERM. TO HORZ.	AIR (MD) VERTICAL	COR. FLD.	FLUID OIL	SATS. WATER	GR. DNS.	DESCRIPTION
1	5984-5985	*		3.1	51.6	38.7	2.59	SHALE-NO ANALYSIS
	5985-86	*						SHL BLK VF GRN
2	5986-5988	*		3.3	48.5	42.4	2.61	SHALE-NO ANALYSIS
	5988-89	*						SHL BLK VF GRN
3	5989-5991	*						SHALE-NO ANALYSIS
4	5991-92	*		2.5	56.0	24.0		SD GRY F GRN SHL LAM
	5992-93	*		4.3	60.5	32.6		SD GRY F GRN SHL LAM
5	5993-5995							SHALE-NO ANALYSIS
6	5995-96	0.16		3.0	56.7	26.7	2.69	SD GRY F GRN SHL LAM
7	5996-97	0.30		1.6	62.5	12.5	2.64	SD GRY F GRN SHL LAM
	5997-98	0.02		2.9	69.0	28.7	2.60	SD GRY F GRN SHL LAM
8	5998-6001	*						SHALE-NO ANALYSIS
	6001-2	*		4.4	59.1	34.1	2.57	SHL BLK VF GRN
	6002-6004	*						SHALE-NO ANALYSIS
9	6004-5	*		2.8	60.7	28.6	2.61	SD GRY F GRN SHL LAM
10	6005-6	0.02		2.6	34.6	46.2	2.63	SD GRY F GRN SHL LAM
11	6006-7	0.02		3.1	64.5	25.8	2.61	SD GRY F GRN SHL LAM
12	6007-8	*		4.3	67.4	18.6	2.59	SD GRY F GRN SHL LAM
13	6008-9	*		2.8	60.7	21.4	2.62	SD GRY F GRN SHL LAM
	6009-11	*						SHALE-NO ANALYSIS
14	6011-12	*		1.2	41.7	16.7		SD GRY F GRN SHL LAM
15	6012-13	0.01		2.1	42.9	28.6	2.67	SD GRY F GRN SHL LAM
16	6013-14	0.03		1.6	43.8	25.0	2.70	SD GRY F GRN SHL LAM
17	6014-15	0.05		3.1	41.9	12.9	2.64	SD GRY F GRN SHL LAM
18	6015-16	0.06		3.2	40.6	12.5	2.67	SD GRY F GRN SHL LAM

*SAMPLE UNSUITABLE FOR ANALYSIS

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representation, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

GETTY OIL COMPANY
VICARILLO B 20-E
BASIN OAKOTA FIELD
OTO ARTHA COUNTY

FORMATION : GALLUP
DRUG. FLUID: GEL
LOCATION : NW SW SEC 31-25N-10W
STATE : NEW MEXICO

DATE : 11-7-80
FILE NO. : 30-3-3034
ANALYSTS : GETZ
ELEVATION: 6777 KB

CONVENTIONAL CORE ANALYSIS

SAMP. NO.	DEPTH	PERM. TO HORZ.	AIR (MD) VERTICAL	COR. FLD.	FLUID OIL	SATS. WATER	GR. DNS.	DESCRIPTION
19	6016-17	0.02		1.5	51.0	14.5	2.67	SD GRV F GRN SHL LAM
20	6017-18	0.03		2.1	44.6	29.6	2.68	SD GRV F GRN SHL LAM
21	6018-19	*		2.9	43.0	29.1	2.66	SD GRV F GRN SHL LAM
22	6019-20	0.19		2.8	44.8	29.0	2.66	SD GRV F GRN SHL LAM
23	6020-21	0.01		2.9	50.1	21.5	2.66	SD GRV F GRN SHL LAM
24	6021-22	0.01		2.4	54.0	17.9	2.68	SD GRV F GRN SHL LAM
25	6022-23	0.01		2.6	65.7	8.2	2.69	SD GRV F GRN SHL LAM
26	6023-24	0.09		4.4	38.1	23.5	2.54	SD GRV F GRN SHL LAM
	6024-6025							SHALE-NO ANALYSIS
27	6025-26	0.09		4.7	68.1	27.7	2.60	SHL BLK VF GRN
	6026-6027							SHALE-NO ANALYSIS
28	6027-28	0.15		3.8	53.6	37.7	2.58	SD GRV F GRN SHL LAM
29	6028-29	0.03		3.6	58.1	23.3	2.66	SD GRV F GRN SHL LAM
30	6029-30	0.01		2.6	65.4	8.2	2.65	SD GRV F GRN SHL LAM
31	6030-31	<0.01		2.1	69.7	10.0	2.66	SD GRV F GRN SHL LAM
32	6031-32	<0.01		3.4	48.9	24.3	2.62	SD GRV F GRN SHL LAM
33	6032-33	<0.01		3.7	40.5	29.7	2.61	SD GRV F GRN SHL LAM
	6033-6035							SHALE-NO ANALYSIS
34	6035-36	0.01		3.9	53.8	38.5	2.59	SHL BLK VF GRN
	6036-6037							SHALE-NO ANALYSIS
35	6037-38	*		4.0	52.5	42.5	2.59	SHL BLK VF GRN
	6038-6040							SHALE-NO ANALYSIS
36	6040-41	0.01		3.9	50.6	42.8	2.58	SHL BLK VF GRN
	6041-6043							SHALE-NO ANALYSIS
	6043-6044							LOST CORE

*SAMPLE UNSUITABLE FOR ANALYSIS

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

CORE LABORATORIES, INC.
Petroleum Reservoir Engineering

DALLAS, TEXAS

PAGE NO. 3

GETTY OIL COMPANY
 JICARILLA B 20-E
 BASIN DAKOTA FIELD
 RIO ARriba COUNTY

FORMATION : GALLUP
 DRUG. FLUID: GEL
 LOCATION : NW SW SEC 31-25N-5W
 STATE : NEW MEXICO

DATE : 11-7-80
 FILE NO. : 89-3-30 94
 ANALYSTS : GET2
 ELEVATION: 6777 KH

CONVENTIONAL CORE ANALYSIS

SAMP. NO.	DEPTH	PERM. TO HORZ.	AIR (MD) VERTICAL	FOR. FLD.	FLUID OIL	SATS. WATER	GR. UN5.	DESCRIPTION
37	6044-6046	0.07		3.1	54.8	25.8	2.59	SHALE-NO ANALYSIS SHL BLK VF GRN
38	6047-6049	0.06		1.8	27.8	33.5	2.64	SHALE-NO ANALYSIS SD GRN F GRN SHL LAM
39	6050-51	0.24		2.3	30.4	34.8	2.65	SD GRN F GRN SHL LAM
40	6051-52	<0.01		2.5	28.0	32.0	2.67	SD GRN F GRN SHL LAM
41	6052-53	*		2.7	33.0	37.0	2.64	SD GRN F GRN SHL LAM
42	6053-54	0.01		3.1	45.2	38.7	2.67	SD GRN F GRN SHL LAM
43	6054-55	<0.01		3.9	30.8	30.8	2.67	SD GRN F GRN SHL LAM
44	6055-56	<0.01		2.8	32.1	21.4	2.65	SD GRN F GRN SHL LAM
45	6056-57	0.01		3.4	47.1	29.4	2.66	SD GRN F GRN SHL LAM
46	6057-58	<0.01		3.9	41.0	30.8	2.67	SD GRN F GRN SHL LAM
47	6058-59	0.01		2.8	50.0	21.4	2.65	SD GRN F GRN SHL LAM
48	6059-60	<0.01		2.8	42.9	14.3	2.67	SD GRN F GRN SHL LAM
49	6060-61	0.01		2.2	40.9	27.3	2.67	SD GRN F GRN SHL LAM
50	6061-62	0.10		2.2	40.9	45.5	2.65	SD GRN F GRN SHL LAM
51	6062-6064							SHALE-NO ANALYSIS
	6064-65	*		2.7	77.8	14.8	2.63	SHL BLK VF GRN
52	6065-6066							SHALE-NO ANALYSIS
	6066-67	*		4.0	40.0	52.5		SHL BLK VF GRN
53	6067-6069							SHALE-NO ANALYSIS
	6069-70	0.27		1.7	41.2	47.1	2.66	SD GRN F GRN SHL LAM
54	6070-71	1.7		2.6	43.8	37.5	2.65	SD GRN F GRN SHL LAM
55	6071-72	0.14		2.9	51.7	41.4	2.65	SD GRN F GRN SHL LAM
56	6072-73	<0.01		3.0	50.0	43.4	2.65	SD GRN F GRN SHL LAM

*SAMPLE UNSUITABLE FOR ANALYSIS

CORE LABORATORIES, INC.
Petroleum Reservoir Engineering
DALLAS, TEXAS

PAGE NO. 4

GETTY OIL COMPANY
JICARILLA B 20-E
BASIN DAKOTA FIELD
SIO ARCHA COUNTY

FORMATION : GALLUP
DRILL. FLUID: GEL
LOCATION : NW SW SEC 31-25N-5W
STATE : NEW MEXICO

DATE : 11-7-80
FILE NO. : RP-3-50 44
ANALYSTS : GETZ
ELEVATION: 6777 KH

CONVENTIONAL CORE ANALYSIS

SAMP. NO.	DEPTH	PERM. TO HORIZ.	AIR (MD) VERTICAL	POK. FLD.	FLUID SATS. OIL WATER	GR. DMS.	DESCRIPTION
57	6073-74	<0.01		2.3	39.1 52.2	2.64	SD GR Y F GRN SHL LAM
58	6074-75	0.02		3.1	38.7 54.8	2.64	SD GR Y F GRN SHL LAM
59	6075-76	<0.01		1.8	30.9 44.4	2.67	SD GR Y F GRN SHL LAM
60	6076-77	*		1.7	41.2 47.1	2.63	SD GR Y F GRN SHL LAM

*SAMPLE UNSUITABLE FOR ANALYSIS

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representation, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

GETTY OIL COMPANY
 JICARILLA R 20-E
 BASIN DAKOTA FIELD
 SIO ARAPA COUNTY

FORMATION : GALLUP
 DRUG. FLUID: GEL
 LOCATION : NW SW SEC 31-25N-5W
 STATE : NEW MEXICO

DATE : 11-10-80
 FILE NO. : 32-3-3034
 ANALYSTS : GETZ
 ELEVATION: 6777 KH

CONVENTIONAL CORE ANALYSIS

SAMP. NO.	DEPTH	PERM. TO HORZ.	AIR (WD) VERTICAL	FOR. FLD.	FLUID SATS. OIL WATER	GR. DNS.	DESCRIPTION
61	6077-78	<0.01		2.5	48.0 40.0	2.66	SD GRV F GRN SHL LAM
62	6078-79	0.15		2.4	50.0 41.7	2.66	SD GRV F GRN SHL LAM
63	6079-80	*		3.3	48.5 36.4	*	SD GRV F GRN SHL LAM
64	6080-81	<0.01		3.5	54.3 28.6	2.66	SD GRV F GRN SHL LAM
65	6081-82	0.02		4.0	52.5 30.1	2.65	SD GRV F GRN SHL LAM
66	6082-83	<0.01		3.3	48.5 18.2	2.65	SD GRV F GRN SHL LAM
67	6083-84	*		5.1	49.0 27.4	2.65	SD GRV F GRN SHL LAM
68	6084-85	<0.01		4.8	52.1 20.8	2.65	SD GRV F GRN SHL LAM
69	6085-86	<0.01		4.7	44.7 21.3	2.65	SD GRV F GRN SHL LAM
70	6086-87	0.10		6.0	35.0 23.3	2.65	SD GRV F GRN SHL LAM
71	6087-88	<0.01		5.3	47.2 30.2	2.65	SD GRV F GRN SHL LAM
72	6088-89	0.40		3.9	48.7 25.6	2.66	SD GRV F GRN SHL LAM
73	6089-90	0.08		1.7	41.2 11.8	2.68	SD GRV F GRN SHL LAM
74	6090-91	0.01		3.8	42.1 31.6	2.67	SD GRV F GRN SHL LAM
75	6091-92	0.01		3.8	42.1 31.6	2.66	SD GRV F GRN SHL LAM
76	6092-93	0.09		2.5	36.0 32.0	2.64	SD GRV F GRN SHL LAM
77	6093-94	<0.01		3.6	38.9 38.9	2.64	SD GRV F GRN SHL LAM
78	6094-95	0.04		1.7	52.9 5.9	2.65	SD GRV F GRN SHL LAM
79	6095-96	0.16		4.0	30.1 47.5	2.63	SD GRV F GRN SHL LAM
80	6096-97	0.01		3.5	34.5 40.0	2.63	SD GRV F GRN SHL LAM
81	6097-98	<0.01		2.5	36.0 32.0	2.68	SD GRV F GRN SHL LAM
82	6098-99	0.02		2.6	34.6 30.8	2.64	SD GRV F GRN SHL LAM
83	6099-00	*		5.8	34.5 43.1	2.60	SD GRV F GRN SHL LAM
84	6100-01	0.16		2.3	59.1 34.8	2.64	SD GRV F GRN SHL LAM
85	6101-02	0.08		3.4	41.2 41.2	2.66	SD GRV F GRN SHL LAM

*SAMPLE UNSUITABLE FOR ANALYSIS

GETTY OIL COMPANY
 JICARILLA B 20-E
 BASTH DAKOTA FIELD
 SIO ARriba COUNTY

FORMATION : GALLUP
 DRUG. FLUID: GEL
 LOCATION : NW SW SEC 31-25N-5W
 STATE : NEW MEXICO

DATE : 11-10-80
 FILE NO. : RD-3-3034
 ANALYST : GETZ
 ELEVATION: 6777 KB

CONVENTIONAL CORE ANALYSIS

SAMP. NO.	DEPTH	PERM. TO HORZ.	AIR (MD) VERTICAL	COR. FLD.	FLUID SATS. OIL WATER	GR. DNS.	DESCRIPTION
86	6102-3	0.01		3.9	51.3 30.8	2.66	SD GRY F GRN SHL LAM
87	6103-4	*		2.8	42.9 35.7	2.68	SD GRY F GRN SHL LAM
	6104-6166						DRILLED
88	6166-67	0.23		3.1	54.8 32.3	2.57	SD GRY F GRN SHL LAM
89	6167-68	<0.01		2.9	51.7 34.5	2.64	SD GRY F GRN SHL LAM
90	6168-69	<0.01		3.5	57.1 28.6	2.67	SD GRY F GRN SHL LAM
91	6169-70	0.02		2.8	71.4 14.3	2.66	SD GRY F GRN SHL LAM
92	6170-71	0.10		2.8	60.7 25.0	2.64	SD GRY F GRN SHL LAM
93	6171-72	0.01		3.2	62.5 25.0	2.63	SD GRY F GRN SHL LAM
	6172-6180						SHALE-NO ANALYSIS
94	6180-81	0.01		3.6	52.8 33.3	2.56	SHL BLK VF GRN
95	6181-6190						SHALE-NO ANALYSIS
	6190-91	0.01		3.3	48.5 42.2	2.55	SHL BLK VF GRN
96	6191-6200						SHALE-NO ANALYSIS
	6200-1	0.02		3.1	67.7 6.5	2.55	SHL BLK VF GRN
97	6201-6210						SHALE-NO ANALYSIS
	6210-11	0.02		2.4	66.7 16.7	2.60	SHL BLK VF GRN
	6211-6220						SHALE-NO ANALYSIS
	6220-6228						DRILLED
98	6228-29	*		2.6	57.7 23.1	2.58	SHL BLK VF GRN
	6229-6238						SHALE-NO ANALYSIS
99	6238-39	<0.01		2.7	63.0 21.0	2.58	SHL BLK VF GRN
	6239-6248						SHALE-NO ANALYSIS
100	6248-49	0.01		3.8	63.2 26.3	2.56	SHL BLK VF GRN
	6249-6258						SHALE-NO ANALYSIS

*SAMPLE UNSUITABLE FOR ANALYSIS

CORE LABORATORIES, INC.
Petroleum Reservoir Engineering
 DALLAS, TEXAS

PAGE NO. 7

GETTY OIL COMPANY
 JICARILLA H 20-E
 BASIN DAKOTA FIELD
 RIO ARriba COUNTY

FORMATION : GALLUP
 DRILL. FLUID: GEL
 LOCATION : NW 54 SEC 31-25N-5W
 STATE : NEW MEXICO

DATE : 11-10-80
 FILE NO. : R9-3-30 1/4
 ANALYSTS : GETZ
 ELEVATION: 6777 KB

CONVENTIONAL CORE ANALYSIS

SAMP. NO.	DEPTH	PERM. TO HORZ.	AIR (MD) VERTICAL	POR. FLD.	FLUID OIL	SATS. WATER	GR. DNS.	DESCRIPTION
101	6258-59	0.01		4.2	59.5	33.3	2.57	SHL BLK VF GRN
	6259-6268							SHALE-NO ANALYSIS
102	6268-69	<0.01		4.6	54.3	34.8	2.56	SHL BLK VF GRN
	6269-6278							SHALE-NO ANALYSIS
103	6278-79	<0.01		4.7	55.3	36.2	2.55	SHL BLK VF GRN
	6279-6288							SHALE-NO ANALYSIS
104	6288-89	<0.01		2.9	55.2	27.6	2.55	SHL BLK VF GRN
	6289-6300							SHALE-NO ANALYSIS
105	6300-1	0.03		3.3	42.4	42.4	2.69	SD GRY F GRN SHL LAM
106	6301-2	"		2.5	44.0	32.0		SD GRY F GRN SHL LAM
107	6302-3	0.02		3.5	40.0	34.0	2.60	SD GRY F GRN SHL LAM
	6303-6305							SHALE-NO ANALYSIS
108	6305-6	0.01		3.4	58.3	17.6	2.72	SD GRY F GRN SHL LAM
	6306-6314							SHALE-NO ANALYSIS

VF=VERTICAL FRACTURE
 * SAMPLE UNSUITABLE FOR ANALYSIS

