

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-73

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	For <input type="checkbox"/>
5. State Oil & Gas Lease No. LG-2690	

SUNDRY NOTICES AND REPORTS ON WELLS

DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator Mesa Petroleum Co.		8. Farm or Lease Name South Blanco State 32
3. Address of Operator P. O. Box 2009 / Amarillo, TX 79189		9. Well No. 1
4. Location of Well UNIT LAYER F 2230 FEET FROM THE North LINE AND 2060 FEET FROM THE West LINE, SECTION 32 TOWNSHIP 24N RANGE 7W NMPM.		10. Field and Pool, or Wildcat Lybrook Gallup
15. Elevation (Show whether DF, RT, GR, etc.) 7425' GR		12. County Rio Arriba

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Propose to Plug and Abandon subject well as follows:

Set CIBP at 5850' plus 25 sx "C" cement (Gallup perfs are 5914'-6102').
Set 25 sx "C" from 3900' to 4000', across DV tool at 3954'.
Set 25 sx "C" from 212' to 312', 50' in & out of 8 5/8" csg shoe at 262'.
Set 25 sx "C" from 100' to surface.

Install Dry Hole Marker

Note: TOC is calculated at 300'. Hole will be loaded with 9+ ppg mud.

XC: NMOCDF (O+2), CEN RCDS, ACCTG, MAT CONT, PROD RCDS (FILE), DENVER, AZTEC

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED R. E. Mathis TITLE REGULATORY COORDINATOR DATE 4-15-83

APPROVED BY Jeff A. Edmister TITLE DEPUTY OIL & GAS INSPECTOR, DIST. #3 DATE APR 18 1983

CONDITIONS OF APPROVAL, IF ANY: Above program not sufficient, see attached revised program



TONY ANAYA
GOVERNOR

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT
OIL CONSERVATION DIVISION
AZTEC DISTRICT OFFICE

1000 RIO BRAZOS ROAD
AZTEC, NEW MEXICO 87410
(505) 334-6178

April 22, 1983

Mesa Petroleum Corporation
P. O. Box 2009
Amarillo TX 79189

Re: Plugging Program, South Blanco State 32 #1, F-32-24N-7W

Dear Mr. Mathis:

The plugging program intent you submitted was not sufficient to cover all the oil, gas, or water bearing zones.

The following revised program will be sufficient:

Set ClBP at 5850' plus 25 sk cement
Cement plug from 5100' -- 5000'
Cement plug from 4000' -- 3900' across DV tool at 3954'
Cement plug from 3770' -- 3670'
Cement plug from 2660' -- 2460'
Cement plug from 2040' -- 1940'
Cement plug from 312' -- 212'
10 sk cement plug at surface
Install dry hole marker

Hole to be loaded with 9+ ppg mud

If you have any questions please contact this office.

Yours truly,

A handwritten signature in cursive script that reads "Jeff A. Edmister".

Jeff A. Edmister
Geologist II

JAE:gc

cc: Operator file
Well file