



TONEY ANAYA
GOVERNOR

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT
OIL CONSERVATION DIVISION
AZTEC DISTRICT OFFICE

1000 RIO BRAZOS ROAD
AZTEC, NEW MEXICO 87410
(505) 334-6178

April 22, 1983

Mesa Petroleum Corporation
P. O. Box 2009
Amarillo TX 79189

Re: Plugging Program, South Blanco State 32 #1, F-32--24N-7W

Dear Mr. Mathis:

The plugging program intent you submitted was not sufficient to cover all the oil, gas, or water bearing zones.

The following revised program will be sufficient:

Set CIBP at 5850' plus 25 sk cement
Cement plug from 5100' -- 5000'
Cement plug from 4000' -- 3900' across DV tool at 3954'
Cement plug from 3770' -- 3670'
Cement plug from 2660' -- 2460'
Cement plug from 2040' -- 1940'
Cement plug from 312' -- 212'
10 sk cement plug at surface
Install dry hole marker

Hole to be loaded with 9+ ppg mud

If you have any questions please contact this office.


Yours truly,


A handwritten signature in cursive script that reads "Jeff A. Edmister".


Jeff A. Edmister
Geologist II


JAE:gc


cc: Operator file
Well file














HC		CALI	PSNR	2.347	SS	INCH	7.708
MDEN	G/C3	2.650	FD	G/C3	1.000	MATE	5.000
BSEC	MM/M	8.859	BHF				
BSEC	MM/M	5.970	SBR	DMH	1.000		
BO		0.0	BHS	OPEN		FPH	POSS

SP (BY)	0.0	100.0	100.0
GR (GAP)	0.0	100.0	100.0
	200.0	400.0	400.0

FILE
8

