


APPLICATION FOR MULTIPLE COMPLETION

Operator		County		Date
Getty Oil Company		Rio Arriba		3-10-82
Address		Lease		Well No.
P.O. Box 3360 Casper, WY 82602		C. W. Roberts		6A
Location of Well	Unit	Section	Township	Range
	E	18	25N	3W



All Applicants for multiple completion must complete Items 1 and 2 below.

1. The following facts are submitted:	Upper Zone	Intermediate Zone	Lower Zone
a. Name of Pool and Formation	Blanco Mesa Verde	-	Ojito Gallup-Dakota
b. Top and Bottom of Pay Section (Perforations)	5250'-5861'	-	6865'-7906'
c. Type of production (Oil or Gas)	Gas	-	Oil
d. Method of Production (Flowing or Artificial Lift)	Flowing	-	Flowing
e. Daily Production			
<input checked="" type="checkbox"/> Actual	264 BOPD		592 BOPD
<input type="checkbox"/> Estimated	1992 MCFD		1768 MCFD
	56 BWPD		192 BWPD
Oil Bbls.			
Gas MCF			
Water Bbls.			

2. The following must be attached:

- Diagrammatic Sketch of the Multiple Completion, showing all casing strings, including diameters and setting depths, centralizers and/or turbolizers and location thereof, quantities used and top of cement, perforated intervals, tubing strings, including diameters and setting depth, location and type of packers and side door chokes, and such other information as may be pertinent.
- Plat showing the location of all wells on applicant's lease, all offset wells on offset leases, and the names and addresses of operators of all leases offsetting applicant's lease. (Please see attachment #1 for addresses)
- Electrical log of the well or other acceptable log with tops and bottoms of producing zones and intervals of perforation indicated thereon. (If such log is not available at the time application is filed it shall be submitted as provided by Rule 112-A.)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Signed David Brown Title Area Superintendent Date 3-10-82

(This space for State Use)

Approved [Signature] Title SUPERINTENDENT Date MAR 17 1982

NOTE: If the proposed multiple completion will result in an unorthodox well location and/or a non-standard proration unit in one or more of the producing zones, then separate application for approval of the same should be filed simultaneously with this application.

H 4 W
Kmv 8/80
IPF 2393 MCFGPD
12
Kmv 9/80
IPF 1515 MCFGPD

COMOCO
Kmv 9/80
IPF 1757 MCFGPD
COMOCO
AXI Apache 11
Kmv 2/77
504
337
TD 6250'

BEARTOOTH DAG
WOCT
7
LITTLE
SOUTHLAND
Tstg

H 3 W
DEV. CO.
Schalk 11-2
Kmv 11/79
221
63
DEV. CO.
Schalk 11-2
Kmv 7/79
240
148
TD 6014'

SOUTHLAND
Kmv 6/79
229
179
COMOCO
Kmv 10/80
IPF 1766 MCFGPD

A 13
AMOCO
Jicarilla Apache 124-3
Kgl/Kd
11/79
31
9283
TD 8280'

AMOCO
Kgl/Kd
7/80
IPF 100 BOPD
294 MCFGPD
144 BOPD

AMOCO
S.I.
Tstg

24

751204
GETTY
C.W. Roberts - 6
1442
PTD 8120'
(Kmv-Kgl/Kd)
GETTY
C.W. Roberts - 3A
1410
PTD 8120'
(Kmv-Kgl/Kd)
C.W. Roberts
Kmv 8/74
164
397
Kd
Compl 1/58
P&A 1973
Cum 64,023 BO
TD 8180'

751204
GETTY
C.W. Roberts-5
Kgl/Kd
1/78
11
8427
TD 8210'
GETTY
C.W. Roberts-4
Kd
Compl 7/58
P&A 1973
Cum 52,260 BO
C.W. Roberts
Kgl
4/74
7
TD 8220'

751205
GETTY
Lydia Rentz-4
Kmv 6/74
129
458
Kd
Compl 6/58
P&A 1973
Cum 56,178 BO
TD 8298'

751205
GETTY
Lydia Rentz-7
1447
PTD 8220'
(Kmv-Kgl/Kd)
15,810
TD 8220'

Lydia Rentz

Lydia Rentz

25

741121

741121

L.L. McConnel1

L.L. McConnel1

C.W. Roberts #6A
E Section 18-T25N-R3W
Rio Arriba County, New Mexico

KB 7098'
GL 7085'

9 5/8", 36#, K-55, 8rd, ST&C,
R3 Casing set @ 294' with 300
sx. of cement.

2 3/8", 4.7#, J-55, 8rd, EUE
Tubing set @ 7629'.

Centralizers in 7" Casing
at the following depths:

6042', 5989', 5901', 5780',
3805', & 3720'.

2 3/8", 4.7#, J-55, 8rd, EUE
Tubing set @ 5773'.

MesaVerde Perforations:

5250'-5270'
5622'-5628'
5749'-5768'
5860'-5861'

Baker Model "D" Packer @ 5955'

7", 23#, K-55, 8rd, ST&C and
LT&C, R3 Casing set @ 6130'.
Cemented with 1140 sx. of cmt.
Top of cement @ 610'.

Gallup/Dakota Perforations:

6865'-6869' 7740'-7754'
6875'-6890' 7885'-7906'
6905'-6914'
6936'-6947'
6964'-6968'
6974'-6982'
7038'-7096'
7120'-7164'

4 1/2", 11.6# & 10.5#, K-55,
8rd, ST&C, R3 Liner. Top of
liner @ 5967', bottom of liner
@ 8134'. Cemented with 100 sx.
of cement. Top of cement @ 5967'.

TD 8134'
PBD 8073'

Attachment #1

Amoco Production Co.
1670 Broadway
Denver, CO 80202

Conoco Inc.
555 17th St.
Denver, CO 80202

Southland Royalty Co.
410 17th St. Suite 1000
Denver, CO 80202

Beartooth Oil & Gas Co.
Box 2564
305 Petroleum Bldg.
Billings, Montana 59103

Curtis J. Little
Consulting Geologist
Box 2487
Petroleum Plaza Bldg.
Farmington, NM 87401

Schalk Development Co.
John E. Schalk
Box 25825
Albuquerque, NM 87125