SUBMIT IN TRIPLICATE\*

(Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1425.

**UNITED STATES** DEPARTMENT OF THE INTERIOR

DRILL X DEEPEN PLUG BACK 7. UNIT AGREEMENT NAME  TYPE OF WELL  OIL WELL X OAB SINGLE ZONE SINGLE ZONE S. FARM OR LEASE NAME  BETTY 'C' 3/  UNC Texas, Inc.  ADDRESS OF OPERATOR  P. O. Drawer 1391, Midland TX 79702  LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)  At surface  660' FSL & 620' FWL of Section 31  At proposed prod. zone  Same  DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*  7. UNIT AGREEMENT NAME  8. FARM OR LEASE NAME  Betty 'C' 3/  9. WELL NO.  10. FIELD AND FOOL, OR WILDCAT  Lybrook-Gallup  11. BEC., T., E., M., OR BLK.  AND SURVEY OR AREA  Sec. 31-24N-7W	_	GEO	LOGICAL SURV	E.Y			NM 014023	
DRILL W DEEPEN PLUG BACK OF CASING AND CEMENT NAME OF THE STATE OF WALL OF CASING AND CEMENT NAME OF THE STATE OF THE STAT	APPLICATION	I FOR PERMIT	T TO DRILL, I	DEEPEN, OR	PLUG BA	<b>ACK</b>	6. IF INDIAN, ALLOTTE	OR TRIBE NAME
ONLY CALL OTHER DOTAS   MULTIPLE   SPANN OF LARM PARK PARK FOR AND REAST FOR AND LARM PARK PARK PARK FOR AND LARM PARK PARK PARK PARK PARK PARK PARK PARK	L. TYPE OF WORK DRI	LL 😠	DEEPEN		PLUG BAC	<b>(</b> []	7. UNIT AGREEMENT N	TAE
WRILL DI WEIL OFFIRE  DONE DANSE OF OFFICE STATES  UNC TEXAS, Inc.  P. O. Drawer 1391, Midland TX 79702  CUCHTOR OF WRICK (Report location clearly and in accordance with any State requirements)  Al surface (Report location clearly and in accordance with any State requirements)  Al surface (Report location clearly and in accordance with any State requirements)  Al proposed prod. zone  Same  DEFERVE IN WHILE AND DIRECTION FROM NEAREST TOWN OR FORK OFFICE*  IN THE AND SHINKER IN STATE BEAUTING FROM THE AND INTERCOME TOWN OR FORK OFFICE*  IN THE AND SHINKER AND DIRECTION FROM NEAREST TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHINKER AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHIP OF AND THE AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHIP OF AND THE AND THE CONTROL TOWN OR FORK OFFICE*  IN THE AND SHIP OF AND THE AND THE FORM OF THE	OIL G	us 🗀		SINGLE [	MULTIPLE	. —	C MARK OR VEGE NA	
DOTE THE PROPERTY OF SECURITY STATES AND PROOFED PROCEASE. If proposal is to deepen or pilog back, give data on present production such as processors and proposed are production. It is not a proposed in to define all proposed in to define and proposed in the deepen or pilog back, give data on present production are professors. It is not a proposed in the definition of the backers are proposed by the definition of the backers are pro	WELL LX.) W			ZONE L		_ [_]	_	
P. O. Drawer 1391, Midland TX 79702  P. O. Drawer 1391, Midland TX 79702  J. School Follows 1491, Midland TX 79702  J. School Follows 1591, Midland TX 79702		_					<i>-</i>	/
P. O. Drawer 1391, Midland TX 79702  LOCATION OF WELL (Report location clearly and is accordance with any State requirements)  At surface  At surface  At surface  At surface  At surface  At proposed prod. some  Same  DISTANCE FIN MILES AND DELECTION FROM NEAREST TOWN OR FORE OFFICE*  DISTANCE FIN MILES AND DELECTION FROM NEAREST TOWN OR FORE OFFICE*  DISTANCE FROM PROPOSED'  TO PRESENT WILL, DELLING, COMPLETE, 1895. 26'  TO PRESENT WILL, DELING, COMPLETE, 1895. 26'  TO PRESENT WILL, DELING, COMPLETE, 1895. 26'  TO PRESENT WILL, DELLING, COMPLETE, 1895. 26'  TO PRESENT WILL, DELING, COMPLETE, 18		Inc.				· · · · · ·		
ABOVE SPACE SECRET FROMERS   In secondance with any State requirements    ABOVE SPACE SECRET   In secondance with any State requirements    ABOVE SPACE SECRET   In secondance with any State requirements    In secondance    In s		1201 W. 41.	www. 70702	* * * * * * * * * * * * * * * * * * * *	the transfer of the second			R WILDCAT
AND STATES AND ALLE TO SERVICE OF SECTION 31  At proposed prof. nose  Same  DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE*  12. COUNTY OF PARISH 13. STATE  RIO ATTIBLE NEW MC  DISTANCE FROM PROPOSED*  LOCATION TO THEREST NO. FT. 65(0)'  (Also to searest drig, unit line; if any)  DISTANCE FROM PROPOSED TO THE WALL AND THE WORLD TO THE WALL AS TO THIS WALL AS TO THIS WALL AS TO THE WORL AS T	LOCATION OF WELL (Re	eport location clearly	and in accordance wi	th any State require	ements.*)		I ∔	
AB PROPOSED TO HOLE SOME  SAME  DISTANCE IN MILES AND DISECTION FROM NEAREST TOWN OR FOST OFFICE*  DISTANCE IN MILES AND DISECTION FROM NEAREST TOWN OR FOST OFFICE*  DISTANCE FROM PROPOSED*  10. NO. OF ACRES IN LEASE  17. NO. OF ACRES ARSINGHED NO. OF ACRES IN LEASE  18. NO. OF ACRES IN LEASE  19. PROPOSED OFFICE*  10. NO. OF ACRES IN LEASE  19. PROPOSED OFFICE*  10. NO. OF ACRES IN LEASE  11. NO. OF ACRES IN LEASE  12. ACRES WALL  40. C C  13. PROPOSED DEPTH  20. ROTARY OR CARLES YOUR  22. APPROX. DATE WORK WILL STAIL  6949 GR  PROPOSED CASING AND CEMENTING PROGRAM  BIES OF ROLE  PROPOSED CASING AND CEMENTING PROGRAM  22. APPROX. DATE WORK WILL STAIL  6949 GR  PROPOSED CASING AND CEMENTING DRIVIN  22. APPROX. DATE WORK WILL STAIL  6949 GR  PROPOSED CASING AND CEMENTING DRIVIN  22. APPROX. DATE WORK WILL STAIL  6949 GR  PROPOSED CASING AND CEMENTING DRIVIN  20. SX  7 7/8 4 1/2 10.5-11.6 5750 1010 SX  1010 SX  33  SEE Attachments  AMOUNT SPACE DESCRIBE PROPOSED PROCRAM: If proposal is to deepen or plug back, give data on present productive some and proposed new produce  18. PROPOSED IS to drill or deepen directionally, give pertient data on subsurface locations and measured and true vertical depths. Give blow wester program, if any.  DITLE Findinger  DATE  APPROVAL BY  APPROVAL BY  APPROVAL BY  APPROVAL BY  CONDITIONS OF APPROVAL, IF ART:  TITLE  APPROVAL BATE  13. SOLIT BATE  14. SOLIT BATE  15. SOLIT BATE  15. SOLIT BATE  16. SOLIT BATE  16. SOLIT BATE  17. NO. OF ACRES BATEONER BATEONER BATEONER  18. ACRES BATEONER  19. ACRES BATEONER  19. ACRES BATEONER  19. ACRES BATEONER  19. ACRES BATEONER  10. ACRES BATEONER  10. ACRES BA		SOUL ENT OF S	Soction 21			* 1 "	11. SEC., T., R., M., OR	BLK.
SAME  DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR FORT OFFICE*  DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR FORT OFFICE*  DISTANCE AND READEST RICE AND READEST RICE AT THE RICE AT			section 31				[ <b>/</b> ^\	
DISTANCE FROM PROPOSED*    15. NO. OF ACRES IN LEASE   17. NO. ACRES ASSIGNATED TO THIN WELL 40.0°				* * * * * * * * * * * * * * * * * * * *			Sec.31-24N-	/ <b>W</b>
DEFENCE FROM PROPOSED LOCATION TO GET ABBIONED TO THE PROPOSED LOCATION TO HEARDEST TO LEASE LINE ABBIONED TO THE PROPOSED LOCATION TO THE MEASURE TO GET AND CONTINUE TO LOCATION TO THE MEASURE TO GET AND CONTINUE TO GET	DISTANCE IN MILES	AND DIRECTION FROM 1	NEAREST TOWN OR POS	T OFFICE*				
LOCATION TO REALEST NO. T. 660' LAIGO to Describe efficie until like if any)  DISTANCE FROM PROPOSED LOCATION' TO THE WELL  40.00  19. PROPOSED DEPTH 20. BOTARY OR CABLE TOOLS ROTARY ROTARY  22. APPROX. DATE WORK WILL STAN  6949 GR  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF ROLE  12. 1/4 8 5/8 24 300 200 5x  7 7/8 4 1/2 10.5-11.6 5750 1010 5x   SEE Attachments  SEE Attachments  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sone and proposed new produce. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give biow render program, if any.  Drilling and Production  TITLE Engineer  DATE  APPROVAL BY  TITLE  DATE  APPROVAL BY  TITLE  APPROVAL BY  TO SHIE WELL  TO BE 40.00 BY  TO BY  TO BE THE TOOLS  TO BE TOOLS  TO BE TOOLS  TO BE TOOLS  TO BE TOOLS  TO BETT HOUSE OF BROAD  TO BETT HOUSE TOOLS  TO BE TOOLS  TO BE TOOLS  TO BETT HOUSE  TO BE	DATE OF THE PROPERTY OF THE PR	ann <sup>a</sup>						New Mex
DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, SHILLING, COMPLETED, 1895.26' 5750' ROTALY TO NEAREST WELL, SHILLING, COMPLETED, 1895.26' 5750' ROTALY  SELENTING REAL SHILLING, COMPLETED, RT, GR. etc.)  6949 GR  PROPOSED CASING AND CEMENTING PROGRAM  BILE OF HOLE SIZE OF CASING WEIGHT PER POOT AFTING DEPTH QUANTITY OF CEMENT  12 1/4 8 5/8 24 300 200 SX  7 7/8 4 1/2 10.5-11.6 5750 1010 SX  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive some and proposed new produce. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow venter program, if anyc.  Drilling and Production THIS Engineer  THIS Engineer  THIS Engineer  APPROVAL DATE  DATE  CONDITIONS OF APPROVAL, IF ANY:	LOCATION TO NEAREST	•		l .	IN LEASE		HIS WELL	
TO MARKET WALL, DRILLING, COMPLETED 1895.26' 5750' ROTATY  ROTATY  ELEVATIONS (Show whether DF, RT, GR, etc.)  SIZE OF ROLE  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF ROLE  SIZE OF CASING WEIGHT PER POOT SETTING DEPTH QUANTITY OF CEMENT  12 1/4 8 5/8 24 300 200 5x  7 7/8 4 1/2 10.5-11.6 5750 1010 5x   AUG 3 1937  OIL C A A A A A A A A A A A A A A A A A A						<u> </u>		
EMEVATIONS (Show whether DP, RT, GR, etc.)  22. APPROX. DATE WORK WILL STATE 6949 GR  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF NOLE SIZE OF CASING WEIGHT PER POOP 12 1/4 8 5/8 24 300 200 sx 7 7/8 4 1/2 10.5-11.6 5750 1010 sx  SEE Attachments  ABOVE SPACE DESCRIBE PROPOSED PROCRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new produce. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow renter program, if any.  Drilling and Production TITLE Engineer  OATE July 15, 1981  APPROVAL DATE  APPROVAL DATE  APPROVAL DATE  DATE  CONDITIONS OF APPROVAL, IF ANY:	TO NEAREST WELL, D	RILLING, COMPLETED,	1895 261		ТН	_		
PROPOSED CASING AND CEMENTING PROGRAM    Size of Hole   Size of Casing   Weight fer foot   Setting depth   Quantity of Cement				1 3 / 30				DE WILL OFF
SIZE OF HOLE  SIZE OF HOLE  SIZE OF CASING  WEIGHT PER FOOT  SETTING DEPTH  QUANTITY OF CEMENT  12 1/4  8 5/8  24 300 200 SX  7 7/8  4 1/2  10.5-11.6  5750 1010 SX  AUG 18 1937  OIL CONTROL OF CASING OIL CONTROL OF CONTROL OIL CONTROL		DE, 161, GR, EK.	,				AA. AFFRUA. DATE WO	WILL START
SEE OF HOLE  SHEE OF CASING  WEIGHT PER FOOT  12 1/4  8 5/8  24  300  200 SX  7 7/8  4 1/2  10.5-11.6  5750  1010 SX  WIST OF ALL AND AND APPROVAL IF ANT:  WEIGHT PER FOOT  SETTING DEFT.  GRANTING DEFT.  GR	6949 GR		PROPOSED CASE	NG AND CEMENT	ING PROCES	r	1	
ABOVE SPACE DESCRIBE PROPOSED PROCEAM: If proposal is to deepen or plug back, give data on present productive some and proposed new produce. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow renter program, if any.  Drilling and Production  TITLE Engineer  DATE	0188 00 WO	0179 00 0.00		<del>,</del>			07.33	
ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new produce. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow venter program, if any.  Drilling and Production  TITLE Engineer  DATE					G DEPTH			T ;
ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new produce. If proposal is to deill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow venter program, if any.  Drilling and Production  TITLE Engineer  DATE								
ANOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new produce.  If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blow venter program, if any.  Drilling and Production TITLE Engineer  DATE  DATE  APPROVAL DATE		E ALTER BELLE AME	10.5-11.6	2/50		TOTO	)_SX	
Drilling and Production  BIGNED  TITLE Engineer  APPROVED BY  CONDITIONS OF APPROVAL, IF ANY:  Drilling and Production  ATTLE  TITLE  TITLE  TITLE  APPROVAL, IF ANY:  DATE  DATE  APPROVAL, IF ANY:	ABOVE SPACE DESCRIBE	PROPOSED PROGRAM:	If proposal is to dec	pen or plug back, g	ive data on pres	sent prodi	OIL CON ON DIST. 3	As A
Drilling and Production  TITLE Engineer  DATE July 15, 1981  (This space for Federal or State office use)  PERMIT NO.  APPROVED BY CONDITIONS OF APPROVAL, IF ANY:  DATE  DATE  DATE	ne. If proposal is to eventer program, if an	drill or deepen directi		t data on subsurfac	e locations and	measured		
(This space for Federal or State office use)  PERMIT NO. APPROVAL DATE  APPROVED BY	YMI.	$V_{\bullet}$		-	and Produ	ction		LE 1001
APPROVED BY	SIGNED	ume	TI	rus Engineer			DATE JULY	12, 1981
APPROVED BY	-	ral or State office use	)	ADDDOVALD	ATE			, a seet
CONDITIONS OF APPROVAL, IF ANY:				ALLBOYAL D				- 178 <sub>1</sub>
Down Elliott	APPROVED BY		тг	rle		, i	DATE	
*See Instructions On Reverse Side	CONDITIONS OF APPROV	AL, IF ANY:					_ ,	<del>//</del> .
*See Instructions On Reverse Side							Dan Ellis	11
*See Instructions On Reverse Side	17-			_	_	1 7	50	
	. بهر ا		*See Instru	ictions On Revei	rse Side		DI TEMPERATURE	

## Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions,

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consuit applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started

A GPO 782-93

STATE OF NEW MEXICO

EHERGY AND MINERALS DEPARTMENT

## OIL CONSERVATION PROPERTY

P. O. DOX 2088

## SANTA FE, NEW MEXICO 87501

**EXHIBIT 2** 

Form C-107 Revised 10-1

All distances must be from the cuter hounderies of the Section,

<u> </u>			······································					The same of the sa
UNC TEXAS (	CORPORATION	•	Leo E	SETTY 31	"C"			Well No.
Unit Letter	Section	Township		Range		County		
M	31	24N		7W		Rio	Arriba	
Actual Footage Loc		•						
660	feet from the S	outh 1	line and 6	520	feet	from the	West	line
Ground Level Elev:	Producing For		Pool					Dedicated Acreage:
6949	Gallup		r)	ybrook-G	allup			40 Acres
1. Outline th	e acreage dedica	ited to the sul	bject well l	by colored	pencil o	r hachure	marks on	the plat below.
	-							
2. If more th	an one lease is	dedicated to	the well, or	utline eac	h and ide	ntify the	ownership	thereof (both as to working
	nd royalty).							
	•							
3. If more the	an one lease of d	lifferent owners	ship is dedi	icated to t	he well,	have the	interests o	of all owners been consoli-
dated by c	communitization, u	unitization, for	ce-pooling.	etc?				
Yes	No If a	nswer is "yes,	' type of co	onsolidatio	on			
76	:- 4417 1: 41				L L	atualle ka	on concelli	dated (Ilsa rayassa sida af
	f necessary.)	owners and tra	act descript	ions whic	n nave a	ctually be	en consom	dated. (Use reverse side of
		ad to the wall		erenta kar	ua baa-		ad the an	itization unitization
	_						-	mmunitization, unitization, n approved by the Commis-
•	iing, or otherwise,	or until a non-	-Standard di	nit, emim	aring suc	in interes	s, has bee	ii approved by the Commis-
sion.								
	T.			ì				CERTIFICATION
	Í			i				
				ì			I hereby	certify that the information con-
				1			tained h	erein is true and complete to the
							best of	my knowledge and belief.
	1			i			I V	
-	1	İ		i		. 1	Nome Da	ffume
			<u>-</u>	- i			Ra Ra	ndall H. Hulme
	ı			i		. 1	Position	<del></del>
	: 1			1	t to the second		Drla	and Prod Engineer
	,	ŀ	<b>5.</b>		in the second		Company	·
				1			UN	C Texas, Inc.
	l c			1		l	Date	
	)	ec.		1		1	Ju	ıly 28, 1981
	1			1			1	·
	1			1		1		·
	1		31	1				y certify that the well location
	1		-	!			1	on this plot was plotted from field
	1 .			<b>.</b>	e - 14		3	f actual surveys made by me or y supervision, and that the same
	1			ı	34		1	and correct to the best of my
	1				in the second	1.		ige and belief.
	•			, I			1	
				<del>_</del>		7-1		TERED LAND
	I		,	. i	ەدىك		Date Syav	
(0.05	\$			\ <b>i</b>	. 6 17		MaÔ	1887 9/3
620' <sub>©</sub> .				1	28-8-28 ( B. S.	[	Registere	d Professional Engineer
Ĭ				.1			and La	The Surveyor of
999	1					1	200	William K
Œ	1	<b>)</b> :		ı		1	Fred	用。《陈叶》下
			<del></del>				Certificat	e No.
	C	10. 1 m=1000	11				1 2050	

