

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other2. NAME OF OPERATOR
Petro-Lewis Corporation3. ADDRESS OF OPERATOR
P.O. Box 16200 Lubbock, Texas 794904. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 2036' FNL & 1000' FWL
AT TOP PROD. INTERVAL: same
AT TOTAL DEPTH: same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐

SUBSEQUENT REPORT OF:

☐
☐
☐
☐
☐
☐
☐
☐

(other) Pool change notification (subsequent report of)

5. LEASE

SF-080565

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Florance

9. WELL NO.

8A

10. FIELD OR WILDCAT NAME

Blanco Mesaverde

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Section 5, T25N, R3W

12. COUNTY OR PARISH 13. STATE

Rio Arriba New Mexico

14. API NO.

30-039-22865

15. ELEVATIONS (SHOW DF, KDB, AND WD)

7352' KB

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10/12/82 - Perf w/l SPF @ 5551', 55', 96', 5640', 52', 63', 5783', 5836', 6059', 66, 75, 80' (12 shots)
10/13/82 - Set RBP @ 6279'. Acidize w/1000 gals 7½% HCL. Frac w/35,910 gals 30# crosslink gel, 29 tons CO₂, 60,000# 20/40 sd & 20,000# 10/20 tail in.
10/14/82 - Clean off RBP w/nitrogen. Latch onto RBP. Broke collar pulling tbg.
10/15/82 - Could not fish tbg & RBP
10/16/82 - Could not fish tbg & RBP
10/17/82 - Could not fish tbg & RBP
10/18/82 - No activity
10/19/82 - Could not fish tbg & RBP
10/20/82 - Could not fish tbg & RBP
10/21/82 - Could not fish tbg & RBP
10/22/82 - Cut tbg w/chmeical cutter @ 6052'. RBP @ 6293'.
10/23/82 - Washing over tbg
(Continued on attached page)

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

STEVEN M. KING

TITLE

PETROLEUM ENGINEER

DATE

3/9/83

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

MAR 29 1983

*See Instructions on Reverse Side

NMOG

FACILITY
CYL. JAC

10/24/82 - Washing over tbg
10/25/82 - Washing over tbg. Cut rubbers on RBP.
10/26/82 - Could not fish tbg & RBP.
10/27/82 - Could not fish tbg & RBP.
10/28/82 - Could not fish tbg & RBP
10/29/82 - Cut tbg w/outside tbg cutter @ 6268'. RBP @ 6293'.
10/30/82 - TIH w/cut rite shoe. Wash RBP down hole to 7008'.
10/31/82 - Set a second RBP @ 6180'.
11/1/82 - No activity
11/2/82 - TIH w/tbg to 5498'. Return well to prod.