

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)


1. oil ☒ well ☒ gas well ☐ other ☐
2. NAME OF OPERATOR
Petro-Lewis Corporation
3. ADDRESS OF OPERATOR
P.O. Box 937 Levelland, Texas 79336
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 2036' FNL and 1000' FWL
AT TOP PROD. INTERVAL: same
AT TOTAL DEPTH: same
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐

SUBSEQUENT REPORT OF:

(Other) Change well number



5. LEASE
SF 080565
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
Florance
9. WELL NO.
11
10. FIELD OR WILDCAT NAME
Ojito Gallup Dakota
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 5 T25N R3W
12. COUNTY OR PARISH
Rio Arriba
13. STATE
New Mexico
14. API NO.
30-039-22865
15. ELEVATIONS (SHOW DF, KDB, AND WD)
7340' GR

(NOTE) Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This Sundry Notice is filed to change the well number from the Florance 8A to the Florance 11. This well has not yet been completed as a Mesaverde infill.

Subsurface Safety Valve, Make, and Type

Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED William D. Teller

TITLE Petroleum Engineer DATE 5/13/82

APPROVED

Space for Federal or State office use:

APPROVED BY

DATE MAY 19 1982

TITLE

DATE

JAMES F. SIMS
DISTRICT ENGINEER

* See Instructions on Reverse Side



NMOCG