5. LEASE

UNITED STATES

DEPARTMENT OF THE INTERIOR	NM - 42417 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.) 1. oil gas well other 2. NAME OF OPERATOR Southland Royalty Company 3. ADDRESS OF OPERATOR P.O. Drawer 570, Farmington, NM 87401 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 1630' FNL § 1050' FWL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING SEP 24 1982 MULTIPLE COMPLETE SHONDON* ABANDON* SEP 24 1982	7. UNIT AGREEMENT NAME 8. FARM OR LEASE NAME Capulin Mesa 9. WELL NO. #1 10. FIELD OR WILDCAT NAME Gavilan Pictured Cliffs 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 31, T25N, R1W 12. COUNTY OR PARISH 13. STATE Rio Arriba New Mexico 14. API NO. 15. ELEVATIONS (SHOW DF, KDB, AND WD) 7489' GL
(other) Casing Report X FARMINGTON N. M. 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent of the starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent of the starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent of the starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent of the starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent of the starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent of the starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent of the starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent of the starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent of the starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent of the starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent of the starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent of the starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent of the starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent of the starting any proposed work. If well is d measured and zones pertinent of the starting any proposed work. If well is d measured and zones pertinent of the starting any proposed work. If well is d measured and zones pertinent of the starting any proposed work. If	frectionally drilled, give subsurface locations and to this work.)* fr 3500'. tal depth of 3715'. Ran 119 joint set at 3700.31'. Cemented with 450 POZ, 6% gel, 1/4# cello flake. 'containing 1/4# cello flake.
Subsurface Safety Valve, Manu. and Type	Sat @ Ft

_____ TITLE _ _____ DATE ___ ARCHPIEN FOR RECORD

____September 22, 1982

*See Instructions on Reverse Side

(This space for Federal or State office use)

JEP 2 J 1992



_ TITLE _Secretary

18. I hereby certify that the forgeoing is true and correct

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY: