

EL PASO FIELD SERVICES
DEPUTY OIL INSPECTOR
PRODUCTION PIT CLOSURE

DEC 2 1 1998

W.O. HUGHES #7
Meter/Line ID - 95255

RECEIVED
JUL 2 1998
OIL CON. DIV.
DIST. 3

SITE DETAILS

Legals - Twn: 24 Rng: 03
NMOCD Hazard Ranking: 40
Operator: MERIDIAN OIL INC

Sec: 08 Unit: H
Land Type: 4 - Fee
Pit Closure Date: 10/11/94

RATIONALE FOR RISK-BASED CLOSURE:

The above mentioned production pit was assessed and ranked according to the criteria in the New Mexico Conservation Division's Unlined Surface Impoundment Closure Guidelines.

The primary source, discharge to the pit, has been removed. There has been no discharge to the production pit for at least five years and the pit has been closed for at least three years.

The production pit has been remediated to the practical extent of the trackhoe or to the top of bedrock. Initial laboratory analysis has indicated that the soil remaining at the bottom of the excavation is above standards based on the hazard ranking score. Contaminated soil was removed and transported to an approved landfarm for disposal. The initial excavation was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching any residual hydrocarbons remaining in the soil. Therefore, further mobility of residual hydrocarbons is unlikely.

Since the soil samples from the initial excavation were above standards, a test boring was drilled and a sample was collected to evaluate the vertical extent of impact to soils. Test boring sample results indicated soils below standards beneath the original excavation.

El Paso Field Services Company (EPFS) requests closure of the above mentioned production pit location for the following reasons:


- Discharge to the pit has not occurred in over five years and the pit has been closed for over three years.
- The bulk of the impacted soil was removed during the initial excavation.
- The excavation was backfilled with clean soil and graded to divert precipitation away from the excavation area.
- All source material has been removed from the ground surface, eliminating potential direct contact with livestock and the general public.
- Groundwater was not encountered in the initial excavation or test boring; therefore, impact to groundwater is unlikely.
- Soil samples collected beneath the initial excavation were below standards.
- No potential receptors are within 1,000 feet of the site.
- Residual hydrocarbons remaining in the soil at the bottom of the initial excavation will naturally degrade in time with minimal risk to the environment.

FIELD PIT SITE ASSESSMENT FORM

GENERAL	<p>Meter: <u>95255</u> Location: <u>W.D. HUGHES No. 7</u></p> <p>Operator #: <u>2999</u> Operator Name: <u>MDT</u> P/L District: <u>OJITO</u></p> <p>Coordinates: Letter: <u>H</u> ^{CME 6/15/94} Section <u>8</u> Township: <u>24</u> Range: <u>3</u></p> <p>Or Latitude _____ Longitude _____</p> <p>Pit Type: Dehydrator _____ Location Drip: <input checked="" type="checkbox"/> Line Drip: _____ Other: _____</p> <p>Site Assessment Date: <u>6/15/94</u> Area: <u>08</u> Run: <u>83</u></p>
SITE ASSESSMENT	<p>NMOCD Zone: (From NMOCD Maps)</p> <p>Inside <input checked="" type="checkbox"/> (1) Outside <input type="checkbox"/> (2)</p> <p>Land Type: BLM <input type="checkbox"/> (1) State <input type="checkbox"/> (2) Fee <input checked="" type="checkbox"/> (3) Indian _____</p> <p>Depth to Groundwater Less Than 50 Feet (20 points) <input checked="" type="checkbox"/> (1) 50 Ft to 99 Ft (10 points) <input type="checkbox"/> (2) Greater Than 100 Ft (0 points) <input type="checkbox"/> (3)</p> <p>Wellhead Protection Area : Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction? , or ; Is it less than 200 ft from a private domestic water source? <input type="checkbox"/> (1) YES (20 points) <input checked="" type="checkbox"/> (2) NO (0 points)</p> <p>Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) <input checked="" type="checkbox"/> (1) 200 Ft to 1000 Ft (10 points) <input type="checkbox"/> (2) Greater Than 1000 Ft (0 points) <input type="checkbox"/> (3)</p> <p>Name of Surface Water Body <u>Cañada Larga</u> (Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)</p> <p>Distance to Nearest Ephemeral Stream <input type="checkbox"/> (1) < 100' (Navajo Pits Only) <input type="checkbox"/> (2) > 100'</p> <p>TOTAL HAZARD RANKING SCORE: <u>40</u> POINTS</p>
REMARKS	<p>Remarks : <u>Redline Book - Inside Vulnerable Zone Type - Inside</u> <u>3 pits. Will close. Pit has small amount of liquid in it</u></p> <p style="text-align: right;"><u>DIG + HAVL</u></p>

ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 109° Footage from Wellhead 119'
b) Length : 21' Width : 21' Depth : 3'



REMARKS :

Pictures @ 0909 (14-17)
End Dump

Completed By:

Cory Chase
Signature

6/15/09
Date

PHASE I EXCAVATION

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	<p>Meter: <u>95255</u> Location: <u>W.D Hughes No7</u></p> <p>Coordinates: Letter: <u>H</u> Section <u>8</u> Township: <u>24</u> Range: <u>3</u></p> <p>Or Latitude _____ Longitude _____</p> <p>Date Started : <u>10-11-94</u> Run: <u>08</u> <u>83</u></p>
FIELD OBSERVATIONS	<p>Sample Number(s): <u>1P 311</u></p> <p>Sample Depth: <u>12'</u> Feet</p> <p>Final PID Reading <u>173</u> PID Reading Depth <u>12'</u> Feet</p> <p>Yes No</p> <p>Groundwater Encountered <input type="checkbox"/> <input checked="" type="checkbox"/> Approximate Depth _____ Feet</p>
CLOSURE	<p>Remediation Method :</p> <p>Excavation <input checked="" type="checkbox"/> Approx. Cubic Yards <u>80</u></p> <p>Onsite Bioremediation <input type="checkbox"/></p> <p>Backfill Pit Without Excavation <input type="checkbox"/></p> <p>Soil Disposition:</p> <p>Envirotech <input checked="" type="checkbox"/> Tierra <input type="checkbox"/></p> <p>Other Facility <input type="checkbox"/> Name: _____</p> <p>Pit Closure Date: <u>10-11-94</u> Pit Closed By: <u>B.E.I</u></p>
REMARKS	<p>Remarks : <u>Some Line Markers At 12' Soil Light Brown with a smell. closed pit.</u></p>
	<p>Signature of Specialist: <u>Kelly Padilla</u></p>



FIELD SERVICES LABORATORY

ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Inside the GWV Zone

SAMPLE IDENTIFICATION

	Field ID	Lab ID
SAMPLE NUMBER:	KP 311	946399
MTR CODE SITE NAME:	95255	N/A
SAMPLE DATE TIME (Hrs):	10-11-94	1530
SAMPLED BY:	N/A	
DATE OF TPH EXT. ANAL.:	10-17-94	10-17-94
DATE OF BTEX EXT. ANAL.:	10-19-94	10-24-94
TYPE DESCRIPTION:	VC	Brown Sand & Clay

REMARKS: _____

RESULTS

PARAMETER	RESULT	UNITS	QUALIFIERS			
			DF	Q	M(g)	V(ml)
BENZENE	< 0.025	MG/KG	1			
TOLUENE	0.03	MG/KG	1			
ETHYL BENZENE	< 0.025	MG/KG	1			
TOTAL XYLENES	0.19	MG/KG	1			
TOTAL BTEX	0.27	MG/KG				
TPH (418.1)	300 ^{KD 11/9/94} 302	MG/KG			2.09	28
HEADSPACE PID	173	PPM				
PERCENT SOLIDS	88.8	%				

-- TPH is by EPA Method 418.1 and BTEX is by EPA Method 8020 --

The Surrogate Recovery was at 95 % for this sample All QA/QC was acceptable.

Narrative:

ATI results attached

DF = Dilution Factor Used

Approved By:

Date:

11/3/94

Test Method for
Oil and Grease and Petroleum Hydrocarbons
in Water and Soil

Perkin-Elmer Model 1600 FT-IR
Analysis Report

94/10/17 10:38


Sample identification
946399

Initial mass of sample, g
2.090

Volume of sample after extraction, ml
28.000

Petroleum hydrocarbons, ppm
301.765

Net absorbance of hydrocarbons (2930 cm^{-1})
0.048





Analytical **Technologies**, Inc.

2709-D Pan American Freeway, NE Albuquerque, NM 87107
Phone (505) 344-3777 FAX (505) 344-4413

ATI I.D. **410405**

October 26, 1994

El Paso Natural Gas Company
P.O. Box 4990
Farmington, NM 87499

Project Name/Number: PIT CLOSURE 24324

Attention: John Lambdin

On **10/18/94**, Analytical Technologies, Inc., (ADHS License No. AZ0015), received a request to analyze **non-aqueous** samples. The samples were analyzed with EPA methodology or equivalent methods. The results of these analyses and the quality control data, which follow each set of analyses, are enclosed.


If you have any questions or comments, please do not hesitate to contact us at (505) 344-3777.

Letitia Krakowski, Ph.D.
Project Manager

H. Mitchell Rubenstein, Ph.D.
Laboratory Manager

MR:jt

Enclosure





Analytical Technologies, Inc.

GAS CHROMATOGRAPHY RESULTS

TEST : BTEX (EPA 8020)
CLIENT : EL PASO NATURAL GAS CO. ATI I.D.: 410405
PROJECT # : 24324
PROJECT NAME : PIT CLOSURE

SAMPLE ID. #	CLIENT I.D.	MATRIX	DATE SAMPLED	DATE EXTRACTED	DATE ANALYZED	DIL. FACTOR
07	946398	NON-AQ	10/11/94	10/19/94	10/23/94	1
08	946399	NON-AQ	10/11/94	10/19/94	10/24/94	1
09	946400	NON-AQ	10/11/94	10/19/94	10/19/94	1
PARAMETER			UNITS	07	08	09
BENZENE			MG/KG	<0.025	<0.025	<0.025
TOLUENE			MG/KG	0.11	0.03	<0.025
ETHYLBENZENE			MG/KG	<0.025	<0.025	<0.025
TOTAL XYLENES			MG/KG	0.031	0.19	<0.025

SURROGATE:

BROMOFLUOROBENZENE (%)	99	95	101
------------------------	----	----	-----

PHASE II

RECORD OF SUBSURFACE EXPLORATION

PHILIP ENVIRONMENTAL

4000 Monroe Road

Farmington, New Mexico 87401

(505) 326-2262 FAX (505) 326-2388

Borehole # BH-1

Well #

Page 1 of 1

Project Name EPNG PITS

Project Number 14509 Phase 6000 / 77

Project Location W.D. Hughes #7 95255

Well Logged By CM Chance

Personnel On-Site K. Padilla, F. Rivera

Contractors On-Site

Client Personnel On-Site

Elevation

Borehole Location

GWL Depth

Logged By CM CHANCE

Drilled By M. DONOHUE K. Padilla

Date/Time Started 6/1/95 - 1240

Date/Time Completed 6/1/95 - 1500

Drilling Method 4 1/4" ID HSA

Air Monitoring Method PID, CGI

Depth (Feet)	Sample Number	Sample Interval	Sample Type & Recovery (inches)	Sample Description Classification System: USCS	USCS Symbol	Depth Lithology Change (feet)	Air Monitoring Units: PPM S BZ BH HS			Drilling Conditions & Blow Counts
0				Backfill to 12'						
5										
10										
15	1	15-17	16"	Br sandy CLAY, abn v f sand, v. soft, nonplastic, sl moist			0	0	93	1257 hr wine in sample. Will drill 5' more to ensure out of back fill!
20	2	20-22	1"	Br sandy CLAY, abn v f sand, stiff, nonplastic, dry			0	0	NA	1408
	3	22-24	5"	AA			0	0	91	1410
25				TOB 24'						
30										
35										
40										

Comments:

2nd sample had insufficient recovery. 22-24' (CMC31) sample submitted
to lab (BTEX, TPH)

Geologist Signature



Phase II

W.D. Hughes #7

FIELD SERVICES LABORATORY
ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Inside the GWV Zone

SAMPLE IDENTIFICATION

	Field ID	Lab ID
SAMPLE NUMBER:	CML31	946862
MTR CODE SITE NAME:	95255	N/A
SAMPLE DATE TIME (Hrs):	6-1-95	14/10
SAMPLED BY:	N/A	
DATE OF TPH EXT. ANAL.:	6-2-95	6-2-95
DATE OF BTEX EXT. ANAL.:	6-5-95	6-7-95
TYPE DESCRIPTION:	VG	Brown sand and clay

REMARKS:

RESULTS

PARAMETER	RESULT	UNITS	QUALIFIERS			
			DF	Q	M(g)	V(ml)
BENZENE	20.025	MG/KG	1			
TOLUENE	20.025	MG/KG	1			
ETHYL BENZENE	20.025	MG/KG	1			
TOTAL XYLENES	20.025	MG/KG	1			
TOTAL BTEX	20.10	MG/KG				
TPH (418.1)	39.0	MG/KG			2.09	28
HEADSPACE PID	1	PPM				
PERCENT SOLIDS	92.0	%				

-- TPH is by EPA Method 418.1 and BTEX is by EPA Method 8020 --

The Surrogate Recovery was at 92 % for this sample All QA/QC was acceptable.

Narrative:

ATL Results attached

DF = Dilution Factor Used

Approved By:

Date:

6/8/95


```

*****
*                               *
*      Test Method for         *
*      Oil and Grease and Petroleum Hydrocarbons *
*      in Water and Soil      *
*                               *
*      Perkin-Elmer Model 1600 FT-IR *
*      Analysis Report        *
*                               *
*****

```

* 95/06/02 12:02

* Sample identification
946862

* Initial mass of sample, g
2.090

* Volume of sample after extraction, ml
28.000

* Petroleum hydrocarbons, ppm
38.981

* Net absorbance of hydrocarbons (2930 cm^{-1})
0.015

*
*
*

Y: Petroleum hydrocarbons spectrum

12:03

100.04

%T


100.04

3200

3000

2800

cm^{-1}





Analytical **Technologies**, Inc.

2709-D Pan American Freeway, NE Albuquerque, NM 87107
Phone (505) 344-3777 FAX (505) 344-4413

ATI I.D. **506317**

June 9, 1995

El Paso Natural Gas
P.O. Box 4990
Farmington, NM 87499

Project Name/Number: PIT CLOSURE 24324

Attention: John Lambdin

On 06/03/95, Analytical Technologies, Inc., (ADHS License No. AZ0015), received a request to analyze **non-aqueous** samples. The samples were analyzed with EPA methodology or equivalent methods. The results of these analyses and the quality control data, which follow each set of analyses, are enclosed.


If you have any questions or comments, please do not hesitate to contact us at (505) 344-3777.

Letitia Krakowski, Ph.D.
Project Manager

H. Mitchell Rubenstein, Ph.D.
Laboratory Manager

MR:jt

Enclosure



GAS CHROMATOGRAPHY RESULTS

TEST : BTEX (EPA 8020)
 CLIENT : EL PASO NATURAL GAS ATI I.D.: 506317
 PROJECT # : 24324
 PROJECT NAME : PIT CLOSURE

SAMPLE ID. #	CLIENT I.D.	MATRIX	DATE SAMPLED	DATE EXTRACTED	DATE ANALYZED	DIL. FACTOR
10	946860	NON-AQ	06/01/95	06/05/95	06/07/95	1
11	946861	NON-AQ	06/01/95	06/05/95	06/07/95	1
12	946862	NON-AQ	06/01/95	06/05/95	06/07/95	1
PARAMETER			UNITS	10	11	12
BENZENE			MG/KG	<0.025	<0.025	<0.025
TOLUENE			MG/KG	<0.025	<0.025	<0.025
ETHYLBENZENE			MG/KG	<0.025	<0.025	<0.025
TOTAL XYLENES			MG/KG	<0.025	<0.025	<0.025

SURROGATE:

BROMOFLUOROBENZENE (%) 89 97 92