

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐
well well other

2. NAME OF OPERATOR
Cotton Petroleum Corporation

3. ADDRESS OF OPERATOR
3773 Cherry Creek Dr No #750, Den, CO 80209

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 400' FNL 700' FWL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) Perf, ac, & frac

SUBSEQUENT REPORT OF:

RECEIVED

NOV 25 1985

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

**BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA**

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Set cement retainer at 7145', press test to 2000#, held. Pump 31 bbls (150 sxs) Class B neat slurry. Drill cement retainer & hard cement. Perf Dakota A & B w/ 1 JSPF 7209', 12', 14', 16', 18', 7162', 64', 66', 68', 70', 72', 73', 54', 56', 57', 42', 44', 46', 48'. Acidize w/150 gal 15% Hcl at 18.2 BPM at 6140#. Displace w/2% Kcl wtr. Ru & frac w/96,340 gal frac fluid & 180,000# 20/40 sand.

TIH w/2-3/8" tubing, landed at 7427'.

Subsurface Safety Valve: Manu. and Type _____

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Division Prod Mgr DATE 11/15/85

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

NMOCG